


Rx Only **NDC 0078-0951-66**

120 capsules




Tasigna[®]
(nilotinib) capsules

50 mg

Dispense with Medication Guide


TAKE TASIGNA ON EMPTY STOMACH.
AVOID FOOD FOR AT LEAST 2 HOURS
BEFORE TAKING A DOSE OF TASIGNA
AND AT LEAST 1 HOUR AFTER THE DOSE
IS TAKEN.

 **NOVARTIS**

Each capsule contains 50 mg nilotinib.
Dosage: See Prescribing Information.
Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C and 30°C (59°F and 86°F).
Keep all drugs out of the reach of children.
Mfd. by: Novartis d.o.o. Ljubljana, Slovenia
Dist. by: Novartis Pharmaceuticals Corp., East Hanover, NJ 07936
Product of Ireland

3 N 0078-0951-66 1

300070877 US



Contents:
4 individual blister packs containing 28 capsules each.



Tasigna[®]
(nilotinib) capsules


150 mg
per capsule

Manufactured by:
Novartis d.o.o.
Ljubljana, Slovenia

Distributed by:
Novartis Pharmaceuticals Corp., East Hanover, NJ 07936
Product of Ireland

For more information, visit www.US.TASIGNA.com or call 1-866-411-Tasigna


©Novartis



Contents:
4 individual blister packs containing
28 capsules each.

 **Tasigna**[®]
(nilotinib) capsules
200 mg
per capsule

Manufactured by:
Novartis d.o.o.
Ljubljana, Slovenia
Distributed by:
Novartis Pharmaceuticals Corp., East Hanover, NJ 07936
Product of Ireland
For more information, visit www.US.TASIGNA.com or call
1-866-411-Tasigna
©Novartis





Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 2/29/2024 12:15:20PM
GUID: 502d0913000029f375128b0de8c50020