

Store refrigerated at 2°C to 8°C (36°F to 46°F) in original carton to protect from light. DO NOT FREEZE. DO NOT SHAKE.  
 If needed, patients/caregivers may store TALTZ at room temperature up to 30°C (86°F) for up to 5 days in the carton. After room temperature storage, do not return to the refrigerator and discard if not used within 5 days.

Date removed from refrigerator \_\_\_\_/\_\_\_\_/\_\_\_\_  
**Keep out of reach of children.**

Dosage: See Prescribing Information

Carton Contents:  
 1 Single-Dose prefilled autoinjector  
 Prescribing Information  
 Medication Guide  
 Instructions for Use

Each mL of TALTZ contains 80 mg ixekizumab; Polysorbate 80, USP (0.3 mg); Sucrose, USP (80 mg); and Water for Injection, USP. Sodium Hydroxide, USP-NF, may have been added to adjust pH.  
 No preservative.

Eli Lilly and Company  
 Indianapolis, IN 46285, USA  
 US License Number 1891  
 Product of Ireland  
 www.taltz.com



**PHARMACY LABEL HERE**



1 Single-Dose prefilled autoinjector

**80 mg/mL**

**taltz**  
 (ixekizumab) injection

NL275DAM00

Lot  
 Exp.  
 Serial No.

GTIN: 00300021445119

**taltz**  
 (ixekizumab) injection

**80 mg/mL**

For Subcutaneous Use Only

**1** Single-Dose prefilled autoinjector  
 Discard any unused product.



NDC 0002-1445-11

1 x 1 mL Single-Dose prefilled autoinjector

Rx Only  
 Dispense enclosed Medication Guide to each patient.



**taltz**  
 (ixekizumab) injection

**80 mg/mL**

1 Single-Dose prefilled autoinjector

**taltz**  
 (ixekizumab) injection

**80 mg/mL**


If the seal is broken before first use, contact pharmacist.

open here



1 Single-Dose prefilled autoinjector





Store refrigerated at 2°C to 8°C (36°F to 46°F) in original carton to protect from light. DO NOT FREEZE. DO NOT SHAKE.

If needed, patients/caregivers may store a single TALTZ autoinjector at room temperature up to 30°C (86°F) for up to 5 days with protection from light. Keep the remaining autoinjector(s) in the original carton in the refrigerator. After room temperature storage, do not return to the refrigerator and discard if not used within 5 days.

Date removed from refrigerator:  
 autoinjector \_\_\_\_\_  
 autoinjector \_\_\_\_\_

**Keep out of reach of children.**

Dosage: See Prescribing Information

Carton Contents:  
 2 Single-Dose prefilled autoinjectors  
 Prescribing Information  
 Medication Guide  
 Instructions for Use

Each mL of TALTZ contains 80 mg ixekizumab; Polysorbate 80, USP (0.3 mg); Sucrose, USP (80 mg); and Water for Injection, USP, Sodium Hydroxide, USP-NF, may have been added to adjust pH. No preservative.

Eli Lilly and Company  
 Indianapolis, IN 46285, USA  
 US License Number 1891  
 Product of Ireland  
 www.taltz.com



**PHARMACY LABEL HERE**



2 Single-Dose prefilled autoinjectors

**80 mg/mL**



Lot  
 Exp.  
 Serial No.

GTTN: 0030002 1445270

NL276DAM00

NDC 0002-1445-27

**taltz**  
 (ixekizumab)  
 injection

**80 mg/mL**

For Subcutaneous Use Only



2 x 1 mL Single-Dose prefilled autoinjectors

Rx Only  
 Dispense enclosed Medication Guide to each patient.



**2** Single-Dose prefilled autoinjectors

Discard any unused product



**80 mg/mL**

**taltz**  
 (ixekizumab)  
 injection


**taltz**  
 (ixekizumab)  
 injection

**80 mg/mL**

If the seal is broken before first use, contact pharmacist.



open here



2 Single-Dose prefilled autoinjectors

**80 mg/mL**

**taltz**  
 (ixekizumab)  
 injection



2 Single-Dose prefilled autoinjectors

Store refrigerated at 2°C to 8°C (36°F to 46°F) in original carton to protect from light. DO NOT FREEZE. DO NOT SHAKE.

If needed, patients/caregivers may store a single TALTZ autoinjector at room temperature up to 30°C (86°F) for up to 5 days with protection from light. Keep the remaining autoinjector(s) in the original carton in the refrigerator. After room temperature storage, do not return to the refrigerator and discard if not used within 5 days.

Date removed from refrigerator:  
 autoinjector \_\_\_/\_\_\_/\_\_\_  
 autoinjector \_\_\_/\_\_\_/\_\_\_  
 autoinjector \_\_\_/\_\_\_/\_\_\_

**Keep out of reach of children.**  
 Dosage: See Prescribing Information  
 Carton Contents:  
 3 Single-Dose prefilled autoinjectors  
 Prescribing Information  
 Medication Guide  
 Instructions for Use

Each mL of TALTZ contains 80 mg ixekizumab; Polysorbate 80, USP (0.3 mg); Sucrose, USP (80 mg); and Water for Injection, USP. Sodium Hydroxide, USP-NF, may have been added to adjust pH.  
 No preservative.

Eli Lilly and Company  
 Indianapolis, IN 46285, USA  
 US License Number 1891  
 Product of Ireland  
 www.taltz.com

**Lilly**

**PHARMACY LABEL HERE**

**EPD**

3 0002-1445-09 6

3 Single-Dose prefilled autoinjectors

80 mg/mL

taltz (ixekizumab) injection

GTIN: 00300021445096

Lot  
Exp.  
Serial No.

NL277DAM00

NDC 0002-1445-09

3 x 1 mL Single-Dose prefilled autoinjectors

Rx Only  
 Dispense enclosed Medication Guide to each patient.

**Lilly**

3 Single-Dose prefilled autoinjectors

Discard any unused product.

80 mg/mL

taltz (ixekizumab) injection


For Subcutaneous Use Only

80 mg/mL

taltz (ixekizumab) injection

3 Single-Dose prefilled autoinjectors

3 Single-Dose prefilled autoinjectors



taltz (ixekizumab) injection

80 mg/mL

If the seal is broken before first use, contact pharmacist.

open here

3 Single-Dose prefilled autoinjectors




Lot: [Redacted] Exp.: [Redacted] NDC 0002-1445-01 1 mL

NL261DAAM00 (0110300021445017)

**taltz**<sup>®</sup>  
(ixekizumab)  
injection

**80 mg/mL**

For Subcutaneous Use Only  
Rx Only  
**DO NOT FREEZE OR SHAKE**  
Store refrigerated at 2° to 8°C (36° to 46°F)  
Protect from light.  
Keep out of reach of children.  
Single-Dose Only


Eli Lilly and Company  
Indianapolis, IN 46285, USA  
US License Number 1891  
Product of Ireland

*Lilly*

NEEDLE END



(b) (4)



**PROFESSIONAL PACKAGE: NOT TO BE SOLD**  
 Store refrigerated at 2°C to 8°C (36°F to 44°F) in original carton to protect from light. DO NOT FREEZE. DO NOT SHAKE.  
 If needed, patients/caregivers may store TALTZ at room temperature up to 30°C (86°F) for up to 5 days in the carton. After room temperature storage, do not return to the refrigerator and discard if not used within 5 days.  
 Date removed from refrigerator \_\_\_/\_\_\_/\_\_\_  
**Keep out of reach of children.**  
 Dosage: See Prescribing Information  
 Carton Contents:  
 1 Single-Dose prefilled autoinjector  
 Prescribing Information  
 Medication Guide  
 Instructions for Use  
 Each mL of TALTZ contains 80 mg ixekizumab, Polysorbate 80, USP (0.3 mg); Sucrose, USP (80 mg); and Water for Injection, USP. Sodium Hydroxide, USP-NF, may have been added to adjust pH.  
 No preservative.

Eli Lilly and Company  
 Indianapolis, IN 46285, USA  
 US License Number 1891  
 Product of Ireland  
 www.taltz.com



1 Single-Dose prefilled autoinjector

80 mg/mL

taltz®  
 (ixekizumab)  
 injection



Lot  
 Exp.


SH021DAM04

taltz®  
 (ixekizumab)  
 injection

80 mg/mL

For Subcutaneous Use Only

1 Single-Dose prefilled autoinjector  
 Discard any unused product.



For more information about Taltz®, connect with your phone (see inside carton flap for instructions).

**FREE SAMPLE**

1 x 1 mL Single-Dose prefilled autoinjector

Rx Only

Dispense enclosed Medication Guide to each patient.



80 mg/mL

taltz®  
 (ixekizumab)  
 injection



taltz®  
 (ixekizumab)  
 injection

80 mg/mL

If the seal is broken before first use, contact your healthcare provider.





open here

1 Single-Dose prefilled autoinjector









(b) (4)



Susan  
Kirshner

Digitally signed by Susan Kirshner

Date: 3/05/2024 06:03:45PM

GUID: 508da6db000266b77da0ba4bfa620030