

**CENTER FOR DRUG EVALUATION AND  
RESEARCH**

*APPLICATION NUMBER:*  
**21-105**

**PHARMACOLOGY REVIEW**

21-105-000-11E

**REVIEW AND EVALUATION OF PHARMACOLOGY/TOXICOLOGY DATA**  
Division of Anti-infective Drug Products, HFD-520

NDA number: 21-105 (000)

SEP 28 1999

**KEY WORDS:** Zotrim, phenazopyridine, sulfamethoxazole, trimethoprim

**Reviewer Name:** Kenneth Seethaler, R.Ph., Ph.D., D.A.B.T.

**Date of submission:** February 18, 1999

**Review completion date:** September 24, 1999

**Submission format:** Literature reviews (Paper NDA)

**Scientific literature reviewed:** Yes (x) No ( )

**Information to sponsor:** Yes (x) No ( )

**Sponsor:** Able Laboratories, Inc./DynaGen, Inc.  
840 Memorial Drive  
Cambridge, MA 02139

**Contact person:** Peter J. Mione, M.S.  
Vice-President, Clinical and Regulatory Affairs  
Phone 617-491-2527

## INTRODUCTION

This NDA seeks approval to market a blister-card package, containing three drugs already approved by the USFDA for use in the United States. The three drugs are phenazopyridine (Pyridium), sulfamethoxazole (Gantanol), and trimethoprim (Trimpex). Combinations of phenazopyridine and sulfamethoxazole [redacted] and combinations of sulfamethoxazole and trimethoprim (e.g. Bactrim) have also been approved for marketing in this country.

The package will contain two types of tablets: one of phenazopyridine (200 mg), and one consisting of a combination of sulfamethoxazole (800 mg) and trimethoprim (160 mg). There will be a total of 26 tablets in the package: six tablets of phenazopyridine, and 20 tablets of the sulfamethoxazole/trimethoprim combination. The treatment regimen for phenazopyridine will

be TID for two days, while the regimen for the sulfamethoxazole/trimethoprim combination will be BID for ten days.

This product will be intended for use in the treatment of uncomplicated urinary tract infections.

No experimental data was submitted in this NDA. The sponsor seeks approval for this convenience/compliance combination product, based on efficacy and safety data published in the scientific literature.

## RECOMMENDATIONS

Since these three drugs and combinations thereof, have been approved already, it seems reasonable, from the Pharmacology/Toxicology perspective, to also approve this blister-pack combination.

The sponsor's proposed labeling has been taken from the Physicians Desk Reference for Pyridium and Bactrim, but the labeling is not in the latest format. For example, doses are expressed as mg/kg, different pregnancy categories (B and C) are used in different places, and the effects on nursing mothers are given for only one drug (phenazopyridine) and not the others.

It is recommended that the PRECAUTIONS section of the label be revised to correct these shortcomings.

*/S/*

Kenneth Seethaler, Ph.D., D.A.B.T.  
Pharmacologist/Toxicologist HFD-520

cc: Original NDA 21-105  
HFD-104  
HFD-340  
HFD-520  
HFD-520/Pharm/K. Seethaler  
HFD-520/MO/H.Hamilton  
HFD-520/Micro/H.Silver  
HFD-520/Chem/B.Shetty  
HFD-520/CSO/B.Duval-Miller  
~~HFD-520/Biopharm/H.Sun~~  
HFD-520/Biostat/D.Lin

Concurrence only:

HFD-520/R. Osterberg

HFD-520/L. Gavrilovich

*/S/ 9/28/89*

*/S/ 9/29/89*