# CENTER FOR DRUG EVALUATION AND RESEARCH

APPLICATION NUMBER: 21-734

**LABELING** 

10A8[] (D80]

**Antihistamine** Oral Suspension 5 mg/5 mL Loratadine

OP TO **48** DAYS OF RELIEF

Children's

# Loratadine

Oral Suspension 5 mg/5 mL **Antihistamine** 



#### **Drug Facts**

Active ingredient (in each 5 mLteaspoonful)
Loraladine 5 mg..... Purpose

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

• runny nose • itchy, watery eyes • sneezing

• itching of the nose or throat

#### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If you are pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.



#### Drug Facts (continued)

Directions Attention: use this product Attention: use this product only with the enclosed teaspoon and do not overfill. The enclosed teaspoon holds 5 mL when filled level to top rim. Level by mildly shaking or tapping the spoon.

ороон.	
adults and children 6 years and over	2 teaspoonful daily; do not take more tha 2 teaspoonful daily

children 2 to under 6 vears daily; do not take more than of age 1 teaspoonful

ask a doctor children under 2 years of age

consumers with liver ask a doctor or kidney disease

### Other information

- information
- odo not use if safety seal is torn or missing store between 20°-25°C (68°-77°F)
- see bottom of carton or bottle for lot no. and exp.

Inactive ingredients butylparaben, carbomer 934p, glycerin, masking agent, peach flavor, poloxamer 188, propylene glycol, purified water, sodium hydroxide, sorbital crystalline, sucralose liquid concentrate

#### Questions or comments?

1-800-345-0032 (Monday through Friday, 8 am to 6 pm EST) www.elixsure.com



Children's

## Loratadine

Oral Suspension 5 mg/5 mL **Antihistamine** 





- sneezing itchy, watery eyes runny nose itchy throat or nose
- Sugar Free



8 fl oz (240 mL) \*When isken as directed, see Drug Finds Pace

## Loratadine

Oral Suspension 5 mg/5 mL Antihistamine



#### Unique patented spill-resistant suspension:

Assures dosé goes from spoon to mouth without spilling

#### Formulated as "NonSpil™ Suspension"

Ingredients Remain Suspended No need to shake

Attention: Do not overfill the spoon.

- Safety sealed: do not use if safety seal is torn or missing.
- Use this product only with the enclosed measuring device.
- The specially designed leaspoon provided with the product delivers 5 mL when filled to top.
- Level by mildly shaking or tapping the spoon.

ATTACHED LEGEND TO ALL **DIGITAL MECHANICALS** 

STANDARD FORMAT: Helijebija Condensed

Drug Facts - 16 pt helvetica Bold Italia

Headings - 10 pt helvelics Bold balic

Sub Heads - & pt helicities Bold

Text - 8 pt Helvelica Roman Bullets - 8 pt Helvetica Romai

Forder - 2.5 pt rule 3.64" gap all aroun

Barline - 1 pt Rule

Hartine - 5 pt Rule

PK-0000-0 0905-0 M000



T 106