

**CENTER FOR DRUG EVALUATION AND
RESEARCH**

APPLICATION NUMBER:
21-958

LABELING

NDC XXXX-XXXX-XXXX

LAMISIL^{AT} Gel
TERBINAFINE GEL 1% - ANTIFUNGAL

CURES MOST
JOCK ITCH



Relieves Itching & Burning

NET WT.
6g (.21 oz)

Drug Facts

Active ingredient

Terbinafine 1%

Purpose

Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning, cracking, and scaling which accompany this condition

Warnings

For external use only

Do not use • on nails or scalp • in or near the mouth or the eyes • for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

- adults and children 12 years and over
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- apply once a day (morning or night) for 1 week or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor

Other information

- do not use if seal on tube is broken or is not visible
- store at or below 30°C (86°F)

Inactive ingredients: benzyl alcohol, butylated hydroxytoluene, carbomer 974 P, ethanol, isopropyl myristate, polysorbate 20, purified water, sodium hydroxide, sorbitan monolaurate

Questions? call 1-800-452-0051 24 hours a day, 7 days a week.

NOVARTIS

Distributed by:
Novartis Consumer Health, Inc.
Parsippany, NJ 07054-0622 ©2008 000000
Made in Germany

Lot No.
Exp. Date



6g Tube - Enlarged 300%



0000000

Distributed by: Novartis Consumer Health, Inc.
Parsippany, NJ 07054-0622 ©2006 Made in Germany

Store at or below 30°C (86°F)
See crimp for lot number and expiration date

LAMISIL^{AT} Gel

TERBINAFINE GEL 1% • ANTIFUNGAL

Active Ingredient

Terbinafine 1%

Purpose

Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning, cracking and scaling which accompany this condition

Warnings

For external use only

- Do not use**
- on nails or scalp
 - in or near the mouth or the eyes
 - for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation.

occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

- adults and children 12 years and older
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- apply once a day (morning or night) for 1 week or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor

NDP XXXX-XXXXXX

LAMISIL^{AT} Gel
TERBINAFINE GEL 1% - ANTIFUNGAL

Advanced

THE ONLY 7 DOSE (ONCE A DAY)
TREATMENT FOR ATHLETE'S FOOT



CURES MOST ATHLETE'S FOOT BETWEEN THE TOES
Relieves Itching & Burning

NET WT.
6g (.21 oz)

Drug Facts

Active ingredient

Terbinafine 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis) between the toes. Effectiveness on the bottom or sides of foot is unknown.
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking, and scaling which accompany these conditions

Warnings

For external use only

Do not use • on nails or scalp • in or near the mouth or the eyes • for vaginal yeast infections
When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if too much irritation occurs or gets worse.
Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

- adults and children 12 years and over
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- for athlete's foot between the toes: apply once a day at bedtime for 1 week or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor



Other information

- do not use if seal on tube is broken or is not visible
- store at or below 30°C (86°F)

Inactive ingredients: benzyl alcohol, butylated hydroxytoluene, carbomer 974 P, ethanol, isopropyl myristate, polysorbate 20, purified water, sodium hydroxide, sorbitan monolaurate

Questions? call 1-800-452-0051 24 hours a day, 7 days a week.


NOVARTIS

Distributed by:
Novartis Consumer Health, Inc.
Parsippany, NJ 07054-0022 ©2003 000000
Made in Germany

Lot No.
Exp. Date



6g Tube - Enlarged 300%



000000

Distributed by: Novartis Consumer Health, Inc.
Parsippany, NJ 07054-0622 ©2006 Made in Germany

Store at or below 30°C (86°F)
See crimp for lot number and expiration date

THE ONLY 1 DOSE (ONCE A DAY) TREATMENT FOR ATHLETE'S FOOT

LAMISIL[®] Gel
TERBINAFINE GEL 1% - ANTIFUNGAL

15 mL (0.5 FL OZ)

Active Ingredient:
Terbinafine 1%
Purpose:
Antifungal

Uses:

- cures most athlete's foot (tinea pedis) between the toes.
- Effectiveness on the bottom or sides of foot is unknown.
- cures most foot itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking, and scaling which accompany these conditions

Warnings:
For external use only.
Do not use • on nails or scalp
• in or near the mouth or the eyes
• for vaginal yeast infections
When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions:

- adults and children 12 years and over
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- for athlete's foot between the toes: apply once a day at bedtime for 1 week or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- for foot itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor

XX-XXXX-XXXX-XXXX

LAMISIL^{AT} Gel
TERBINAFINE GEL 1% • ANTIFUNGAL

**CURES MOST
JOCK ITCH**



Relieves Itching & Burning

NET WT.
12 g (.42 oz)

Drug Facts

Active ingredient

Terbinafine 1%

Purpose

Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning, cracking, and scaling which accompany this condition

Warnings

For external use only

Do not use • on nails or scalp • in or near the mouth or the eyes • for vaginal yeast infections
When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

- adults and children 12 years and over
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- apply once a day (morning or night) for 1 week or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor

Other information

- do not use if seal on tube is broken or is not visible
- store at or below 30°C (86°F)

Inactive ingredients: benzyl alcohol, butylated hydroxytoluene, carbomer 974 P, ethanol, isopropyl myristate, polysorbate 20, purified water, sodium hydroxide, sorbitan monolaurate

Questions? call 1-800-452-0051 24 hours a day, 7 days a week.



Distributed by:
Novartis Consumer Health, Inc.
Parsippany, NJ 07054-0622 ©2006 0000000
Made in Germany

Lot No.
Exp. Date



00000000

Distributed by: Novartis Consumer Health, Inc.
Parsippany, NJ 07054-0622 ©2006 Made in Germany

Store at or below 30°C (86°F)
See crimp for lot number and expiration date

LAMISIL^{AT} Gel

TERBINAFINE GEL 1% - ANTIFUNGAL

NET WT. 12g (42 oz)

Active Ingredient

Terbinafine 1%.....Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning, cracking and scaling which accompany this condition

Warnings

For external use only

- Do not use**
- on nails or scalp
 - in or near the mouth or the eyes
 - for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

- adults and children 12 years and older
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- apply once a day (morning or night) for **1 week** or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor

11111111111111111111

LAMISIL^{AT} Gel
TERBINAFINE GEL 1% • ANTIFUNGAL

Advanced
THE ONLY 7 DOSE (ONCE-A-DAY)
TREATMENT FOR ATHLETE'S FOOT



CURES MOST ATHLETE'S FOOT BETWEEN THE TOES
Relieves Itching & Burning

NET WT.
12 g (.42 oz)

Drug Facts

Active ingredient

Terbinafine 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis) between the toes. Effectiveness on the bottom or sides of foot is unknown.
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking, and scaling which accompany these conditions

Warnings

For external use only

Do not use • on nails or scalp • in or near the mouth or the eyes • for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water. Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

- adults and children 12 years and over
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- for athlete's foot between the toes: apply once a day at bedtime for 1 week or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor



Other information

- do not use if seal on tube is broken or is not visible
- store at or below 30°C (86°F)

Inactive ingredients: benzyl alcohol, butylated hydroxytoluene, carbomer 974 P, ethanol, isopropyl myristate, polysorbate 20, purified water, sodium hydroxide, sorbitan monolaurate

Questions? call 1-800-452-0051 24 hours a day, 7 days a week.

NOVARTIS

Distributed by:
Novartis Consumer Health, Inc.
Parsippany, NJ 07054-0622 ©2006 0000000
Made in Germany

Lot No.
Exp. Date



12g Tube - Enlarged 300%

00000000

Distributed by: **Novartis Consumer Health, Inc.**
Parsippany, NJ 07054-0622 ©2006 Made in Germany

Store at or below 30°C (86°F)
See crimp for lot number and expiration date

THE ONLY 7 DOSE (ONCE A DAY) TREATMENT FOR ATHLETE'S FOOT

LAMISIL^{AT} Gel

TERBINAFINE GEL 1% - ANTIFUNGAL

NET WT. 12g (42 oz)

Active ingredient

Terbinafine 1%.....Antifungal

Uses

- cures most athlete's foot (tinea pedis) between the toes.
- Effectiveness on the bottom or sides of foot is unknown.
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking, and scaling which accompany these conditions

Warnings

For external use only

- Do not use** • on nails or scalp
• in or near the mouth or the eyes
• for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

- adults and children 12 years and over
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- for athlete's foot between the toes: apply once a day at bedtime for 1 week or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor