

**CENTER FOR DRUG EVALUATION AND  
RESEARCH**

*APPLICATION NUMBER:*

**22-129**

**ADMINISTRATIVE and CORRESPONDENCE**  
**DOCUMENTS**

## EXCLUSIVITY SUMMARY

NDA # 22-129

SUPPL #

HFD # 540

Trade Name TRADENAME Lotion, 5%

Generic Name benzyl alcohol

Applicant Name Sciele Pharma, Inc.

Approval Date, If Known

### PART I IS AN EXCLUSIVITY DETERMINATION NEEDED?

1. An exclusivity determination will be made for all original applications, and all efficacy supplements. Complete PARTS II and III of this Exclusivity Summary only if you answer "yes" to one or more of the following questions about the submission.

a) Is it a 505(b)(1), 505(b)(2) or efficacy supplement?

YES  NO

If yes, what type? Specify 505(b)(1), 505(b)(2), SE1, SE2, SE3, SE4, SE5, SE6, SE7, SE8

505(b)(2)

c) Did it require the review of clinical data other than to support a safety claim or change in labeling related to safety? (If it required review only of bioavailability or bioequivalence data, answer "no.")

YES  NO

If your answer is "no" because you believe the study is a bioavailability study and, therefore, not eligible for exclusivity, EXPLAIN why it is a bioavailability study, including your reasons for disagreeing with any arguments made by the applicant that the study was not simply a bioavailability study.

NA

If it is a supplement requiring the review of clinical data but it is not an effectiveness supplement, describe the change or claim that is supported by the clinical data:

NA

d) Did the applicant request exclusivity?

YES  NO

If the answer to (d) is "yes," how many years of exclusivity did the applicant request?

5 years

e) Has pediatric exclusivity been granted for this Active Moiety?

YES  NO

If the answer to the above question in YES, is this approval a result of the studies submitted in response to the Pediatric Written Request?

NA

IF YOU HAVE ANSWERED "NO" TO ALL OF THE ABOVE QUESTIONS, GO DIRECTLY TO THE SIGNATURE BLOCKS AT THE END OF THIS DOCUMENT.

2. Is this drug product or indication a DESI upgrade?

YES  NO

IF THE ANSWER TO QUESTION 2 IS "YES," GO DIRECTLY TO THE SIGNATURE BLOCKS ON PAGE 8 (even if a study was required for the upgrade).

## **PART II FIVE-YEAR EXCLUSIVITY FOR NEW CHEMICAL ENTITIES**

(Answer either #1 or #2 as appropriate)

### 1. Single active ingredient product.

Has FDA previously approved under section 505 of the Act any drug product containing the same active moiety as the drug under consideration? Answer "yes" if the active moiety (including other esterified forms, salts, complexes, chelates or clathrates) has been previously approved, but this particular form of the active moiety, e.g., this particular ester or salt (including salts with hydrogen or coordination bonding) or other non-covalent derivative (such as a complex, chelate, or clathrate) has not been approved. Answer "no" if the compound requires metabolic conversion (other than deesterification of an esterified form of the drug) to produce an already approved active moiety.

YES  NO

If "yes," identify the approved drug product(s) containing the active moiety, and, if known, the NDA #(s).

NDA#

NDA#

NDA#

2. Combination product.

If the product contains more than one active moiety(as defined in Part II, #1), has FDA previously approved an application under section 505 containing any one of the active moieties in the drug product? If, for example, the combination contains one never-before-approved active moiety and one previously approved active moiety, answer "yes." (An active moiety that is marketed under an OTC monograph, but that was never approved under an NDA, is considered not previously approved.)

YES  NO

If "yes," identify the approved drug product(s) containing the active moiety, and, if known, the NDA #(s).

NDA#

NDA#

NDA#

IF THE ANSWER TO QUESTION 1 OR 2 UNDER PART II IS "NO," GO DIRECTLY TO THE SIGNATURE BLOCKS ON PAGE 8. (Caution: The questions in part II of the summary should only be answered "NO" for original approvals of new molecular entities.)

IF "YES," GO TO PART III.

**PART III THREE-YEAR EXCLUSIVITY FOR NDAs AND SUPPLEMENTS**

To qualify for three years of exclusivity, an application or supplement must contain "reports of new clinical investigations (other than bioavailability studies) essential to the approval of the application and conducted or sponsored by the applicant." This section should be completed only if the answer to PART II, Question 1 or 2 was "yes."

1. Does the application contain reports of clinical investigations? (The Agency interprets "clinical investigations" to mean investigations conducted on humans other than bioavailability studies.) If

the application contains clinical investigations only by virtue of a right of reference to clinical investigations in another application, answer "yes," then skip to question 3(a). If the answer to 3(a) is "yes" for any investigation referred to in another application, do not complete remainder of summary for that investigation.

YES  NO

IF "NO," GO DIRECTLY TO THE SIGNATURE BLOCKS ON PAGE 8.

2. A clinical investigation is "essential to the approval" if the Agency could not have approved the application or supplement without relying on that investigation. Thus, the investigation is not essential to the approval if 1) no clinical investigation is necessary to support the supplement or application in light of previously approved applications (i.e., information other than clinical trials, such as bioavailability data, would be sufficient to provide a basis for approval as an ANDA or 505(b)(2) application because of what is already known about a previously approved product), or 2) there are published reports of studies (other than those conducted or sponsored by the applicant) or other publicly available data that independently would have been sufficient to support approval of the application, without reference to the clinical investigation submitted in the application.

(a) In light of previously approved applications, is a clinical investigation (either conducted by the applicant or available from some other source, including the published literature) necessary to support approval of the application or supplement?

YES  NO

If "no," state the basis for your conclusion that a clinical trial is not necessary for approval AND GO DIRECTLY TO SIGNATURE BLOCK ON PAGE 8:

(b) Did the applicant submit a list of published studies relevant to the safety and effectiveness of this drug product and a statement that the publicly available data would not independently support approval of the application?

YES  NO

(1) If the answer to 2(b) is "yes," do you personally know of any reason to disagree with the applicant's conclusion? If not applicable, answer NO.

YES  NO

If yes, explain:

(2) If the answer to 2(b) is "no," are you aware of published studies not conducted or sponsored by the applicant or other publicly available data that could independently

demonstrate the safety and effectiveness of this drug product?

YES  NO

If yes, explain:

- (c) If the answers to (b)(1) and (b)(2) were both "no," identify the clinical investigations submitted in the application that are essential to the approval:

Studies comparing two products with the same ingredient(s) are considered to be bioavailability studies for the purpose of this section.

3. In addition to being essential, investigations must be "new" to support exclusivity. The agency interprets "new clinical investigation" to mean an investigation that 1) has not been relied on by the agency to demonstrate the effectiveness of a previously approved drug for any indication and 2) does not duplicate the results of another investigation that was relied on by the agency to demonstrate the effectiveness of a previously approved drug product, i.e., does not redemonstrate something the agency considers to have been demonstrated in an already approved application.

- a) For each investigation identified as "essential to the approval," has the investigation been relied on by the agency to demonstrate the effectiveness of a previously approved drug product? (If the investigation was relied on only to support the safety of a previously approved drug, answer "no.")

Investigation #1 YES  NO

Investigation #2 YES  NO

If you have answered "yes" for one or more investigations, identify each such investigation and the NDA in which each was relied upon:

- b) For each investigation identified as "essential to the approval", does the investigation duplicate the results of another investigation that was relied on by the agency to support the effectiveness of a previously approved drug product?

Investigation #1 YES  NO



interest provided substantial support for the study?

Investigation #1  
!  
! YES  NO   
! Explain: ! Explain:

Investigation #2  
!  
! YES  NO   
! Explain: ! Explain:

(c) Notwithstanding an answer of "yes" to (a) or (b), are there other reasons to believe that the applicant should not be credited with having "conducted or sponsored" the study? (Purchased studies may not be used as the basis for exclusivity. However, if all rights to the drug are purchased (not just studies on the drug), the applicant may be considered to have sponsored or conducted the studies sponsored or conducted by its predecessor in interest.)

YES  NO

If yes, explain:

=====

Name of person completing form: Nichelle Rashid  
Title: Regulatory Health Project Manager  
Date: 02/25/09

Name of Office/Division Director signing form: Susan Walker  
Title: Division Director

Form OGD-011347; Revised 05/10/2004; formatted 2/15/05

-----  
**This is a representation of an electronic record that was signed electronically and  
this page is the manifestation of the electronic signature.**  
-----

/s/

-----  
Susan Walker

4/3/2009 11:28:48 AM




103 G.P. Clement Drive  
Collegeville, PA 19426  
(610) 454-1471  
FAX (610) 454-1475

customer service:  
1-800-533-SKIN  
info@sumlab.com

Exclusivity Request

Pursuant to Section 505(b) of the Federal Food, Drug and Cosmetic Act, and to Section 314.108(b)(2) of Title 21 of the Code of Federal regulations, Summers Laboratories Inc. requests market exclusivity for a period of 5 years from the date of approval of this New Drug Application for the new chemical entity, benzyl alcohol.

  
Michael J. Precopio  
President, Summers Laboratories

5/18/07  
Date

**PEDIATRIC PAGE**  
**(Complete for all filed original applications and efficacy supplements)**

NDA/BLA#: 22-129 Supplement Number: NA NDA Supplement Type (e.g. SE5): NA

Division Name: DDDP PDUFA Goal Date: 04/17/09 Stamp Date: 10/17/2008

Proprietary Name: To Be Determined

Established/Generic Name: benzyl alcohol, 5%

Dosage Form: Lotion

Applicant/Sponsor: Sciele Pharma, Inc.

Indication(s) previously approved (please complete this question for supplements and Type 6 NDAs only):

- (1) \_\_\_\_\_  
(2) \_\_\_\_\_  
(3) \_\_\_\_\_  
(4) \_\_\_\_\_

Pediatric use for each pediatric subpopulation must be addressed for each indication covered by current application under review. A Pediatric Page must be completed for each indication.

Number of indications for this pending application(s): 1

(Attach a completed Pediatric Page for each indication in current application.)

**Indication:** Topical treatment of head lice infestation in patients 6 months of age and older

**Q1:** Is this application in response to a PREA PMR? Yes  Continue  
No  Please proceed to Question 2.

If Yes, NDA/BLA#: \_\_\_\_\_ Supplement #: \_\_\_\_\_ PMR #: \_\_\_\_\_

Does the division agree that this is a complete response to the PMR?

- Yes. Please proceed to Section D.  
 No. Please proceed to Question 2 and complete the Pediatric Page, as applicable.

**Q2:** Does this application provide for (If yes, please check all categories that apply and proceed to the next question):

(a) NEW  active ingredient(s) (includes new combination);  indication(s);  dosage form;  dosing regimen; or  route of administration?\*

(b)  No. PREA does not apply. **Skip to signature block.**

\* **Note for CDER: SE5, SE6, and SE7 submissions may also trigger PREA.**

**Q3:** Does this indication have orphan designation?

- Yes. PREA does not apply. **Skip to signature block.**  
 No. Please proceed to the next question.

**Q4:** Is there a full waiver for all pediatric age groups for this indication (check one)?

- Yes: (Complete Section A.)  
 No: Please check all that apply:  
 Partial Waiver for selected pediatric subpopulations (Complete Sections B)  
 Deferred for some or all pediatric subpopulations (Complete Sections C)  
 Completed for some or all pediatric subpopulations (Complete Sections D)  
 Appropriately Labeled for some or all pediatric subpopulations (Complete Sections E)  
 Extrapolation in One or More Pediatric Age Groups (Complete Section F)  
(Please note that Section F may be used alone or in addition to Sections C, D, and/or E.)

**Section A: Fully Waived Studies (for all pediatric age groups)**

Reason(s) for full waiver: (check, and attach a brief justification for the reason(s) selected)

- Necessary studies would be impossible or highly impracticable because:
  - Disease/condition does not exist in children
  - Too few children with disease/condition to study
  - Other (e.g., patients geographically dispersed): \_\_\_\_\_
- Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients AND is not likely to be used in a substantial number of pediatric patients.
- Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (Note: if studies are fully waived on this ground, this information must be included in the labeling.)
- Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (Note: if studies are fully waived on this ground, this information must be included in the labeling.)
- Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (Note: if studies are fully waived on this ground, this information must be included in the labeling.)
- Justification attached.

If studies are fully waived, then pediatric information is complete for this indication. If there is another indication, please complete another Pediatric Page for each indication. Otherwise, this Pediatric Page is complete and should be signed.

**Section B: Partially Waived Studies (for selected pediatric subpopulations)**

Check subpopulation(s) and reason for which studies are being partially waived (fill in applicable criteria below):

Note: If Neonate includes premature infants, list minimum and maximum age in "gestational age" (in weeks).

			Reason (see below for further detail):				
	minimum	maximum	Not feasible <sup>#</sup>	Not meaningful therapeutic benefit <sup>*</sup>	Ineffective or unsafe <sup>†</sup>	Formulation failed <sup>Δ</sup>	
<input checked="" type="checkbox"/>	Neonate	__ wk. 0 mo.	__ wk. 1 mo.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	Other	__ yr. 1 mo.	__ yr. 6 mo.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

Reason(s) for partial waiver (check reason corresponding to the category checked above, and attach a brief justification):

# Not feasible:

- Necessary studies would be impossible or highly impracticable because:
  - Disease/condition does not exist in children
  - Too few children with disease/condition to study
  - Other (e.g., patients geographically dispersed): \_\_\_\_\_

\* Not meaningful therapeutic benefit:

- Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients in this/these pediatric subpopulation(s) AND is not likely to be used in a substantial number of pediatric patients in this/these pediatric subpopulation(s). Justification: Pediculosis capitis is not prevalent in children younger than six months of age, and is not likely to be used in a substantial

number of pediatric patients in this population.

† Ineffective or unsafe:

- Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (Note: if studies are partially waived on this ground, this information must be included in the labeling.)
- Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (Note: if studies are partially waived on this ground, this information must be included in the labeling.)
- Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (Note: if studies are partially waived on this ground, this information must be included in the labeling.)

Δ Formulation failed:

- Applicant can demonstrate that reasonable attempts to produce a pediatric formulation necessary for this/these pediatric subpopulation(s) have failed. (Note: A partial waiver on this ground may only cover the pediatric subpopulation(s) requiring that formulation. An applicant seeking a partial waiver on this ground must submit documentation detailing why a pediatric formulation cannot be developed. This submission will be posted on FDA's website if waiver is granted.)

Justification attached.

For those pediatric subpopulations for which studies have not been waived, there must be (1) corresponding study plans that have been deferred (if so, proceed to Sections C and complete the PeRC Pediatric Plan Template); (2) submitted studies that have been completed (if so, proceed to Section D and complete the PeRC Pediatric Assessment form); (3) additional studies in other age groups that are not needed because the drug is appropriately labeled in one or more pediatric subpopulations (if so, proceed to Section E); and/or (4) additional studies in other age groups that are not needed because efficacy is being extrapolated (if so, proceed to Section F). Note that more than one of these options may apply for this indication to cover all of the pediatric subpopulations.

**Section C: Deferred Studies (for selected pediatric subpopulations).**

Check pediatric subpopulation(s) for which pediatric studies are being deferred (and fill in applicable reason below):

Deferrals (for each or all age groups):			Reason for Deferral			Applicant Certification †
			Ready for Approval in Adults	Need Additional Adult Safety or Efficacy Data	Other Appropriate Reason (specify below)*	Received
Population	minimum	maximum				
<input type="checkbox"/> Neonate	__ wk. __ mo.	__ wk. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> All Pediatric Populations	0 yr. 0 mo.	16 yr. 11 mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Date studies are due (mm/dd/yy): _____						

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

\* Other Reason: \_\_\_\_\_

† Note: Studies may only be deferred if an applicant submits a certification of grounds for deferring the studies, a description of the planned or ongoing studies, evidence that the studies are being conducted or will be conducted with due diligence and at the earliest possible time, and a timeline for the completion of the studies. If studies are deferred, on an annual basis applicant must submit information detailing the progress made in conducting the studies or, if no progress has been made, evidence and documentation that such studies will be conducted with due diligence and at the earliest possible time. This requirement should be communicated to the applicant in an appropriate manner (e.g., in an approval letter that specifies a required study as a post-marketing commitment.)

If all of the pediatric subpopulations have been covered through partial waivers and deferrals, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

**Section D: Completed Studies (for some or all pediatric subpopulations).**

Pediatric subpopulation(s) in which studies have been completed (check below):					
Population		minimum	maximum	PeRC Pediatric Assessment form attached?.	
<input type="checkbox"/>	Neonate	__ wk. __ mo.	__ wk. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input checked="" type="checkbox"/>	Other	__ yr. <u>6</u> mo.	<u>18</u> yr. __ mo.	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

Note: If there are no further pediatric subpopulations to cover based on partial waivers, deferrals and/or completed studies, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

**Section E: Drug Appropriately Labeled (for some or all pediatric subpopulations):**

Additional pediatric studies are not necessary in the following pediatric subpopulation(s) because product is appropriately labeled for the indication being reviewed:

Population		minimum	maximum
<input type="checkbox"/>	Neonate	__ wk. __ mo.	__ wk. __ mo.
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.
<input type="checkbox"/>	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

*If all pediatric subpopulations have been covered based on partial waivers, deferrals, completed studies, and/or existing appropriate labeling, this Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.*

**Section F: Extrapolation from Other Adult and/or Pediatric Studies (for deferred and/or completed studies)**

*Note: Pediatric efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations if (and only if) (1) the course of the disease/condition AND (2) the effects of the product are sufficiently similar between the reference population and the pediatric subpopulation for which information will be extrapolated. Extrapolation of efficacy from studies in adults and/or other children usually requires supplementation with other information obtained from the target pediatric subpopulation, such as pharmacokinetic and safety studies. Under the statute, safety cannot be extrapolated.*

Pediatric studies are not necessary in the following pediatric subpopulation(s) because efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations:

Population	minimum	maximum	Extrapolated from:	
			Adult Studies?	Other Pediatric Studies?
<input type="checkbox"/> Neonate	__ wk. __ mo.	__ wk. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	<input type="checkbox"/>	<input type="checkbox"/>

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

*Note: If extrapolating data from either adult or pediatric studies, a description of the scientific data supporting the extrapolation must be included in any pertinent reviews for the application.*

*If there are additional indications, please complete the attachment for each one of those indications. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS or DARRTS as appropriate after clearance by PeRC.*

This page was completed by:

*{See appended electronic signature page}*

---

Regulatory Project Manager

(Revised: 6/2008)

**NOTE: If you have no other indications for this application, you may delete the attachments from this document.**

-----  
**This is a representation of an electronic record that was signed electronically and  
this page is the manifestation of the electronic signature.**  
-----

/s/

-----  
Nichelle Rashid  
4/6/2009 02:52:23 PM

**PEDIATRIC PAGE**

**(Complete for all filed original applications and efficacy supplements)**

NDA/BLA#: 22129 Supplement Number: N/A NDA Supplement Type (e.g. SE5): N/A

Division Name: DDDP PDUFA Goal Date: 7/15/08 Stamp Date: 6/15/07

Proprietary Name: To be determined

Established/Generic Name: benzyl alcohol, 5%

Dosage Form: Lotion

Applicant/Sponsor: Sciele Pharma, Inc.

Indication(s) previously approved (please complete this question for supplements and Type 6 NDAs only):

- (1) \_\_\_\_\_
  - (2) \_\_\_\_\_
  - (3) \_\_\_\_\_
  - (4) \_\_\_\_\_
- 

**Q1:** Is this application in response to a PREA PMC? Yes  Continue  
No  Please proceed to Question 2.

If Yes, NDA/BLA#: \_\_\_\_\_ Supplement #: \_\_\_\_\_ PMC #: \_\_\_\_\_

Does the division agree that this is a complete response to the PMC?

- Yes. **Skip to signature block.**
- No. Please proceed to Question 2 and complete the Pediatric Page, as applicable.

**Q2:** Does this application provide for (If yes, please check all categories that apply and proceed to the next question):

(a) NEW  active ingredient(s);  indication(s);  dosage form;  dosing regimen; or  route of administration?\*

(b)  No. PREA does not apply. **Skip to signature block.**

**\* Note for CDER: SE5, SE6, and SE7 submissions may also trigger PREA.**

Pediatric use for each pediatric subpopulation must be addressed for each indication covered by current application under review. A Pediatric Page must be completed for each indication.

Number of indications for this pending application(s): 1  
(Attach a completed Pediatric Page for each indication in current application.)

**Indication:** Topical treatment of head lice infestation (Pediculosis capitis) in patients 6 months of age and older

**Q3:** Does this indication have orphan designation?

- Yes. PREA does not apply. **Skip to signature block.**
- No. Please proceed to the next question.

**Q4:** Is there a full waiver for all pediatric age groups for this indication (check one)?

- Yes: (Complete Section A.)
  - No: Please check all that apply:
    - Partial Waiver for selected pediatric subpopulations (Complete Sections B)
    - Deferred for the remaining pediatric subpopulations (Complete Sections C)
    - Completed for some or all pediatric subpopulations (Complete Sections D)
    - Appropriately Labeled for some or all pediatric subpopulations (Complete Sections E)
    - Extrapolation in One or More Pediatric Age Groups (Complete Section F)
- (Please note that Section F may be used alone or in addition to Sections C, D, and/or E.)

**IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL OR AT 301-796-0700.**

**Section A: Fully Waived Studies (for all pediatric age groups)**

Reason(s) for full waiver: (**check, and attach a brief justification**)

- Necessary studies would be impossible or highly impracticable because:
  - Disease/condition does not exist in children
  - Too few children with disease/condition to study
  - Other (e.g., patients geographically dispersed): \_\_\_\_\_
- Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients AND is not likely to be used in a substantial number of pediatric patients.
- Evidence strongly suggests that product would be ineffective or unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)

Justification attached.

*If studies are fully waived, then pediatric information is complete for this indication. If there is another indication, please complete another Pediatric Page for each indication. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS.*

**Section B: Partially Waived Studies (for selected pediatric subpopulations)**

Check subpopulation(s) and reason for which studies are being partially waived (fill in applicable criteria below):

*Note: If Neonate includes premature infants, list minimum and maximum age in "gestational age" (in weeks).*

			Reason (see below for further detail):				
	minimum	maximum	Not feasible <sup>#</sup>	Not meaningful therapeutic benefit <sup>*</sup>	Ineffective or unsafe <sup>†</sup>	Formulation failed <sup>Δ</sup>	
<input checked="" type="checkbox"/>	Neonate	__ wk. <u>0</u> mo.	__ wk. <u>1</u> mo.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	Other	__ yr. <u>1</u> mo.	__ yr. <u>6</u> mo.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

Reason(s) for partial waiver (**check reason** corresponding to the category checked above, and **attach a brief justification**):

**#** Not feasible:

- Necessary studies would be impossible or highly impracticable because:
  - Disease/condition does not exist in children
  - Too few children with disease/condition to study
  - Other (e.g., patients geographically dispersed): \_\_\_\_\_

**\*** Not meaningful therapeutic benefit:

- Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients in this/these pediatric subpopulation(s) AND is not likely to be used in a substantial number of pediatric patients in this/these pediatric subpopulation(s).

**Justification:** Pediculosis capitis is not prevalent in children younger than six months of age, and is not likely to be used in a substantial number of pediatric patients in this population.

† Ineffective or unsafe:

Evidence strongly suggests that product would be ineffective or unsafe in this/these pediatric population(s) (Note: if studies are partially waived on this ground, this information must be included in the labeling.)

Δ Formulation failed:

Applicant can demonstrate that reasonable attempts to produce a pediatric formulation necessary for this/these pediatric subpopulation(s) have failed. (Note: A partial waiver on this ground may only cover the pediatric subpopulation(s) requiring that formulation. An applicant seeking a partial waiver on this ground must submit documentation detailing why a pediatric formulation cannot be developed. This submission will be posted on FDA's website if waiver is granted.)

Justification attached.

For those pediatric subpopulations for which studies have not been waived, there must be (1) corresponding study plans that have been deferred (if so, proceed to Sections C and F and complete the PeRC Pediatric Plan Template); (2) submitted studies that have been completed (if so, proceed to Sections D and F and complete the PeRC Pediatric Assessment form); and/or (3) additional studies in other age groups that are not needed because the drug is appropriately labeled in one or more pediatric subpopulations (if so, proceed to Sections E and F). Note that more than one of these options may apply for this indication to cover all of the pediatric subpopulations.

**Section C: Deferred Studies (for remaining pediatric subpopulations). Complete Section F on Extrapolation.**

Check pediatric subpopulation for which pediatric studies are being deferred (and fill in applicable reason below):

Deferrals (for each or all age groups):				Reason for Deferral			Applicant Certification †	
				Ready for Approval in Adults	Need Additional Adult Safety or Efficacy Data	Other Appropriate Reason (specify below)*	Yes	No
Population	minimum	maximum						
<input type="checkbox"/> Neonate	__ wk. __ mo.	__ wk. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> All Pediatric Populations	0 yr. 0 mo.	16 yr. 11 mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Date studies are due (mm/dd/yy): _____								

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

\* Other Reason: \_\_\_\_\_

† Note: Studies may only be deferred if an applicant submits a certification of grounds for deferring the studies, a description of the planned or ongoing studies, evidence that the studies are being conducted or will be conducted with due diligence and at the earliest possible time, and a timeline for the completion of the studies. If studies are deferred, on an annual basis applicant must submit information detailing the progress made in

**IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL OR AT 301-796-0700.**

conducting the studies or, if no progress has been made, evidence and documentation that such studies will be conducted with due diligence and at the earliest possible time. This requirement should be communicated to the applicant in an appropriate manner (e.g., in an approval letter that specifies a required study as a post-marketing commitment.)

If all of the pediatric subpopulations have been covered through the partial waivers and deferrals, proceed to Section F. For those pediatric subpopulations for which studies have been completed, proceed to Sections D and F and complete the PeRC Pediatric Assessment form. For those pediatric subpopulations for which additional studies are not needed because the drug is appropriately labeled in one or more pediatric subpopulations, proceed to Sections E and F.

**Section D: Completed Studies (for some or all pediatric subpopulations). Complete Section F on Extrapolation.**

Pediatric subpopulation(s) in which studies have been completed (check below):					
Population		minimum	maximum	PeRC Pediatric Assessment form attached?.	
<input type="checkbox"/>	Neonate	__ wk. __ mo.	__ wk. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input checked="" type="checkbox"/>	Other	__ yr. <u>6</u> mo.	<u>18</u> yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

Note: For those pediatric subpopulations for which additional studies are not needed because the drug is appropriately labeled in one or more pediatric subpopulations, proceed to Sections E and F. If there are no further pediatric subpopulations to cover based on the partial waivers, deferrals and completed studies, go to Section F.

**Section E: Drug Appropriately Labeled (for some or all pediatric subpopulations): (Complete section F)**

Additional pediatric studies are not necessary in the following pediatric subpopulation(s) because product is appropriately labeled for the indication being reviewed:					
Population		minimum	maximum		
<input type="checkbox"/>	Neonate	__ wk. __ mo.	__ wk. __ mo.		
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.		
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.		
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.		
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.		
<input type="checkbox"/>	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.		

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

If studies are not needed because efficacy is being extrapolated from other adult and/or pediatric studies,

**IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL OR AT 301-796-0700.**

*proceed to Section F. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS.*

**Section F: Extrapolation from Other Adult and/or Pediatric Studies (for deferred and completed studies)**

*Note: Pediatric efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations if (and only if) (1) the course of the disease/condition AND (2) the effects of the product are sufficiently similar between the reference population and the target pediatric subpopulation needing studies. Extrapolation of efficacy from studies in adults and/or other children usually requires supplementation with other information obtained from the target pediatric subpopulation, such as pharmacokinetic and safety studies.*

Pediatric studies are not necessary in the following pediatric subpopulation(s) because efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations:

Population	minimum	maximum	Extrapolated from:	
			Adult Studies?	Other Pediatric Studies?
<input type="checkbox"/> Neonate	__ wk. __ mo.	__ wk. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	<input type="checkbox"/>	<input type="checkbox"/>

Are the indicated age ranges (above) based on weight (kg)?  No;  Yes.

Are the indicated age ranges (above) based on Tanner Stage?  No;  Yes.

*Note: If extrapolating data from either adult or pediatric studies, a description of the scientific data supporting the extrapolation must be included in any pertinent reviews for the application.*

*If there are additional indications, please complete the attachment for each one of those indications. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS.*

This page was completed by:

*{See appended electronic signature page}*

\_\_\_\_\_  
Regulatory Project Manager

(Revised: 4/2008)

**NOTE: If you have no other indications for this application, you may delete the attachments from this document.**

-----  
**This is a representation of an electronic record that was signed electronically and  
this page is the manifestation of the electronic signature.**  
-----

/s/

-----  
Maria Walsh

6/25/2008 01:45:04 PM