

MEMORANDUM

DEPARTMENT OF HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
FOOD AND DRUG ADMINISTRATION
CENTER FOR DRUG EVALUATION AND RESEARCH

DATE: 8/4/09

TO: NDA File

FROM: Kati Johnson, PM, Division of Metabolism and Endocrinology Products

SUBJECT: Pediatric Page

APPLICATION/DRUG: NDA 22-363, Livalo (pitavastatin) Tablets

This statin NDA was approved August 3, 2009 for the treatment of dyslipidemia. The PEDIATRIC PAGE, which was previously archived into the database via DFS, can not be archived in DARRTS due to a glitch that needs to be repaired.

In the interim, I am attaching the Pediatric Page that was created during the review so that it can be archived into DARRTS. The Pediatric Page was filled out by me as the project manager of the application.

Q4: Is there a full waiver for all pediatric age groups for this indication (check one)?

- Yes: (Complete Section A.)
- No: Please check all that apply:
- Partial Waiver for selected pediatric subpopulations (Complete Sections B)
 - Deferred for some or all pediatric subpopulations (Complete Sections C)
 - Completed for some or all pediatric subpopulations (Complete Sections D)
 - Appropriately Labeled for some or all pediatric subpopulations (Complete Sections E)
 - Extrapolation in One or More Pediatric Age Groups (Complete Section F)
- (Please note that Section F may be used alone or in addition to Sections C, D, and/or E.)

Section A: Fully Waived Studies (for all pediatric age groups)

Reason(s) for full waiver: **(check, and attach a brief justification for the reason(s) selected)**

- Necessary studies would be impossible or highly impracticable because:
- Disease/condition does not exist in children
 - Too few children with disease/condition to study
 - Other (e.g., patients geographically dispersed): _____
- Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients AND is not likely to be used in a substantial number of pediatric patients.
- Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- Justification attached. **There are currently 6 marketed statin drugs, all of which have been studied in the pediatric population.**

If studies are fully waived, then pediatric information is complete for this indication. If there is another indication, please complete another Pediatric Page for each indication. Otherwise, this Pediatric Page is complete and should be signed.

Section B: Partially Waived Studies (for selected pediatric subpopulations)

Check subpopulation(s) and reason for which studies are being partially waived (fill in applicable criteria below):

Note: If Neonate includes premature infants, list minimum and maximum age in "gestational age" (in weeks).

		Reason (see below for further detail):					
		minimum	maximum	Not feasible [#]	Not meaningful therapeutic benefit [*]	Ineffective or unsafe [†]	Formulation failed ^Δ
<input type="checkbox"/>	Neonate	__ wk. __ mo.	__ wk. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Are the indicated age ranges (above) based on weight (kg)? No; Yes.

Are the indicated age ranges (above) based on Tanner Stage? No; Yes.

Reason(s) for partial waiver (**check reason** corresponding to the category checked above, and **attach a brief justification**):

Not feasible:

Necessary studies would be impossible or highly impracticable because:

- Disease/condition does not exist in children
- Too few children with disease/condition to study
- Other (e.g., patients geographically dispersed): _____

* Not meaningful therapeutic benefit:

Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients in this/these pediatric subpopulation(s) AND is not likely to be used in a substantial number of pediatric patients in this/these pediatric subpopulation(s).

† Ineffective or unsafe:

- Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (Note: if studies are partially waived on this ground, this information must be included in the labeling.)
- Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (Note: if studies are partially waived on this ground, this information must be included in the labeling.)
- Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (Note: if studies are partially waived on this ground, this information must be included in the labeling.)

Δ Formulation failed:

Applicant can demonstrate that reasonable attempts to produce a pediatric formulation necessary for this/these pediatric subpopulation(s) have failed. (Note: A partial waiver on this ground may only cover the pediatric subpopulation(s) requiring that formulation. An applicant seeking a partial waiver on this ground must submit documentation detailing why a pediatric formulation cannot be developed. This submission will be posted on FDA's website if waiver is granted.)

Justification attached.

For those pediatric subpopulations for which studies have not been waived, there must be (1) corresponding study plans that have been deferred (if so, proceed to Sections C and complete the PeRC Pediatric Plan Template); (2) submitted studies that have been completed (if so, proceed to Section D and complete the PeRC Pediatric Assessment form); (3) additional studies in other age groups that are not needed because the drug is appropriately labeled in one or more pediatric subpopulations (if so, proceed to Section E); and/or (4) additional studies in other age groups that are not needed because efficacy is being extrapolated (if so, proceed to Section F). Note that more than one of these options may apply for this indication to cover all of the

IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL (cderpms@fda.hhs.gov) OR AT 301-796-0700.

pediatric subpopulations.

Section C: Deferred Studies (for selected pediatric subpopulations).

Check pediatric subpopulation(s) for which pediatric studies are being deferred (and fill in applicable reason below):

Deferrals (for each or all age groups):				Reason for Deferral			Applicant Certification †
Population		minimum	maximum	Ready for Approval in Adults	Need Additional Adult Safety or Efficacy Data	Other Appropriate Reason (specify below)*	Received
<input type="checkbox"/>	Neonate	__ wk. __ mo.	__ wk. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	All Pediatric Populations	0 yr. 0 mo.	16 yr. 11 mo.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Date studies are due (mm/dd/yy): _____							

Are the indicated age ranges (above) based on weight (kg)? No; Yes.

Are the indicated age ranges (above) based on Tanner Stage? No; Yes.

* Other Reason: _____

† Note: Studies may only be deferred if an applicant submits a certification of grounds for deferring the studies, a description of the planned or ongoing studies, evidence that the studies are being conducted or will be conducted with due diligence and at the earliest possible time, and a timeline for the completion of the studies. If studies are deferred, on an annual basis applicant must submit information detailing the progress made in conducting the studies or, if no progress has been made, evidence and documentation that such studies will be conducted with due diligence and at the earliest possible time. This requirement should be communicated to the applicant in an appropriate manner (e.g., in an approval letter that specifies a required study as a post-marketing commitment.)

If all of the pediatric subpopulations have been covered through partial waivers and deferrals, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section D: Completed Studies (for some or all pediatric subpopulations).

Pediatric subpopulation(s) in which studies have been completed (check below):

Population		minimum	maximum	PeRC Pediatric Assessment form attached?	
<input type="checkbox"/>	Neonate	__ wk. __ mo.	__ wk. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<input type="checkbox"/>	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	Yes <input type="checkbox"/>	No <input type="checkbox"/>

Are the indicated age ranges (above) based on weight (kg)? No; Yes.

Are the indicated age ranges (above) based on Tanner Stage? No; Yes.

Note: If there are no further pediatric subpopulations to cover based on partial waivers, deferrals and/or completed studies, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section E: Drug Appropriately Labeled (for some or all pediatric subpopulations):

Additional pediatric studies are not necessary in the following pediatric subpopulation(s) because product is appropriately labeled for the indication being reviewed:

Population		minimum	maximum
<input type="checkbox"/>	Neonate	__ wk. __ mo.	__ wk. __ mo.
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.
<input type="checkbox"/>	Other	__ yr. __ mo.	__ yr. __ mo.
<input type="checkbox"/>	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.

Are the indicated age ranges (above) based on weight (kg)? No; Yes.

Are the indicated age ranges (above) based on Tanner Stage? No; Yes.

If all pediatric subpopulations have been covered based on partial waivers, deferrals, completed studies, and/or existing appropriate labeling, this Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section F: Extrapolation from Other Adult and/or Pediatric Studies (for deferred and/or completed studies)

Note: Pediatric efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations if (and only if) (1) the course of the disease/condition AND (2) the effects of the product are sufficiently similar between the reference population and the pediatric subpopulation for which information will be extrapolated. Extrapolation of efficacy from studies in adults and/or other children usually requires supplementation with other information obtained from the target pediatric subpopulation, such as

IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL (cderpmhs@fda.hhs.gov) OR AT 301-796-0700.

pharmacokinetic and safety studies. Under the statute, safety cannot be extrapolated.

Pediatric studies are not necessary in the following pediatric subpopulation(s) because efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations:

Population	minimum	maximum	Extrapolated from:	
			Adult Studies?	Other Pediatric Studies?
<input type="checkbox"/> Neonate	__ wk. __ mo.	__ wk. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other	__ yr. __ mo.	__ yr. __ mo.	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	<input type="checkbox"/>	<input type="checkbox"/>

Are the indicated age ranges (above) based on weight (kg)? No; Yes.

Are the indicated age ranges (above) based on Tanner Stage? No; Yes.

Note: If extrapolating data from either adult or pediatric studies, a description of the scientific data supporting the extrapolation must be included in any pertinent reviews for the application.

If there are additional indications, please complete the attachment for each one of those indications. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS or DARRTS as appropriate after clearance by PeRC.

This page was completed by:

{See appended electronic signature page}

Regulatory Project Manager

(Revised: 6/2008)

NOTE: If you have no other indications for this application, you may delete the attachments from this document.

Linked Applications	Submission Type/Number	Sponsor Name	Drug Name / Subject
NDA 22363	ORIG 1		LIVALO TABLETS

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KATI JOHNSON
08/04/2009


1.9.2 Request for Deferral of Pediatric Studies

Kowa Company Limited requests a deferral of pediatric studies based upon discussion at the End-of-Phase 2 Meeting held on September 20, 2005. The minutes of that meeting, cite the FDA's affirmation of the deferral.

1.3.3 Debarment Certification Statement

Kowa Company Limited, hereby certifies that it has not used and will not use in any capacity the services of any person debarred under section 306 of the Federal Food, Drug, and Cosmetic Act in connection with this application.

Attested to by:

Name: Ross S. Laderman	Title: Senior Director, Regulatory Affairs
Company: Kowa Research Institute, Inc. Agent for Kowa Company Limited	
Signature 	Date: October 1, 2008