

**CENTER FOR DRUG EVALUATION AND
RESEARCH**

APPLICATION NUMBER:

202292Orig1s000

OTHER REVIEW(S)

PMR/PMC Development Template

This template should be completed by the PMR/PMC Development Coordinator and included for ***each*** PMR/PMC in the Action Package.

NDA/BLA # NDA 202,292/Crofelemer
Product Name: _____

PMR/PMC Description: A pediatric study to evaluate pharmacokinetics (PK), efficacy for symptomatic relief of non-infectious diarrhea, and safety with different doses of Fulyzaq (crofelemer) over a four week period in HIV-positive pediatric patients, ages 1 month to 17 years of age, on anti-retroviral therapy

PMR/PMC Schedule Milestones:	Final Protocol Submission:	<u>06/2013</u>
	Study/Trial Completion:	<u>06/2017</u>
	Final Report Submission:	<u>12/2017</u>
	Other: _____	<u>MM/DD/YYYY</u>

1. During application review, explain why this issue is appropriate for a PMR/PMC instead of a pre-approval requirement. Check type below and describe.

- Unmet need
- Life-threatening condition
- Long-term data needed
- Only feasible to conduct post-approval
- Prior clinical experience indicates safety
- Small subpopulation affected
- Theoretical concern
- Other

The application was presented to the Pediatric Research Committee (PeRC) on July 25, 2012.

The Division presented a partial waiver in patients birth to 4 weeks of age because no approved anti-retroviral therapy is available in patients below 4 weeks of age. A deferral was also presented in pediatric patients 1 month to 17 years of age for the treatment of HIV-associated diarrhea.

(b) (4)
the Division believed that this product should be waived for use in neonates. Antiviral therapy is part of the etiology that causes diarrhea in HIV patients, infectious diarrhea and sarcoma diarrhea (at least 4 types of diarrhea). Another product is currently approved for use in the treatment of diarrhea in patients down to 14 days old.

The pediatric plan for this product is to evaluate PK, efficacy and safety for several different doses over a four week period. (b) (4)

The PeRC agreed with the Division to grant a partial waiver in patients birth to one month because studies would be impossible or highly impractical because the clinical endpoints in the lowest age group would be impossible to meet because very few infants are treated with HIV medications. The deferral was also agreed to by the PeRC for those patients 1 month through 17 years because the product is ready for approval in adults.

The PeRC recommended that the Division examine the possibility that it may need additional safety information in animal models in order to define toxicities. The nonclinical data from juvenile animals is summarized in Section 4.1 of the CDTL Review; the Nonclinical Reviewer noted that there were no significant treatment-related clinical signs in F1 pups during the preweaning period. In F1 pups surviving to scheduled necropsy, clinical signs were similar across all dose groups including controls and low in incidence. Upon initiating pediatric studies, the Division will consider if a larger safety study is also needed for this product.

2. Describe the particular review issue and the goal of the study/clinical trial. If the study/clinical trial is a FDAAA PMR, describe the risk. If the FDAAA PMR is created post-approval, describe the “new safety information.”

See the description in Section 1.

3. If the study/clinical trial is a **PMR**, check the applicable regulation.

If not a PMR, skip to 4.

- **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

- **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply): N/A**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

- **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- × Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

See the descriptions in Section 1.

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (carcinogenicity)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
- Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
- Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
- Dose-response study or clinical trial performed for effectiveness
- Nonclinical study, not safety-related (specify)

Other

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
- Are the objectives clear from the description of the PMR/PMC?
- Has the applicant adequately justified the choice of schedule milestone dates?
- Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for NDAs)

PMR/PMC Development Template

This template should be completed by the PMR/PMC Development Coordinator and included for ***each*** PMR/PMC in the Action Package.

NDA/BLA # NDA 20-2292

Product Name: Crofelemer

PMR/PMC Description: A 6-month rodent carcinogenicity study in the mouse. Submit the carcinogenicity protocol for Special Protocol Assessment prior to initiating the study.

PMR/PMC Schedule Milestones:	Final Protocol Submission:	<u>01/2014</u>
	Study/Trial Completion:	<u>12/2014</u>
	Final Report Submission:	<u>06/2015</u>
	Other: SPA Submission	<u>10/2013</u>

1. During application review, explain why this issue is appropriate for a PMR/PMC instead of a pre-approval requirement. Check type below and describe.

- Unmet need
- Life-threatening condition
- Long-term data needed
- Only feasible to conduct post-approval
- Prior clinical experience indicates safety
- Small subpopulation affected
- Theoretical concern
- Other

The sponsor has previously agreed (EOP2 Meetings on January 9, 1998 and on May 2, 2004 and Pre-NDA meeting on January 19, 2011) to conduct carcinogenicity studies in rats and mice with crofelemer as a Phase 4 commitment.

2. Describe the particular review issue and the goal of the study/clinical trial. If the study/clinical trial is a FDAAA PMR, describe the risk. If the FDAAA PMR is created post-approval, describe the “new safety information.”

The goal of the carcinogenicity studies is to determine the long-term safety (in animals) of crofelemer to assess the risk of cancer. Carcinogenicity studies are required for drugs to be administered chronically. The sponsor needs to conduct an oral carcinogenicity study in rats and an oral carcinogenicity study in mice with crofelemer.

3. If the study/clinical trial is a **PMR**, check the applicable regulation.

If not a PMR, skip to 4.

- **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

- **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply)**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

- **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

N/A

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (e.g., carcinogenicity, reproductive toxicology)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
 - Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
 - Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
 - Dose-response study or clinical trial performed for effectiveness
 - Nonclinical study, not safety-related (specify)
-
- Other
-

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
 - Are the objectives clear from the description of the PMR/PMC?
 - Has the applicant adequately justified the choice of schedule milestone dates?
 - Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?
-

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for BLAs)

PMR/PMC Development Template

This template should be completed by the PMR/PMC Development Coordinator and included for *each* PMR/PMC in the Action Package.

NDA/BLA #	NDA 20-2292
Product Name:	Crofelemer
PMR/PMC Description:	A 2-year rodent carcinogenicity study in the rat. Submit the carcinogenicity protocol for Special Protocol Assessment prior to initiating the study.
PMR/PMC Schedule Milestones:	Final Protocol Submission: 04/2014
	Study/Trial Completion: 10/2016
	Final Report Submission: 06/2017
	Other: SPA Submission: 12/2013

1. During application review, explain why this issue is appropriate for a PMR/PMC instead of a pre-approval requirement. Check type below and describe.

- Unmet need
- Life-threatening condition
- Long-term data needed
- Only feasible to conduct post-approval
- Prior clinical experience indicates safety
- Small subpopulation affected
- Theoretical concern
- Other

The sponsor has previously agreed (EOP2 Meetings on January 9, 1998 and on May 2, 2004 and Pre-NDA meeting on January 19, 2011) to conduct carcinogenicity studies in rats and mice with crofelemer as a Phase 4 commitment.

2. Describe the particular review issue and the goal of the study/clinical trial. If the study/clinical trial is a FDAAA PMR, describe the risk. If the FDAAA PMR is created post-approval, describe the “new safety information.”

The goal of the carcinogenicity studies is to determine the long-term safety (in animals) of crofelemer to assess the risk of cancer. Carcinogenicity studies are required for drugs to be administered chronically. The sponsor needs to conduct an oral carcinogenicity study in rats and an oral carcinogenicity study in mice with crofelemer.

3. If the study/clinical trial is a **PMR**, check the applicable regulation.

If not a PMR, skip to 4.

- **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

- **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply)**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

- **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

N/A

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (e.g., carcinogenicity, reproductive toxicology)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
 - Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
 - Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
 - Dose-response study or clinical trial performed for effectiveness
 - Nonclinical study, not safety-related (specify)
-
- Other
-

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
 - Are the objectives clear from the description of the PMR/PMC?
 - Has the applicant adequately justified the choice of schedule milestone dates?
 - Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?
-

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for BLAs)

3. If the study/clinical trial is a **PMR**, check the applicable regulation.

If not a PMR, skip to 4.

- **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

- **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply)**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

- **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

The study will be an in vitro study exploring the potential of crofelemer to inhibit P-gp and BCRP.

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (e.g., carcinogenicity, reproductive toxicology)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
 - Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
 - Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
 - Dose-response study or clinical trial performed for effectiveness
 - Nonclinical study, not safety-related (specify)
-
- Other
The study will be an in vitro study exploring the potential of crofelemer to inhibit P-gp and BCRP.
-

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
- Are the objectives clear from the description of the PMR/PMC?
- Has the applicant adequately justified the choice of schedule milestone dates?
- Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for BLAs)

3. If the study/clinical trial is a **PMR**, check the applicable regulation.

If not a PMR, skip to 4.

- **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

- **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply)**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

- **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

The study will be an in vivo drug-drug interaction study in healthy volunteers exploring the potential of crofelemer to inhibit CYP 3A4 at the level of the gut.
--

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (e.g., carcinogenicity, reproductive toxicology)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
 - Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
 - Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
 - Dose-response study or clinical trial performed for effectiveness
 - Nonclinical study, not safety-related (specify)
-
- Other
The study will be an in vivo drug-drug interaction study in healthy volunteers exploring the potential of crofelemer to inhibit CYP 3A4 at the level of the gut.
-

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
- Are the objectives clear from the description of the PMR/PMC?
- Has the applicant adequately justified the choice of schedule milestone dates?
- Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for BLAs)

PMR/PMC Development Template

This template should be completed by the PMR/PMC Development Coordinator and included for *each* PMR/PMC in the Action Package.

NDA/BLA # NDA 202292 Fulyazaq (crofelemer)
Product Name: _____

PMR/PMC Description: An elemental analysis to identify the source and identity of potential (b)
(4)
 impurities in crofelemer.

PMR/PMC Schedule Milestones: _____
Final Report Submission: 12/2013

1. During application review, explain why this issue is appropriate for a PMR/PMC instead of a pre-approval requirement. Check type below and describe.

- Unmet need
- Life-threatening condition
- Long-term data needed
- Only feasible to conduct post-approval
- Prior clinical experience indicates safety
- Small subpopulation affected
- Theoretical concern
- Other

2. Describe the particular review issue and the goal of the study/clinical trial. If the study/clinical trial is a FDAAA PMR, describe the risk. If the FDAAA PMR is created post-approval, describe the “new safety information.”

N/A PMC

3. If the study/clinical trial is a **PMR**, check the applicable regulation.

If not a PMR, skip to 4.

- **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

- **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply)**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

- **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

This is a laboratory study.

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (e.g., carcinogenicity, reproductive toxicology)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
 - Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
 - Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
 - Dose-response study or clinical trial performed for effectiveness
 - Nonclinical study, not safety-related (specify)
-
- Other
-

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
 - Are the objectives clear from the description of the PMR/PMC?
 - Has the applicant adequately justified the choice of schedule milestone dates?
 - Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?
-

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for BLAs)

PMR/PMC Development Template

This template should be completed by the PMR/PMC Development Coordinator and included for each PMR/PMC in the Action Package.

NDA/BLA # NDA 202292 Fulyazaq (crofelemer)
Product Name:

PMR/PMC Description: Characterize the (b) (4) crofelemer (b) (4)

PMR/PMC Schedule Milestones:

Final Report Submission:

12/2013

1. During application review, explain why this issue is appropriate for a PMR/PMC instead of a pre-approval requirement. Check type below and describe.

- Unmet need
- Life-threatening condition
- Long-term data needed
- Only feasible to conduct post-approval
- Prior clinical experience indicates safety
- Small subpopulation affected
- Theoretical concern
- Other

2. Describe the particular review issue and the goal of the study/clinical trial. If the study/clinical trial is a FDAAA PMR, describe the risk. If the FDAAA PMR is created post-approval, describe the “new safety information.”

N/A PMC

3. If the study/clinical trial is a **PMR**, check the applicable regulation.

If not a PMR, skip to 4.

- **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

- **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply)**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

- **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

This is a laboratory study characterizing the drug substance (not a clinical trial).
--

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (e.g., carcinogenicity, reproductive toxicology)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
 - Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
 - Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
 - Dose-response study or clinical trial performed for effectiveness
 - Nonclinical study, not safety-related (specify)
-
- Other
-

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
 - Are the objectives clear from the description of the PMR/PMC?
 - Has the applicant adequately justified the choice of schedule milestone dates?
 - Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?
-

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for BLAs)

PMR/PMC Development Template

This template should be completed by the PMR/PMC Development Coordinator and included for each PMR/PMC in the Action Package.

NDA/BLA # NDA 202292 Fulyazaq (crofelemer)
Product Name: _____

PMR/PMC Description: Revise the current HPLC methods for assay and related substances for the drug substance and drug product or develop new methods. The revised or new methods must be stability indicating and appropriately validated.

PMR/PMC Schedule Milestones: _____

Final Report Submission: 12/2013

1. During application review, explain why this issue is appropriate for a PMR/PMC instead of a pre-approval requirement. Check type below and describe.

- Unmet need
- Life-threatening condition
- Long-term data needed
- Only feasible to conduct post-approval
- Prior clinical experience indicates safety
- Small subpopulation affected
- Theoretical concern
- Other

2. Describe the particular review issue and the goal of the study/clinical trial. If the study/clinical trial is a FDAAA PMR, describe the risk. If the FDAAA PMR is created post-approval, describe the “new safety information.”

N/A PMC

3. If the study/clinical trial is a **PMR**, check the applicable regulation.

If not a PMR, skip to 4.

- **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

- **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply)**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

- **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

This is a laboratory study to improve the assay of the drug substance and drug product (not a clinical trial).

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (e.g., carcinogenicity, reproductive toxicology)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
 - Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
 - Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
 - Dose-response study or clinical trial performed for effectiveness
 - Nonclinical study, not safety-related (specify)
-
- Other
-

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
- Are the objectives clear from the description of the PMR/PMC?
- Has the applicant adequately justified the choice of schedule milestone dates?
- Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for BLAs)

PMR/PMC Development Template

This template should be completed by the PMR/PMC Development Coordinator and included for each PMR/PMC in the Action Package.

NDA/BLA # NDA202292 Crofelemer (Fulyzaq)
Product Name:

PMR/PMC Description: Re-evaluate the specification and revise as needed for the crofelemer cell-based assay that uses (b) (4) (b) (4) after one year of product lots of crofelemer (anticipated to be (b) (4) lots) have been manufactured.

PMR/PMC Schedule Milestones:	Final Protocol Submission:	<u>MM/DD/YYYY</u>
	Study/Trial Completion:	<u>MM/DD/YYYY</u>
	Final Report Submission:	<u>02/2014</u>
	Other:	<u>MM/DD/YYYY</u>

1. During application review, explain why this issue is appropriate for a PMR/PMC instead of a pre-approval requirement. Check type below and describe.

- Unmet need
- Life-threatening condition
- Long-term data needed
- Only feasible to conduct post-approval
- Prior clinical experience indicates safety
- Small subpopulation affected
- Theoretical concern
- Other

The Agency requested that the sponsor implemented a cell-based bioassay to assess potency and consistency of crofelemer. The sponsor developed the analytical assay during the review cycle and had very limited data to rely upon to set acceptance criteria. Additionally, there is a higher variability associated with cell-based assays. Therefore, the acceptance criteria for the cell-based assay were wide. While these acceptance criteria are currently acceptable, there is a risk that maintaining the current acceptance criteria could potentially result in lots that are within specification but out of trend with lots used in the clinical trials. To established process capability and reduce the risk to product quality, a larger number of product lots are necessary which could not be accomplished during the review cycle.

2. Describe the particular review issue and the goal of the study/clinical trial. If the study/clinical trial is a FDAAA PMR, describe the risk. If the FDAAA PMR is created post-approval, describe the “new safety information.”

The bioassay used for release and stability testing of crofelemer drug substance and drug product are adequate for approval. Proposed acceptance criteria for drug substance release specifications are wide and should be based on manufacturing history and clinical experience, once the sponsor gains sufficient information through manufacturing of multiple lots.

3. If the study/clinical trial is a **PMR**, check the applicable regulation.

If not a PMR, skip to 4.

- **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

- **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply)**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

- **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (e.g., carcinogenicity, reproductive toxicology)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
- Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
- Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
- Dose-response study or clinical trial performed for effectiveness
- Nonclinical study, not safety-related (specify)

-
- Other
Re-evaluation of bioassay specification
-

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
- Are the objectives clear from the description of the PMR/PMC?
- Has the applicant adequately justified the choice of schedule milestone dates?
- Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for BLAs)

PMR/PMC Development Template

This template should be completed by the PMR/PMC Development Coordinator and included for each PMR/PMC in the Action Package.

NDA/BLA # NDA202292 Crofemeler (Fulyzaq)
Product Name:

PMR/PMC Description: To validate and implement the cell-based potency assay that uses (b) (4)

PMR/PMC Schedule Milestones:	Final Protocol Submission:	<u>MM/DD/YYYY</u>
	Study/Trial Completion:	<u>MM/DD/YYYY</u>
	Final Report Submission:	<u>01/2014</u>
	Other:	<u>MM/DD/YYYY</u>

1. During application review, explain why this issue is appropriate for a PMR/PMC instead of a pre-approval requirement. Check type below and describe.

- Unmet need
- Life-threatening condition
- Long-term data needed
- Only feasible to conduct post-approval
- Prior clinical experience indicates safety
- Small subpopulation affected
- Theoretical concern
- Other

The sponsor has a validated bioassay to monitor the quality of Crofelemer. (b) (4)

Development of this type of assay takes time and could not be accomplished in time for the action on the NDA. Therefore a PMC is adequate.

2. Describe the particular review issue and the goal of the study/clinical trial. If the study/clinical trial is a FDAAA PMR, describe the risk. If the FDAAA PMR is created post-approval, describe the “new safety information.”

During the review of the NDA, the review team identified a need for the development of a bioassay, to ensure a higher level of control over the quality of the product. The sponsor was able to validate an assay based on (b) (4)

3. If the study/clinical trial is a PMR, check the applicable regulation.

If not a PMR, skip to 4.

– **Which regulation?**

- Accelerated Approval (subpart H/E)
- Animal Efficacy Rule
- Pediatric Research Equity Act
- FDAAA required safety study/clinical trial

– **If the PMR is a FDAAA safety study/clinical trial, does it: (check all that apply)**

- Assess a known serious risk related to the use of the drug?
- Assess signals of serious risk related to the use of the drug?
- Identify an unexpected serious risk when available data indicate the potential for a serious risk?

– **If the PMR is a FDAAA safety study/clinical trial, will it be conducted as:**

- Analysis of spontaneous postmarketing adverse events?
Do not select the above study/clinical trial type if: such an analysis will not be sufficient to assess or identify a serious risk
- Analysis using pharmacovigilance system?
Do not select the above study/clinical trial type if: the new pharmacovigilance system that the FDA is required to establish under section 505(k)(3) has not yet been established and is thus not sufficient to assess this known serious risk, or has been established but is nevertheless not sufficient to assess or identify a serious risk
- Study: all other investigations, such as investigations in humans that are not clinical trials as defined below (e.g., observational epidemiologic studies), animal studies, and laboratory experiments?
Do not select the above study type if: a study will not be sufficient to identify or assess a serious risk
- Clinical trial: any prospective investigation in which the sponsor or investigator determines the method of assigning investigational product or other interventions to one or more human subjects?

4. What type of study or clinical trial is required or agreed upon (describe and check type below)? If the study or trial will be performed in a subpopulation, list here.

Required

- Observational pharmacoepidemiologic study
- Registry studies
- Primary safety study or clinical trial
- Pharmacogenetic or pharmacogenomic study or clinical trial if required to further assess safety
- Thorough Q-T clinical trial
- Nonclinical (animal) safety study (e.g., carcinogenicity, reproductive toxicology)

Continuation of Question 4

- Nonclinical study (laboratory resistance, receptor affinity, quality study related to safety)
 - Pharmacokinetic studies or clinical trials
 - Drug interaction or bioavailability studies or clinical trials
 - Dosing trials
 - Additional data or analysis required for a previously submitted or expected study/clinical trial (provide explanation)
-
- Meta-analysis or pooled analysis of previous studies/clinical trials
 - Immunogenicity as a marker of safety
 - Other (provide explanation)
-

Agreed upon:

- Quality study without a safety endpoint (e.g., manufacturing, stability)
- Pharmacoepidemiologic study not related to safe drug use (e.g., natural history of disease, background rates of adverse events)
- Clinical trials primarily designed to further define efficacy (e.g., in another condition, different disease severity, or subgroup) that are NOT required under Subpart H/E
- Dose-response study or clinical trial performed for effectiveness
- Nonclinical study, not safety-related (specify)

-
- Other
Salix will develop a bioassay [redacted] (b) (4)
-

5. Is the PMR/PMC clear, feasible, and appropriate?

- Does the study/clinical trial meet criteria for PMRs or PMCs?
- Are the objectives clear from the description of the PMR/PMC?
- Has the applicant adequately justified the choice of schedule milestone dates?
- Has the applicant had sufficient time to review the PMRs/PMCs, ask questions, determine feasibility, and contribute to the development process?

PMR/PMC Development Coordinator:

- This PMR/PMC has been reviewed for clarity and consistency, and is necessary to further refine the safety, efficacy, or optimal use of a drug, or to ensure consistency and reliability of drug quality.*

(signature line for BLAs)

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KEVIN B BUGIN
12/21/2012

ANIL K RAJPAL
12/21/2012

SEALD Director Sign-Off Review of the End-of-Cycle Prescribing Information: Outstanding Format Deficiencies

Product Title	(b) (4) TM (crofelemer) delayed-release tablets, for oral use
Applicant	Salix Pharmaceuticals, Inc.
Application/Supplement Number	NDA 202292
Type of Application	Original Submission (NME)
Indication(s)	For the symptomatic relief of non-infectious diarrhea in adult patients with HIV/AIDS on anti-retroviral therapy
Established Pharmacologic Class ¹	Anti-Diarrheal
Office/Division	ODE III/DGIEP
Division Project Manager	Kevin Bugin
Date FDA Received Application	December 5, 2011
Goal Date	September 5, 2012
Date PI Received by SEALD	December 10, 2012
SEALD Review Date	December 10, 2012
SEALD Labeling Reviewer	Jeanne M. Delasko
SEALD Division Director	Laurie Burke

PI = prescribing information

¹ The established pharmacologic class (EPC) that appears in the final draft PI.

This Study Endpoints and Labeling Development (SEALD) Director Sign-Off review of the end-of-cycle, draft prescribing information (PI) for critical format elements reveals **outstanding labeling format deficiencies that must be corrected** before the final PI is approved. After these outstanding labeling format deficiencies are corrected, the SEALD Director will have no objection to the approval of this PI.

The critical format elements include labeling regulation (21 CFR 201.56 and 201.57), labeling guidance, and best labeling practices (see list below). This review does not include every regulation or guidance that pertains to PI format.

Guide to the Selected Requirements of Prescribing Information (SRPI) Checklist: For each SRPI item, one of the following 3 response options is selected:

- **NO**: The PI **does not meet** the requirement for this item (**deficiency**).
- **YES**: The PI **meets** the requirement for this item (**not a deficiency**).
- **N/A** (not applicable): This item does not apply to the specific PI under review.

Selected Requirements of Prescribing Information

Highlights (HL)

GENERAL FORMAT

- NO** 1. Highlights (HL) must be in two-column format, with ½ inch margins on all sides and in a minimum of 8-point font.

Comment: Margins are 1 inch on sides instead of 1/2 inch.

- YES** 2. The length of HL must be less than or equal to one-half page (the HL Boxed Warning does not count against the one-half page requirement) unless a waiver has been granted in a previous submission (i.e., the application being reviewed is an efficacy supplement).

Instructions to complete this item: If the length of the HL is less than or equal to one-half page then select “YES” in the drop-down menu because this item meets the requirement. However, if HL is longer than one-half page:

➤ **For the Filing Period (for RPMs)**

- *For efficacy supplements:* If a waiver was previously granted, select “YES” in the drop-down menu because this item meets the requirement.
- *For NDAs/BLAs and PLR conversions:* Select “NO” in the drop-down menu because this item does not meet the requirement (deficiency). The RPM notifies the Cross-Discipline Team Leader (CDTL) of the excessive HL length and the CDTL determines if this deficiency is included in the 74-day or advice letter to the applicant.

➤ **For the End-of Cycle Period (for SEALD reviewers)**

- The SEALD reviewer documents (based on information received from the RPM) that a waiver has been previously granted or will be granted by the review division in the approval letter.

Comment:

- YES** 3. All headings in HL must be presented in the center of a horizontal line, in UPPER-CASE letters and **bolded**.

Comment:

- YES** 4. White space must be present before each major heading in HL.

Comment:

- YES** 5. Each summarized statement in HL must reference the section(s) or subsection(s) of the Full Prescribing Information (FPI) that contains more detailed information. The preferred format is the numerical identifier in parenthesis [e.g., (1.1)] at the end of each information summary (e.g. end of each bullet).

Comment:

- YES** 6. Section headings are presented in the following order in HL:

Section	Required/Optional
• Highlights Heading	Required
• Highlights Limitation Statement	Required
• Product Title	Required
• Initial U.S. Approval	Required
• Boxed Warning	Required if a Boxed Warning is in the FPI
• Recent Major Changes	Required for only certain changes to PI*

Selected Requirements of Prescribing Information

• Indications and Usage	Required
• Dosage and Administration	Required
• Dosage Forms and Strengths	Required
• Contraindications	Required (if no contraindications must state “None.”)
• Warnings and Precautions	Not required by regulation, but should be present
• Adverse Reactions	Required
• Drug Interactions	Optional
• Use in Specific Populations	Optional
• Patient Counseling Information Statement	Required
• Revision Date	Required

* RMC only applies to the Boxed Warning, Indications and Usage, Dosage and Administration, Contraindications, and Warnings and Precautions sections.

Comment:

YES

7. A horizontal line must separate HL and Table of Contents (TOC).

Comment:

HIGHLIGHTS DETAILS

Highlights Heading

YES

8. At the beginning of HL, the following heading must be **bolded** and appear in all UPPER CASE letters: “**HIGHLIGHTS OF PRESCRIBING INFORMATION**”.

Comment:

Highlights Limitation Statement

YES

9. The **bolded** HL Limitation Statement must be on the line immediately beneath the HL heading and must state: “**These highlights do not include all the information needed to use (insert name of drug product in UPPER CASE) safely and effectively. See full prescribing information for (insert name of drug product in UPPER CASE).**”

Comment:

Product Title

YES

10. Product title in HL must be **bolded**.

Comment:

Initial U.S. Approval

YES

11. Initial U.S. Approval in HL must be placed immediately beneath the product title, **bolded**, and include the verbatim statement “**Initial U.S. Approval:**” followed by the **4-digit year**.

Comment:

Boxed Warning

N/A

12. All text must be **bolded**.

Comment:

N/A

13. Must have a centered heading in UPPER-CASE, containing the word “**WARNING**” (even if more than one Warning, the term, “**WARNING**” and not “**WARNINGS**” should be used) and other words to identify the subject of the Warning (e.g., “**WARNING: SERIOUS INFECTIONS**”).

Comment:

Selected Requirements of Prescribing Information

- N/A** 14. Must always have the verbatim statement “*See full prescribing information for complete boxed warning.*” in *italics* and centered immediately beneath the heading.

Comment:

- N/A** 15. Must be limited in length to 20 lines (this does not include the heading and statement “*See full prescribing information for complete boxed warning.*”)

Comment:

- N/A** 16. Use sentence case for summary (combination of uppercase and lowercase letters typical of that used in a sentence).

Comment:

Recent Major Changes (RMC)

- N/A** 17. Pertains to only the following five sections of the FPI: Boxed Warning, Indications and Usage, Dosage and Administration, Contraindications, and Warnings and Precautions.

Comment:

- N/A** 18. Must be listed in the same order in HL as they appear in FPI.

Comment:

- N/A** 19. Includes heading(s) and, if appropriate, subheading(s) of labeling section(s) affected by the recent major change, together with each section’s identifying number and date (month/year format) on which the change was incorporated in the PI (supplement approval date). For example, “Dosage and Administration, Coronary Stenting (2.2) --- 3/2012”.

Comment:

- N/A** 20. Must list changes for at least one year after the supplement is approved and must be removed at the first printing subsequent to one year (e.g., no listing should be one year older than revision date).

Comment:

Indications and Usage

- NO** 21. If a product belongs to an established pharmacologic class, the following statement is required in the Indications and Usage section of HL: “(Product) is a (name of established pharmacologic class) indicated for (indication)”.

Comment: *Established pharmacologic class is "Anti-Diarrheal" and is missing from HL.*

Dosage Forms and Strengths

- N/A** 22. For a product that has several dosage forms, bulleted subheadings (e.g., capsules, tablets, injection, suspension) or tabular presentations of information is used.

Comment:

Contraindications

- YES** 23. All contraindications listed in the FPI must also be listed in HL or must include the statement “None” if no contraindications are known.

Comment:

- N/A** 24. Each contraindication is bulleted when there is more than one contraindication.

Selected Requirements of Prescribing Information

Comment:

Adverse Reactions

- YES** 25. For drug products other than vaccines, the verbatim **bolded** statement must be present: “**To report SUSPECTED ADVERSE REACTIONS, contact (insert name of manufacturer) at (insert manufacturer’s U.S. phone number) or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch**”.

Comment:

Patient Counseling Information Statement

- YES** 26. Must include one of the following three **bolded** verbatim statements (without quotation marks):

If a product does not have FDA-approved patient labeling:

- “**See 17 for PATIENT COUNSELING INFORMATION**”

If a product has FDA-approved patient labeling:

- “**See 17 for PATIENT COUNSELING INFORMATION and FDA-approved patient labeling.**”
- “**See 17 for PATIENT COUNSELING INFORMATION and Medication Guide.**”

Comment:

Revision Date

- YES** 27. **Bolded** revision date (i.e., “**Revised: MM/YYYY or Month Year**”) must be at the end of HL.

Comment:

Contents: Table of Contents (TOC)

GENERAL FORMAT

- YES** 28. A horizontal line must separate TOC from the FPI.

Comment:

- YES** 29. The following **bolded** heading in all UPPER CASE letters must appear at the beginning of TOC: “**FULL PRESCRIBING INFORMATION: CONTENTS**”.

Comment:

- NO** 30. The section headings and subheadings (including title of the Boxed Warning) in the TOC must match the headings and subheadings in the FPI.

Comment: Delete the statement "FULL PRESCRIBING INFORMATION" that appears at the beginning of the TOC; Subsection headings "5. 1 Risks of Treatment in Patients with Infectious Diarrhea" and "7.1 Nelfinavir, Zidovudine, and Lamivudine" are missing from the TOC; Insert.

- N/A** 31. The same title for the Boxed Warning that appears in the HL and FPI must also appear at the beginning of the TOC in UPPER-CASE letters and **bolded**.

Comment:

- YES** 32. All section headings must be **bolded** and in UPPER CASE.

Comment:

Selected Requirements of Prescribing Information

- YES** 33. All subsection headings must be indented, not bolded, and in title case.
Comment:
- YES** 34. When a section or subsection is omitted, the numbering does not change.
Comment:
- YES** 35. If a section or subsection from 201.56(d)(1) is omitted from the FPI and TOC, the heading “**FULL PRESCRIBING INFORMATION: CONTENTS**” must be followed by an asterisk and the following statement must appear at the end of TOC: “*Sections or subsections omitted from the Full Prescribing Information are not listed.”
Comment:
-

Full Prescribing Information (FPI)

GENERAL FORMAT

- YES** 36. The following heading must appear at the beginning of the FPI in UPPER CASE and **bolded**: “**FULL PRESCRIBING INFORMATION**”.
Comment:
- YES** 37. All section and subsection headings and numbers must be **bolded**.
Comment:
- YES** 38. The **bolded** section and subsection headings must be named and numbered in accordance with 21 CFR 201.56(d)(1) as noted below. If a section/subsection is omitted, the numbering does not change.

Boxed Warning
1 INDICATIONS AND USAGE
2 DOSAGE AND ADMINISTRATION
3 DOSAGE FORMS AND STRENGTHS
4 CONTRAINDICATIONS
5 WARNINGS AND PRECAUTIONS
6 ADVERSE REACTIONS
7 DRUG INTERACTIONS
8 USE IN SPECIFIC POPULATIONS
8.1 Pregnancy
8.2 Labor and Delivery
8.3 Nursing Mothers
8.4 Pediatric Use
8.5 Geriatric Use
9 DRUG ABUSE AND DEPENDENCE
9.1 Controlled Substance
9.2 Abuse
9.3 Dependence
10 OVERDOSAGE
11 DESCRIPTION
12 CLINICAL PHARMACOLOGY
12.1 Mechanism of Action
12.2 Pharmacodynamics
12.3 Pharmacokinetics

Selected Requirements of Prescribing Information

12.4 Microbiology (by guidance)
12.5 Pharmacogenomics (by guidance)
13 NONCLINICAL TOXICOLOGY
13.1 Carcinogenesis, Mutagenesis, Impairment of Fertility
13.2 Animal Toxicology and/or Pharmacology
14 CLINICAL STUDIES
15 REFERENCES
16 HOW SUPPLIED/STORAGE AND HANDLING
17 PATIENT COUNSELING INFORMATION

Comment:

N/A

39. FDA-approved patient labeling (e.g., Medication Guide, Patient Information, or Instructions for Use) must not be included as a subsection under Section 17 (Patient Counseling Information). All patient labeling must appear at the end of the PI upon approval.

Comment:

NO

40. The preferred presentation for cross-references in the FPI is the section heading (not subsection heading) followed by the numerical identifier in italics. For example, “[see Warnings and Precautions (5.2)]”.

Comment: Cross reference in FPI, section 7 “[see Clinical Pharmacology (12.3)]” is not italicized.

N/A

41. If RMCs are listed in HL, the corresponding new or modified text in the FPI sections or subsections must be marked with a vertical line on the left edge.

Comment:

FULL PRESCRIBING INFORMATION DETAILS

Boxed Warning

N/A

42. All text is **bolded**.

Comment:

N/A

43. Must have a heading in UPPER-CASE, containing the word “**WARNING**” (even if more than one Warning, the term, “**WARNING**” and not “**WARNINGS**” should be used) and other words to identify the subject of the Warning (e.g., “**WARNING: SERIOUS INFECTIONS**”).

Comment:

N/A

44. Use sentence case (combination of uppercase and lowercase letters typical of that used in a sentence) for the information in the Boxed Warning.

Comment:

Contraindications

YES

45. If no Contraindications are known, this section must state “None”.

Comment:

Adverse Reactions

YES

46. When clinical trials adverse reactions data is included (typically in the “Clinical Trials Experience” subsection of Adverse Reactions), the following verbatim statement or appropriate modification should precede the presentation of adverse reactions:

Selected Requirements of Prescribing Information

“Because clinical trials are conducted under widely varying conditions, adverse reaction rates observed in the clinical trials of a drug cannot be directly compared to rates in the clinical trials of another drug and may not reflect the rates observed in clinical practice.”

Comment:

- N/A** 47. When postmarketing adverse reaction data is included (typically in the “Postmarketing Experience” subsection of Adverse Reactions), the following verbatim statement or appropriate modification should precede the presentation of adverse reactions:

“The following adverse reactions have been identified during post-approval use of (insert drug name). Because these reactions are reported voluntarily from a population of uncertain size, it is not always possible to reliably estimate their frequency or establish a causal relationship to drug exposure.”

Comment:

Patient Counseling Information

- N/A** 48. Must reference any FDA-approved patient labeling, include the type of patient labeling, and use one of the following statements at the beginning of Section 17:
- “See FDA-approved patient labeling (Medication Guide)”
 - “See FDA-approved patient labeling (Medication Guide and Instructions for Use)”
 - “See FDA-approved patient labeling (Patient Information)”
 - “See FDA-approved patient labeling (Instructions for Use)”
 - “See FDA-approved patient labeling (Patient Information and Instructions for Use)”

Comment:

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

JEANNE M DELASKO
12/10/2012

ANN M TRENTACOSTI
12/10/2012
Signing for Laurie Burke

MEMORANDUM DEPARTMENT OF HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
FOOD AND DRUG ADMINISTRATION
CENTER FOR DRUG EVALUATION AND RESEARCH

DATE: August 23, 2012

TO Administrative File, NDA 202292

FROM: Nitin M. Patel.
Project Manager
Office of Surveillance and Epidemiology

APPLICATION: NDA 202292: (b) (4) (crofelemer)

APPLICANT: Salix Pharmaceuticals, Inc.

SUBJECT: Division of Medication Error Prevention and Analysis (DMEPA)
requested this teleconference to inform the Applicant of our
concerns with the proposed proprietary name (b) (4)

Participants: FDA: Lubna Merchant, Pharm.D, M.S. Team Leader, DMEPA
Anne Tobenkin, Pharm.D, DMEPA
Nitin M. Patel, Project Manager, OSE

Salix: Jennifer Richards, Associate Director, Regulatory Affairs
Bill Forbes, Executive Vice President, Medical, R&D
Linda Young, Vice President, Regulatory
Craig Paterson, Vice President, Medical and Clinical Development
Pam Golden, Executive Director, Nonclinical and Clinical
Pharmacology
Matt Mitcho, Associate Brand Director
Lueann Duke, Manager, R&D Operation

Issues:

DMEPA has determined that the proposed proprietary name (b) (4) (Crofelemer) for NDA 202292 is unacceptable due to orthographic similarity to (b) (4). DMEPA wanted to notify the Sponsor about the safety concerns with their proposed name, (b) (4) as follows:

(b) (4) and (b) (4) exhibit orthographic similarities when scripted which make them likely to be confused in the drug use setting. These similarities include:

(b) (4)

Both (b) (4) and (b) (4) are available only as tablets and are taken orally. Additionally, both products are single strength, therefore the strength does not have to be on the prescription.

Due to the orthographic similarity and the overlapping product characteristics we are likely to find the name (b) (4) unacceptable.

We have also conducted a preliminary review of the second proposed name, Fulyzaq, and thus far, have not encountered any look-alike or sound-alike names. Therefore, we propose that you withdraw the first name, (b) (4) and re-submit the Proprietary Name Request with the name Fulyzaq as the primary name at your earliest convenience.

Salix was also informed to submit revised container labels with the proprietary name, Fulyzaq, for final DMEPA review.

Salix agreed to withdraw the proposed name (b) (4) and will officially submit the withdrawal and revised container labels within a day of this teleconference.

The teleconference ended cordially.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

NITIN M PATEL
08/24/2012

**FOOD AND DRUG ADMINISTRATION
Center for Drug Evaluation and Research
Office of Prescription Drug Promotion
Division of Professional Drug Promotion**

*****Pre-decisional Agency Information*****

Memorandum

Date: August 15, 2012

To: Kevin Bugin, Regulatory Project Manager
Division of Gastroenterology and Inborn Errors Products (DGIEP)

From: Kathleen Klemm, Regulatory Review Officer
Division of Professional Drug Promotion (DPDP)
Office of Prescription Drug Promotion (OPDP)

Subject: NDA 202292
DPDP labeling comments for Crofelemer delayed-release tablets

DPDP has reviewed the proposed Package Insert (PI) for Crofelemer delayed-release tablets submitted for consult on January 31, 2012, and offers the following comments.

DPDP's comments on the PI are based on Version 37 of the proposed draft marked-up labeling titled, "NDA202292.CROFELEMER.doc" accessed via the eRoom.

DPDP's comments on the PI are provided directly in the marked-up document below.

Thank you for the opportunity to comment on the proposed labeling. If you have any questions, please contact Katie Klemm at 301-796-3946 or Kathleen.Klemm@fda.hhs.gov.

17 Page(s) of Draft Labeling have been Withheld in Full as b4 (CCI/TS) immediately following this page

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KATHLEEN KLEMM
08/15/2012

MEMORANDUM

DEPARTMENT OF HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
FOOD AND DRUG ADMINISTRATION
CENTER FOR DRUG EVALUATION AND RESEARCH

CLINICAL INSPECTION SUMMARY

DATE: August 8, 2012

TO: Kevin Bugin, Project Manager,
DGIEP

FROM: Khairy Malek, M.D., Ph.D.
Good Clinical Practice Assessment Branch
Division of Good Clinical Practice Compliance
Office of Scientific Investigations

THROUGH: Susan Leibenhaut, M.D.
Acting Team Leader
Good Clinical Practice Assessment Branch
Division of Good Clinical Practice Compliance
Office of Scientific Investigations

THROUGH: Susan Thompson, M.D.
Acting Branch Chief
Good Clinical Practice Assessment Branch
Division of Good Clinical Practice Compliance
Office of Scientific Investigations

SUBJECT: Evaluation of Clinical Inspections

NDA: 202-292/000

APPLICANT: Salix Pharmaceuticals, Inc.

DRUG: Crofelemer

NME: Yes

THERAPEUTIC CLASSIFICATION: Priority

INDICATIONS: Treatment of HIV-associated diarrhea.

CONSULTATION REQUEST DATE: January 26, 2012

DIVISION ACTION GOAL DATE: September 5, 2012

PDUFA DATE: September 5, 2012

I. BACKGROUND:

Crofelemer is an oligomeric proanthocyanidin extracted and purified from the red, viscous latex of the plant *Croton lechleri*. The plant is widely distributed throughout tropical Central America and South America. Crofelemer is believed to exert its anti-diarrhea effect through luminal blockade of CFTR (cystic fibrosis transmembrane conductance regulator) chloride channel. Crofelemer significantly improved the secretory diarrhea in humans due to enterotoxigenic *Escherichia coli*. Crofelemer has virtually no systemic effect in humans and thus no anticipated significant adverse events. A study in humans indicated that there was little or no absorption from the GI tract, and the drug was well tolerated in these normal male subjects. Crofelemer was also effective in traveler's or non-specific diarrhea.

The safety of crofelemer was investigated in doses up to 2000 mg daily in 1065 subjects with different kinds of diarrhea, and the adverse events were comparable to placebo.

The protocol used in this study, in the 3 sites inspected, was Protocol NP303-101, entitled "Randomized, Double-Blind, Placebo-Controlled, Two-Stage Study to Assess the Efficacy and Safety of Crofelemer 125mg, 250mg, and 500mg Orally Twice Daily for the Treatment of HIV-Associated Diarrhea (ADVENT Trial)".

Efficacy assessments in the study were based on subject diaries, which were entered daily by subjects into an interactive voice response system (IVRS). These subject diaries captured diarrhea symptoms (stool consistency, stool frequency, sense of urgency, fecal incontinence, and abdominal pain or discomfort), adherence to study medication and use of antidiarrheal medications) ADM or other prohibited medications. The information collected from these diaries was used to assess treatment outcomes for the study. The protocol did not require the clinical investigators to maintain copies of these data while the study was ongoing.

II. RESULTS (by Site):

Name of CI	Protocol # and # of Subjects Completing Site #	Inspection Date	Final Classification
Michael Wohlfeiler, M.D. 1613 Alton Road Miami Beach, FL 33139	NP303-101 9 Subjects Site # 60	3-15 to 3-23, 2012	VAI
Michael Somero, M.D. 1401 N. Palm Canyon Dr., Suite 100 Palm Springs, CA 92262	NP303-101 7 Subjects Site # 45	3-5 to 3-21, 2012	VAI
Patrick Clay, Pharm D 1750 Independence Avenue Kansas City, MO 64106	NP303-101 6 Subjects Site # 11	3-7 to 3-19, 2012	VAI
Sponsor: Salix Pharmaceuticals 8510 Colonnade Center Raleigh, NC 27615-3273	NP303-101 Sites 60, 45 & 11	5-21 to 5-23, 2012	NAI

Key to Classifications

NAI = No deviation from regulations.

VAI = Deviation(s) from regulations.

OAI = Significant deviations from regulations. Data unreliable.

Pending = Preliminary classification based on information in 483 or preliminary communication with the field; EIR has not been received from the field, and complete review of EIR is pending.

1. Michael Wohlfeiler, M.D.
1613 Alton Rd.
Miami Beach, FL 33139
Site # 60
 - a. What was inspected: At this site, there were 18 subjects screened. Two subjects were screened twice. A total of 9 subjects completed the study. The field investigator reviewed the records of all twenty subjects, including consent forms, drug accountability records, CRFs and patient diaries.
 - b. General Observations/Commentary: The inspection revealed few protocol violations: Subject # 016007 did not have the screening ECG until V1 and the tracing was not reviewed until the day after dosing; protocol-specified physical examination of the rectum, lymph nodes, genitourinary system/gynecological organs were not made for any subject; and there was a failure to question four subjects at one or two visits about adverse reactions and concomitant medications.

In addition, study records were considered incomplete because copies of the original IVRS diary entries were not available at the site. The sponsor provided printouts while the audit was ongoing. During the inspection of the sponsor (Salix), the original entries from the patients were compared to the line listings and found to be consistent.

- c. Assessment of data integrity: These violations noted above do not affect the validity of the data. The data obtained at this site can be used in support of the NDA.

2. Michael Somero, M.D.
1401 N. Palm Canyon Drive, Suite 100
Palm Springs, CA 92262
Site # 45

- a. What was inspected: At this site, 25 subjects were screened, 12 subjects were enrolled, and 7 subjects completed the study. The FDA field investigator reviewed all the records of the seven subjects who completed the study. This included consent forms, drug accountability records, CRFs and patient diaries.
- b. General Observations/Commentary: The inspection revealed: inadequate informed consent because four enrolled subjects did not sign the most recent version of the informed consent document and a protocol violation in that Subject # 017 was enrolled before obtaining a protocol required urine test for opiates. The site had printouts, not the original IVRS diary entry responses of the subjects. These originals were inspected during the sponsor inspection.
- c. Assessment of data integrity: These violations do not affect the validity of the data. The data from this site can be used in support of the NDA.

3. Patrick Clay, Pharm.D.
Kansas City U of Medicine/Bioscience
1750, Independence Ave.
Kansas City, MO 64106
Site # 11

- a. What was Inspected: At this site, 59 subjects were screened, 12 subjects were randomized, and 6 subjects completed the study. The field investigator reviewed all the subject's records of the study at this site.
- b. General Observation/Commentary: The inspection revealed two violations: record unavailability and inaccurate records. Specifically, copies of the original entries of the patients' diaries in the IVRS were not available at the site. In addition, there were

- minor discrepancies between the subjects' charts and the eCRFs. Examples of these minor discrepancies included categorization of relatedness and severity of adverse events and whether the AE resolved or still going.
- c. Assessment of data integrity: These violations do not affect the validity of the data. The data from this site can be used in support of the NDA.
4. Sponsor/Monitor/CRO
Salix Pharmaceuticals
8510 Colonnade Center Dr.
Raleigh, NC 27615
- a. What was inspected: The field investigator audited Protocol NP303-101 (ADVENT trial) at the Sponsor's site and focused on the following 4 clinical sites: M. Wohlfeiler, Site 60; M. Somero, Site 45; P. Clay, Site 11; and (b) (6). (b) (6). The first three sites were requested for inspection by the review division. (b) (6) site was reviewed because (b) (6) had been terminated by the sponsor because of suspected fraud. At the time the site was terminated, one subject had completed the study and eight subjects were withdrawn or discontinued from the study. The field investigator reviewed general correspondence and study master files, site monitoring, handling of adverse events, information and procedures related to the "interactive voice response system (IVRS), subject diaries, and the files of subjects at the sites. The inspection reviewed also IRB documents, CRFs, data collection, and study drug accountability.
- b. General observations/commentary: The field investigator reported that copies of the original entries of the IVRS were found to be similar to the printouts which were present in the three sites inspected. The sponsor was requested in the future, to provide the sites with a copy of the original data entries, instead of the printouts.
- No Form FDA 483 was issued because this item is not considered a violation for the sponsor under the FDA regulations concerning sponsor responsibilities [21CFR 312.50 to 312.59].
- c. Assessment of data integrity: The inspection revealed that the data generated from the three sites inspected can be used in support of the NDA.

III. OVERALL ASSESSMENT OF FINDINGS AND RECOMMENDATIONS

Inspection of the three clinical sites (Drs. Wohlfeiler, Somero and Clay) noted record keeping deficiencies that were systemic to the study because the sponsor did not provide each investigator with the IVRS data at the close of the study. However, this data could be verified at the sponsor site. Additional minor violations were found at the clinical sites

that do not impact on the integrity of the submitted data. The inspection of Salix Pharmaceuticals, Inc. was classified as NAI because failure to provide copies of the original patient diary IVRS entries is not considered a regulatory violation by the sponsor under the FDA regulations concerning sponsor responsibilities [21CFR 312.50 to 312.59]. The data generated by these three sites and the sponsor can be used in support of the NDA.

{See appended electronic signature page}

Khairy Malek, M.D., Ph.D.
Good Clinical Practice Assessment Branch
Division of Good Clinical Practice Compliance
Office of Scientific Investigations

CONCURRENCE:

{See appended electronic signature page}

Susan Leibenhaut, M.D.
Acting Team Leader
Good Clinical Practice Assessment Branch
Division of Good Clinical Practice Compliance
Office of Scientific Investigations

{See appended electronic signature page}

Susan Thompson, M.D.
Acting Branch Chief
Good Clinical Practice Assessment Branch
Division of Good Clinical Practice Compliance
Office of Scientific Investigations

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KHAIRY W MALEK
08/09/2012

SUSAN LEIBENHAUT
08/09/2012

SUSAN D THOMPSON
08/09/2012

**Department of Health and Human Services
Public Health Service
Food and Drug Administration
Center for Drug Evaluation and Research
Office of Surveillance and Epidemiology
Office of Medication Error Prevention and Risk Management**

Label and Labeling Review

Date: March 1, 2012

Reviewer: Manizheh Siahpoushan, PharmD
Division of Medication Error Prevention and Analysis

Team Leader: Zachary Oleszczuk, PharmD
Division of Medication Error Prevention and Analysis

Division Director: Carol Holquist, RPh
Division of Medication Error Prevention and Analysis

Drug Name and Strength: (b) (4) (Crofelemer) Tablets
125 mg

Application Type/Number: NDA 202292

Applicant/sponsor: Salix Pharmaceuticals, Inc.

OSE RCM #: 2011-4644

*** This document contains proprietary and confidential information that should not be released to the public.***

1 INTRODUCTION

This review evaluates the proposed container label and the Prescribing Information for (b) (4) (Crofelemer) Tablets for NDA 202292 for areas of vulnerability that could lead to medication errors. The review responds to a request from the Division of Gastroenterology and Inborn Errors Products (DGIEP).

1.1 PRODUCT INFORMATION

The following product information is provided in the December 21, 2011 proprietary name submission.

- Established Name: Crofelemer Tablets
- Active Ingredient: Crofelemer
- Indication of Use: The control and symptomatic relief of diarrhea in patients with HIV/AIDS on anti-retroviral therapy.
- Route of Administration: Oral
- Dosage Form: Tablet
- Strength: 125 mg
- Dose and Frequency of Administration: One tablet orally twice daily with or without food.
- How Supplied: Bottles of 60 tablets
- Storage: Room temperature
- Container and Closure Systems: 60 tablets packaged in 60-mL, white, high-density polyethylene (HDPE), wide mouth, round bottles (b) (4)

2 METHODS AND MATERIALS REVIEWED

Using Failure Mode and Effects Analysis¹, the principles of human factors, and postmarketing medication error data, the Division of Medication Error Prevention and Analysis (DMEPA) evaluated the following:

- Container Label submitted January 5, 2012
- Prescribing Information submitted January 5, 2012

¹ Institute for Healthcare Improvement (IHI). Failure Modes and Effects Analysis. Boston. IHI:2004.

3 CONCLUSIONS AND RECOMMENDATIONS

DMEPA concludes that the proposed label and labeling introduce vulnerability that can lead to medication errors. We recommend the following revisions be implemented prior to the approval of this NDA:

A. *Prescribing Information*

1. The dangerous symbols '<', '>', '≤', and '≥' which appear on the ISMP List of Error-Prone Abbreviations, Symbols, and Dose Designations² and may be mistaken and used as opposite of intended, the abbreviations 'BID' and 'ART' as well as the symbol '+' following the word HIV (i.e. HIV +).

As part of a national campaign to decrease the use of dangerous symbols, the FDA agreed not to use such error-prone symbols in the approved labeling of products because these abbreviations can be carried over to prescribing. Therefore, we recommend replacing all instances of the symbol '<' with phrase "less than", the symbol '>' with phrase "greater than", the symbol '≤' with phrase "less than or equal to", and the symbol '≥' with phrase "greater than or equal to". Replace the abbreviation 'BID' with "twice daily", 'ART' with "anti retroviral therapy", and 'HIV +' with "HIV positive".

2. Revise Section 3 *Dosage Forms and Strengths* to include the product strength (i.e. 125 mg).
3. Revise Section 16 *How Supplied/Storage and Handling* to include the storage information (i.e. 'Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) per USP 10.30.60 Controlled Room Temperature.

B. *Container Label*

1. Increase the prominence of the dosage form to have the same prominence (i.e. font size and type) as the established name to ensure that it is in accordance with CFR 201.10(g)(2).
2. Relocate the strength so that it appears directly below the established name, and increase its size to ensure its prominence is greater than that of the quantity statement. Additionally, delete the hyphen that appears between '125' and 'mg' to avoid crowding and confusion. There should be a space between the numerical value and the unit of measure. The revised strength statement should appear as follows: '125 mg'. For consistency, use the same format on the container label and the Prescribing Information, where the product strength appears.
3. Remove the [REDACTED]^{(b) (4)} containing the net quantity and the 'Rx only' statements. As currently presented, the [REDACTED]^{(b) (4)} affords the net quantity and the 'Rx only' statements more prominence than the product name and strength. Once you remove the [REDACTED]^{(b) (4)}, change the

white text to black to improve readability. Additionally, decrease the font size of the net quantity and 'Rx only' statements to allow room to address comment B.2 above.

4. Decrease the prominence of the company logo (i.e. Salix). As currently presented, the large size of the logo can distract from other information such as the dosage statement, on the side panel.
5. Revise the storage information statement [REDACTED] (b) (4) [REDACTED] to be in accordance with the USP definition of controlled room temperature (i.e. 20°C to 25°C (68°F to 77°F) per USP 10.30.60 *Controlled Room Temperature*), and consistent with the presentation of the storage information in the Prescribing Information after addressing comment A.3 above. Additionally, avoid the use of hyphen, to reduce potential confusion when reading the numbers denoting the storage temperature range (the hyphen may be misinterpreted as 'negative').

If you have further questions or need clarifications, please contact OSE Project Manager, Nitin Patel at 301-796-5412.

APPENDIX

Container Label

(b) (4)



This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

MANIZHEH SIAHPOUSHAN
03/01/2012

ZACHARY A OLESZCZUK
03/01/2012

CAROL A HOLQUIST
03/02/2012

RPM FILING REVIEW

(Including Memo of Filing Meeting)

To be completed for all new NDAs, BLAs, and Efficacy Supplements [except SE8 (labeling change with clinical data) and SE9 (manufacturing change with clinical data)]

Application Information		
NDA # 202292 BLA#	NDA Supplement #:S- BLA STN #	Efficacy Supplement Type
Proprietary Name: TBD Established/Proper Name: Crofelemer Dosage Form: Tablets Strengths: 125 mg		
Applicant: Salix Pharmaceuticals, Inc Agent for Applicant (if applicable):		
Date of Application: 12/05/2011 Date of Receipt: 12/05/2011 Date clock started after UN:		
PDUFA Goal Date: 06/05/2012	Action Goal Date (if different):	
Filing Date: 02/03/2012	Date of Filing Meeting: 01/18/2012	
Chemical Classification: (1,2,3 etc.) (original NDAs only) 1		
Proposed indication(s)/Proposed change(s): HIV+ individuals on ART with diarrhea		
Type of Original NDA: AND (if applicable) Type of NDA Supplement:	<input checked="" type="checkbox"/> 505(b)(1) <input type="checkbox"/> 505(b)(2) <input type="checkbox"/> 505(b)(1) <input type="checkbox"/> 505(b)(2)	
<i>If 505(b)(2): Draft the "505(b)(2) Assessment" form found at: http://inside.fda.gov:9003/CDER/OfficeofNewDrugs/ImmediateOffice/UCM027499 and refer to Appendix A for further information.</i>		
Review Classification:	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Priority <input type="checkbox"/> Tropical Disease Priority Review Voucher submitted	
<i>If the application includes a complete response to pediatric WR, review classification is Priority.</i> <i>If a tropical disease priority review voucher was submitted, review classification is Priority.</i>		
Resubmission after withdrawal? <input type="checkbox"/>	Resubmission after refuse to file? <input type="checkbox"/>	
Part 3 Combination Product? <input type="checkbox"/>	<input type="checkbox"/> Convenience kit/Co-package <input type="checkbox"/> Pre-filled drug delivery device/system <input type="checkbox"/> Pre-filled biologic delivery device/system <input type="checkbox"/> Device coated/impregnated/combined with drug <input type="checkbox"/> Device coated/impregnated/combined with biologic <input type="checkbox"/> Drug/Biologic <input type="checkbox"/> Separate products requiring cross-labeling <input type="checkbox"/> Possible combination based on cross-labeling of separate products <input type="checkbox"/> Other (drug/device/biological product)	
<i>If yes, contact the Office of Combination Products (OCP) and copy them on all Inter-Center consults</i>		

<input type="checkbox"/> Fast Track <input type="checkbox"/> Rolling Review <input type="checkbox"/> Orphan Designation <input type="checkbox"/> Rx-to-OTC switch, Full <input type="checkbox"/> Rx-to-OTC switch, Partial <input type="checkbox"/> Direct-to-OTC Other:	<input type="checkbox"/> PMC response <input type="checkbox"/> PMR response: <input type="checkbox"/> FDAAA [505(o)] <input type="checkbox"/> PREA deferred pediatric studies [21 CFR 314.55(b)/21 CFR 601.27(b)] <input type="checkbox"/> Accelerated approval confirmatory studies (21 CFR 314.510/21 CFR 601.41) <input type="checkbox"/> Animal rule postmarketing studies to verify clinical benefit and safety (21 CFR 314.610/21 CFR 601.42)			
Collaborative Review Division (if OTC product):				
List referenced IND Number(s): (b) (4) 051818, (b) (4)				
Goal Dates/Product Names/Classification Properties	YES	NO	NA	Comment
PDUFA and Action Goal dates correct in tracking system? <i>If no, ask the document room staff to correct them immediately. These are the dates used for calculating inspection dates.</i>	X			
Are the proprietary, established/proper, and applicant names correct in tracking system? <i>If no, ask the document room staff to make the corrections. Also, ask the document room staff to add the established/proper name to the supporting IND(s) if not already entered into tracking system.</i>	X			
Is the review priority (S or P) and all appropriate classifications/properties entered into tracking system (e.g., chemical classification, combination product classification, 505(b)(2), orphan drug)? <i>For NDAs/NDA supplements, check the Application and Supplement Notification Checklists for a list of all classifications/properties at: http://inside.fda.gov:9003/CDER/OfficeofBusinessProcessSupport/ucm163970.htm</i> <i>If no, ask the document room staff to make the appropriate entries.</i>	X			
Application Integrity Policy	YES	NO	NA	Comment
Is the application affected by the Application Integrity Policy (AIP)? <i>Check the AIP list at: http://www.fda.gov/ICECI/EnforcementActions/ApplicationIntegrityPolicy/default.htm</i>		X		
<i>If yes, explain in comment column.</i>				
<i>If affected by AIP, has OC/DMPQ been notified of the submission? If yes, date notified:</i>				
User Fees	YES	NO	NA	Comment
Is Form 3397 (User Fee Cover Sheet) included with authorized signature?	X			

<p><u>User Fee Status</u></p> <p><i>If a user fee is required and it has not been paid (and it is not exempted or waived), the application is unacceptable for filing following a 5-day grace period. Review stops. Send Unacceptable for Filing (UN) letter and contact user fee staff.</i></p>	<p>Payment for this application:</p> <p><input checked="" type="checkbox"/> Paid <input type="checkbox"/> Exempt (orphan, government) <input type="checkbox"/> Waived (e.g., small business, public health) <input type="checkbox"/> Not required</p>																			
<p><i>If the firm is in arrears for other fees (regardless of whether a user fee has been paid for this application), the application is unacceptable for filing (5-day grace period does not apply). Review stops. Send UN letter and contact the user fee staff.</i></p>	<p>Payment of other user fees:</p> <p><input checked="" type="checkbox"/> Not in arrears <input type="checkbox"/> In arrears</p>																			
<p>505(b)(2) (NDAs/NDA Efficacy Supplements only)</p>	<p>YES</p>	<p>NO</p>	<p>NA</p>	<p>Comment</p>																
<p>Is the application for a duplicate of a listed drug and eligible for approval under section 505(j) as an ANDA?</p>																				
<p>Is the application for a duplicate of a listed drug whose only difference is that the extent to which the active ingredient(s) is absorbed or otherwise made available to the site of action is less than that of the reference listed drug (RLD)? [see 21 CFR 314.54(b)(1)].</p>																				
<p>Is the application for a duplicate of a listed drug whose only difference is that the rate at which the proposed product's active ingredient(s) is absorbed or made available to the site of action is unintentionally less than that of the listed drug [see 21 CFR 314.54(b)(2)]?</p> <p><i>If you answered yes to any of the above questions, the application may be refused for filing under 21 CFR 314.101(d)(9). Contact the (b)(2) review staff in the Immediate Office of New Drugs</i></p>																				
<p>Is there unexpired exclusivity on the active moiety (e.g., 5-year, 3-year, orphan or pediatric exclusivity)? Check the <i>Electronic Orange Book</i> at: http://www.accessdata.fda.gov/scripts/cder/ob/default.cfm</p> <p>If yes, please list below:</p> <table border="1" data-bbox="203 1446 1349 1587"> <thead> <tr> <th data-bbox="203 1446 495 1486">Application No.</th> <th data-bbox="495 1446 771 1486">Drug Name</th> <th data-bbox="771 1446 1060 1486">Exclusivity Code</th> <th data-bbox="1060 1446 1349 1486">Exclusivity Expiration</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Application No.	Drug Name	Exclusivity Code	Exclusivity Expiration																
Application No.	Drug Name	Exclusivity Code	Exclusivity Expiration																	
<p><i>If there is unexpired, 5-year exclusivity remaining on the active moiety for the proposed drug product, a 505(b)(2) application cannot be submitted until the period of exclusivity expires (unless the applicant provides paragraph IV patent certification; then an application can be submitted four years after the date of approval.) Pediatric exclusivity will extend both of the timeframes in this provision by 6 months. 21 CFR 108(b)(2). Unexpired, 3-year exclusivity will only block the approval, not the submission of a 505(b)(2) application.</i></p>																				
<p>Exclusivity</p>	<p>YES</p>	<p>NO</p>	<p>NA</p>	<p>Comment</p>																
<p>Does another product (same active moiety) have orphan exclusivity for the same indication? <i>Check the Orphan Drug Designations and Approvals list at:</i> http://www.accessdata.fda.gov/scripts/opdlisting/opd/index.cfm</p>		<p>X</p>																		

If another product has orphan exclusivity , is the product considered to be the same product according to the orphan drug definition of sameness [see 21 CFR 316.3(b)(13)]? <i>If yes, consult the Director, Division of Regulatory Policy II, Office of Regulatory Policy</i>			X	
Has the applicant requested 5-year or 3-year Waxman-Hatch exclusivity? (<i>NDAs/NDA efficacy supplements only</i>) If yes, # years requested: Five (5) <i>Note: An applicant can receive exclusivity without requesting it; therefore, requesting exclusivity is not required.</i>	X			
Is the proposed product a single enantiomer of a racemic drug previously approved for a different therapeutic use (<i>NDAs only</i>)?		X		
If yes , did the applicant: (a) elect to have the single enantiomer (contained as an active ingredient) not be considered the same active ingredient as that contained in an already approved racemic drug, and/or (b): request exclusivity pursuant to section 505(u) of the Act (per FDAAA Section 1113)? <i>If yes, contact Mary Ann Holovac, Director of Drug Information, OGD/DLPS/LRB.</i>			X	

Format and Content				
<i>Do not check mixed submission if the only electronic component is the content of labeling (COL).</i>	<input type="checkbox"/> All paper (except for COL) <input checked="" type="checkbox"/> All electronic <input type="checkbox"/> Mixed (paper/electronic) <input checked="" type="checkbox"/> CTD <input type="checkbox"/> Non-CTD <input type="checkbox"/> Mixed (CTD/non-CTD)			
If mixed (paper/electronic) submission, which parts of the application are submitted in electronic format?				
Overall Format/Content	YES	NO	NA	Comment
If electronic submission, does it follow the eCTD guidance? ¹ If not, explain (e.g., waiver granted).	X			
Index: Does the submission contain an accurate comprehensive index?	X			
Is the submission complete as required under 21 CFR 314.50 (<i>NDAs/NDA efficacy supplements</i>) or under 21 CFR 601.2 (<i>BLAs/BLA efficacy supplements</i>) including:	X			

1

<http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm072349.pdf>

<input checked="" type="checkbox"/> legible <input checked="" type="checkbox"/> English (or translated into English) <input checked="" type="checkbox"/> pagination <input checked="" type="checkbox"/> navigable hyperlinks (electronic submissions only)				
If no, explain.				
BLAs only: Companion application received if a shared or divided manufacturing arrangement?				
If yes, BLA #				
Forms and Certifications				
<i>Electronic forms and certifications with electronic signatures (scanned, digital, or electronic – similar to DARRTS, e.g., /s/) are acceptable. Otherwise, paper forms and certifications with hand-written signatures must be included. Forms include: user fee cover sheet (3397), application form (356h), patent information (3542a), financial disclosure (3454/3455), and clinical trials (3674); Certifications include: debarment certification, patent certification(s), field copy certification, and pediatric certification.</i>				
Application Form	YES	NO	NA	Comment
Is form FDA 356h included with authorized signature per 21 CFR 314.50(a)?	X			
<i>If foreign applicant, a U.S. agent must sign the form [see 21 CFR 314.50(a)(5)].</i>				
Are all establishments and their registration numbers listed on the form/attached to the form?	X			
Patent Information (NDAs/NDA efficacy supplements only)	YES	NO	NA	Comment
Is patent information submitted on form FDA 3542a per 21 CFR 314.53(c)?	X			Patent No. 7323195 Patent No. 7341744
Financial Disclosure	YES	NO	NA	Comment
Are financial disclosure forms FDA 3454 and/or 3455 included with authorized signature per 21 CFR 54.4(a)(1) and (3)?	X			
<i>Forms must be signed by the APPLICANT, not an Agent [see 21 CFR 54.2(g)].</i>				
<i>Note: Financial disclosure is required for bioequivalence studies that are the basis for approval.</i>				
Clinical Trials Database	YES	NO	NA	Comment
Is form FDA 3674 included with authorized signature?	X			
<i>If yes, ensure that the application is also coded with the supporting document category, "Form 3674."</i>				
<i>If no, ensure that language requesting submission of the form is included in the acknowledgement letter sent to the applicant</i>				
Debarment Certification	YES	NO	NA	Comment
Is a correctly worded Debarment Certification included with authorized signature?	X			

<p><i>Certification is not required for supplements if submitted in the original application; If foreign applicant, both the applicant and the U.S. Agent must sign the certification [per Guidance for Industry: Submitting Debarment Certifications].</i></p> <p><i>Note: Debarment Certification should use wording in FDCA Section 306(k)(1) i.e., “[Name of applicant] hereby certifies that it did not and will not use in any capacity the services of any person debarred under section 306 of the Federal Food, Drug, and Cosmetic Act in connection with this application.” Applicant may not use wording such as, “To the best of my knowledge...”</i></p>				
Field Copy Certification (NDAs/NDA efficacy supplements only)	YES	NO	NA	Comment
<p>For paper submissions only: Is a Field Copy Certification (that it is a true copy of the CMC technical section) included?</p> <p><i>Field Copy Certification is not needed if there is no CMC technical section or if this is an electronic submission (the Field Office has access to the EDR)</i></p> <p><i>If maroon field copy jackets from foreign applicants are received, return them to CDR for delivery to the appropriate field office.</i></p>			X	

Controlled Substance/Product with Abuse Potential	YES	NO	NA	Comment
<p><u>For NMEs:</u> Is an Abuse Liability Assessment, including a proposal for scheduling, submitted per 21 CFR 314.50(d)(5)(vii)?</p> <p><i>If yes, date consult sent to the Controlled Substance Staff:</i></p> <p><u>For non-NMEs:</u> <i>Date of consult sent to Controlled Substance Staff:</i></p>			X	

Pediatrics	YES	NO	NA	Comment
<p><u>PREA</u></p> <p>Does the application trigger PREA?</p> <p><i>If yes, notify PeRC RPM (PeRC meeting is required)²</i></p> <p><i>Note: NDAs/BLAs/efficacy supplements for new active ingredients, new indications, new dosage forms, new dosing regimens, or new routes of administration trigger PREA. All waiver & deferral requests, pediatric plans, and pediatric assessment studies must be reviewed by PeRC prior to approval of the application/supplement.</i></p>	X			
<p>If the application triggers PREA, are the required pediatric assessment studies or a full waiver of pediatric studies included?</p>		X		

² <http://inside.fda.gov:9003/CDER/OfficeofNewDrugs/PediatricandMaternalHealthStaff/ucm027829.htm>

If studies or full waiver not included , is a request for full waiver of pediatric studies OR a request for partial waiver and/or deferral with a pediatric plan included? <i>If no, request in 74-day letter</i>	X			Deferral ^{(b) (4)} and Pediatric Plan included.
If a request for full waiver/partial waiver/deferral is included , does the application contain the certification(s) required by FDCA Section 505B(a)(3) and (4)? <i>If no, request in 74-day letter</i>	X			
BPCA (NDAs/NDA efficacy supplements only): Is this submission a complete response to a pediatric Written Request? <i>If yes, notify Pediatric Exclusivity Board RPM (pediatric exclusivity determination is required)³</i>		X		
Proprietary Name	YES	NO	NA	Comment
Is a proposed proprietary name submitted? <i>If yes, ensure that the application is also coded with the supporting document category, "Proprietary Name/Request for Review."</i>	X			
REMS	YES	NO	NA	Comment
Is a REMS submitted? <i>If yes, send consult to OSE/DRISK and notify OC/OSI/DSC/PMSB via the DCRMSRMP mailbox</i>		X		
Prescription Labeling	<input type="checkbox"/> Not applicable			
Check all types of labeling submitted.	<input checked="" type="checkbox"/> Package Insert (PI) <input type="checkbox"/> Patient Package Insert (PPI) <input type="checkbox"/> Instructions for Use (IFU) <input type="checkbox"/> Medication Guide (MedGuide) <input checked="" type="checkbox"/> Carton labels <input type="checkbox"/> Immediate container labels <input type="checkbox"/> Diluent <input type="checkbox"/> Other (specify)			
	YES	NO	NA	Comment
Is Electronic Content of Labeling (COL) submitted in SPL format? <i>If no, request applicant to submit SPL before the filing date.</i>	X			
Is the PI submitted in PLR format? ⁴	X			

³ <http://inside.fda.gov:9003/CDER/OfficeofNewDrugs/PediatricandMaternalHealthStaff/ucm027837.htm>

⁴ <http://inside.fda.gov:9003/CDER/OfficeofNewDrugs/StudyEndpointsandLabelingDevelopmentTeam/ucm025576.htm>

If PI not submitted in PLR format , was a waiver or deferral requested before the application was received or in the submission? If requested before application was submitted , what is the status of the request? <i>If no waiver or deferral, request applicant to submit labeling in PLR format before the filing date.</i>			X	
All labeling (PI, PPI, MedGuide, IFU, carton and immediate container labels) consulted to DDMAC?	X			
MedGuide, PPI, IFU (plus PI) consulted to OSE/DRISK? (send WORD version if available)	X			Consulted just in case, since product is NME.
Carton and immediate container labels, PI, PPI sent to OSE/DMEPA and appropriate CMC review office (OBP or ONDQA)?		X		OSE automatically assigned DMEPA due to prop name review request.
OTC Labeling	<input checked="" type="checkbox"/> Not Applicable			
Check all types of labeling submitted.	<input type="checkbox"/> Outer carton label <input type="checkbox"/> Immediate container label <input type="checkbox"/> Blister card <input type="checkbox"/> Blister backing label <input type="checkbox"/> Consumer Information Leaflet (CIL) <input type="checkbox"/> Physician sample <input type="checkbox"/> Consumer sample <input type="checkbox"/> Other (specify)			
	YES	NO	NA	Comment
Is electronic content of labeling (COL) submitted? <i>If no, request in 74-day letter.</i>				
Are annotated specifications submitted for all stock keeping units (SKUs)? <i>If no, request in 74-day letter.</i>				
If representative labeling is submitted, are all represented SKUs defined? <i>If no, request in 74-day letter.</i>				
All labeling/packaging, and current approved Rx PI (if switch) sent to OSE/DMEPA?				
Other Consults	YES	NO	NA	Comment
Are additional consults needed? (e.g., IFU to CDRH; QT study report to QT Interdisciplinary Review Team) <i>If yes, specify consult(s) and date(s) sent:</i>	X			OSI, TQT Study Results pending –will be consulted to QT-IRT upon receipt
Meeting Minutes/SPAs	YES	NO	NA	Comment
End-of Phase 2 meeting(s) Date(s): 09 Jan 1998, 05 May 2004 <i>If yes, distribute minutes before filing meeting</i>	X			

Pre-NDA/Pre-BLA/Pre-Supplement meeting(s)? Date(s): 19 Jan 2011, 24 May 2011 (CMC Only)	X			
<i>If yes, distribute minutes before filing meeting</i>				
Any Special Protocol Assessments (SPAs)? Date(s): No Agreement (27 related documents: letters, minutes, etc)	X			
<i>If yes, distribute letter and/or relevant minutes before filing meeting</i>				

ATTACHMENT

MEMO OF FILING MEETING

DATE: Jan 18, 2012

BLA/NDA/Supp #: 202292

PROPRIETARY NAME: (b) (4)

ESTABLISHED/PROPER NAME: Crofelemer

DOSAGE FORM/STRENGTH: Tablet, 125 mg, BID

APPLICANT: Salix Pharmaceuticals, Inc

PROPOSED INDICATION(S)/PROPOSED CHANGE(S):

Treatment of HIV+ Associated Diarrhea

BACKGROUND: (b) (4) (crofelemer 125mg) is indicated for the control and symptomatic relief of diarrhea in patients with HIV/AIDS on anti-retroviral therapy. See IND 051818.

REVIEW TEAM:

Discipline/Organization	Names		Present at filing meeting? (Y or N)
Regulatory Project Management	RPM:	Kevin Bugin	Y
	CPMS/TL:	Wes Ishihara	Y
Cross-Discipline Team Leader (CDTL)	Anil Rajpal		Y
Clinical	Reviewer:	Wen Yi Gao	Y
	TL:	Anil Rajpal	Y
Social Scientist Review (<i>for OTC products</i>)	Reviewer:		
	TL:		
OTC Labeling Review (<i>for OTC products</i>)	Reviewer:		
	TL:		
Clinical Microbiology (<i>for antimicrobial products</i>)	Reviewer:		
	TL:		

Clinical Pharmacology	Reviewer:	Kris Estes	Y
	TL:	Sue Chih Lee	Y
Biostatistics	Reviewer:	Lisa Kammerman	Y
	TL:	Mike Welch	Y
Nonclinical (Pharmacology/Toxicology)	Reviewer:	Sruthi King	Y
	TL:	Sushanta Chakder	Y
Statistics (carcinogenicity)	Reviewer:		
	TL:		
Immunogenicity (assay/assay validation) (<i>for BLAs/BLA efficacy supplements</i>)	Reviewer:		
	TL:		
Product Quality (CMC)	Reviewer:	Nina Ni	N
	TL:	Marie Kowblansky	Y
Quality Microbiology (<i>for sterile products</i>)	Reviewer:		
	TL:		
CMC Labeling Review	Reviewer:		
	TL:		
Facility Review/Inspection	Reviewer:	Li Zhong	Y
	TL:		
OSE/DMEPA (proprietary name)	Reviewer:	Manizheh Siahpoushan	N
	TL:		
OSE/DRISK (REMS)	Reviewer:		
	TL:		
OC/OSI/DSC/PMSB (REMS)	Reviewer:		
	TL:		

Bioresearch Monitoring (DSI)	Reviewer:	Khairy Malek	Y
	TL:		
Controlled Substance Staff (CSS)	Reviewer:		
	TL:		
Other reviewers			
Other attendees			

FILING MEETING DISCUSSION:

<p>GENERAL</p> <ul style="list-style-type: none"> • 505(b)(2) filing issues? <p>If yes, list issues:</p>	<input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> YES <input type="checkbox"/> NO
<ul style="list-style-type: none"> • Per reviewers, are all parts in English or English translation? <p>If no, explain:</p>	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
<ul style="list-style-type: none"> • Electronic Submission comments <p>List comments:</p>	<input type="checkbox"/> Not Applicable
<p>CLINICAL</p> <p>Comments:</p>	<input type="checkbox"/> Not Applicable <input checked="" type="checkbox"/> FILE <input type="checkbox"/> REFUSE TO FILE <input type="checkbox"/> Review issues for 74-day letter
<ul style="list-style-type: none"> • Clinical study site(s) inspections(s) needed? <p>If no, explain:</p>	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
<ul style="list-style-type: none"> • Advisory Committee Meeting needed? <p>Comments:</p> <p><i>If no, for an original NME or BLA application, include the reason. For example:</i></p> <ul style="list-style-type: none"> ○ <i>this drug/biologic is not the first in its class</i> ○ <i>the clinical study design was acceptable</i> 	<input type="checkbox"/> YES Date if known: <input type="checkbox"/> NO <input checked="" type="checkbox"/> To be determined Reason:

<ul style="list-style-type: none"> ○ <i>the application did not raise significant safety or efficacy issues</i> ○ <i>the application did not raise significant public health questions on the role of the drug/biologic in the diagnosis, cure, mitigation, treatment or prevention of a disease</i> 	
<ul style="list-style-type: none"> • Abuse Liability/Potential <p>Comments:</p>	<input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> FILE <input type="checkbox"/> REFUSE TO FILE <input type="checkbox"/> Review issues for 74-day letter
<ul style="list-style-type: none"> • If the application is affected by the AIP, has the division made a recommendation regarding whether or not an exception to the AIP should be granted to permit review based on medical necessity or public health significance? <p>Comments:</p>	<input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> YES <input type="checkbox"/> NO
<p>CLINICAL MICROBIOLOGY</p> <p>Comments:</p>	<input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> FILE <input type="checkbox"/> REFUSE TO FILE <input type="checkbox"/> Review issues for 74-day letter
<p>CLINICAL PHARMACOLOGY</p> <p>Comments:</p>	<input type="checkbox"/> Not Applicable <input checked="" type="checkbox"/> FILE <input type="checkbox"/> REFUSE TO FILE <input type="checkbox"/> Review issues for 74-day letter
<ul style="list-style-type: none"> • Clinical pharmacology study site(s) inspections(s) needed? 	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<p>BIOSTATISTICS</p> <p>Comments:</p>	<input type="checkbox"/> Not Applicable <input checked="" type="checkbox"/> FILE <input type="checkbox"/> REFUSE TO FILE <input type="checkbox"/> Review issues for 74-day letter
<p>NONCLINICAL (PHARMACOLOGY/TOXICOLOGY)</p> <p>Comments:</p>	<input type="checkbox"/> Not Applicable <input checked="" type="checkbox"/> FILE <input type="checkbox"/> REFUSE TO FILE <input type="checkbox"/> Review issues for 74-day letter

<p>IMMUNOGENICITY (BLAs/BLA efficacy supplements only)</p> <p>Comments:</p>	<input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> FILE <input type="checkbox"/> REFUSE TO FILE <input type="checkbox"/> Review issues for 74-day letter
<p>PRODUCT QUALITY (CMC)</p> <p>Comments:</p>	<input type="checkbox"/> Not Applicable <input checked="" type="checkbox"/> FILE <input type="checkbox"/> REFUSE TO FILE <input type="checkbox"/> Review issues for 74-day letter
<p><u>Environmental Assessment</u></p> <ul style="list-style-type: none"> • Categorical exclusion for environmental assessment (EA) requested? <p>If no, was a complete EA submitted?</p> <p>If EA submitted, consulted to EA officer (OPS)?</p> <p>Comments:</p>	<input type="checkbox"/> Not Applicable <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
<p><u>Quality Microbiology (for sterile products)</u></p> <ul style="list-style-type: none"> • Was the Microbiology Team consulted for validation of sterilization? (NDAs/NDA supplements only) <p>Comments:</p>	<input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> YES <input type="checkbox"/> NO
<p><u>Facility Inspection</u></p> <ul style="list-style-type: none"> • Establishment(s) ready for inspection? ▪ Establishment Evaluation Request (EER/TBP-EER) submitted to DMPQ? <p>Comments:</p>	<input type="checkbox"/> Not Applicable <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
<p><u>Facility/Microbiology Review (BLAs only)</u></p> <p>Comments:</p>	<input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> FILE <input type="checkbox"/> REFUSE TO FILE <input type="checkbox"/> Review issues for 74-day letter

<u>CMC Labeling Review</u>	
Comments:	<input type="checkbox"/> Review issues for 74-day letter
REGULATORY PROJECT MANAGEMENT	
Signatory Authority: Julie Beitz 21st Century Review Milestones (see attached) (listing review milestones in this document is optional): Comments:	
REGULATORY CONCLUSIONS/DEFICIENCIES	
<input type="checkbox"/>	The application is unsuitable for filing. Explain why:
<input checked="" type="checkbox"/>	The application, on its face, appears to be suitable for filing. <u>Review Issues:</u> <input type="checkbox"/> No review issues have been identified for the 74-day letter. <input checked="" type="checkbox"/> Review issues have been identified for the 74-day letter. List (optional): <u>Review Classification:</u> <input type="checkbox"/> Standard Review <input checked="" type="checkbox"/> Priority Review
ACTIONS ITEMS	
<input checked="" type="checkbox"/>	Ensure that any updates to the review priority (S or P) and classifications/properties are entered into tracking system (e.g., chemical classification, combination product classification, 505(b)(2), orphan drug).
<input type="checkbox"/>	If RTF, notify everybody who already received a consult request, OSE PM, and Product Quality PM (to cancel EER/TBP-EER).
<input type="checkbox"/>	If filed, and the application is under AIP, prepare a letter either granting (for signature by Center Director) or denying (for signature by ODE Director) an exception for review.
<input type="checkbox"/>	BLA/BLA supplements: If filed, send 60-day filing letter
<input checked="" type="checkbox"/>	If priority review: <ul style="list-style-type: none"> notify sponsor in writing by day 60 (For BLAs/BLA supplements: include in 60-day filing letter; For NDAs/NDA supplements: see CST for choices)

<input type="checkbox"/>	<ul style="list-style-type: none"> notify DMPQ (so facility inspections can be scheduled earlier)
<input checked="" type="checkbox"/>	Send review issues/no review issues by day 74
<input checked="" type="checkbox"/>	Conduct a PLR format labeling review and include labeling issues in the 74-day letter
<input type="checkbox"/>	BLA/BLA supplements: Send the Product Information Sheet to the product reviewer and the Facility Information Sheet to the facility reviewer for completion. Ensure that the completed forms are forwarded to the CDER RMS-BLA Superuser for data entry into RMS-BLA one month prior to taking an action [These sheets may be found at: http://inside.fda.gov:9003/CDER/OfficeofNewDrugs/ImmediateOffice/UCM027822]
<input type="checkbox"/>	Other

Regulatory Project Manager

Date

Chief, Project Management Staff

Date

Appendix A (NDA and NDA Supplements only)

NOTE: The term "original application" or "original NDA" as used in this appendix denotes the NDA submitted. It does not refer to the reference drug product or "reference listed drug."

An original application is likely to be a 505(b)(2) application if:

- (1) it relies on published literature to meet any of the approval requirements, and the applicant does not have a written right of reference to the underlying data. If published literature is cited in the NDA but is not necessary for approval, the inclusion of such literature will not, in itself, make the application a 505(b)(2) application,
- (2) it relies for approval on the Agency's previous findings of safety and efficacy for a listed drug product and the applicant does not own or have right to reference the data supporting that approval, or
- (3) it relies on what is "generally known" or "scientifically accepted" about a class of products to support the safety or effectiveness of the particular drug for which the applicant is seeking approval. (Note, however, that this does not mean *any* reference to general information or knowledge (e.g., about disease etiology, support for particular endpoints, methods of analysis) causes the application to be a 505(b)(2) application.)

Types of products for which 505(b)(2) applications are likely to be submitted include: fixed-dose combination drug products (e.g., heart drug and diuretic (hydrochlorothiazide) combinations); OTC monograph deviations (see 21 CFR 330.11); new dosage forms; new indications; and, new salts.

An efficacy supplement can be either a (b)(1) or a (b)(2) regardless of whether the original NDA was a (b)(1) or a (b)(2).

An efficacy supplement is a 505(b)(1) supplement if the supplement contains all of the information needed to support the approval of the change proposed in the supplement. For example, if the supplemental application is for a new indication, the supplement is a 505(b)(1) if:

- (1) The applicant has conducted its own studies to support the new indication (or otherwise owns or has right of reference to the data/studies),
- (2) No additional information beyond what is included in the supplement or was embodied in the finding of safety and effectiveness for the original application or previously approved supplements is needed to support the change. For example, this would likely be the case with respect to safety considerations if the dose(s) was/were the same as (or lower than) the original application, and.
- (3) All other "criteria" are met (e.g., the applicant owns or has right of reference to the data relied upon for approval of the supplement, the application does not rely

for approval on published literature based on data to which the applicant does not have a right of reference).

An efficacy supplement is a 505(b)(2) supplement if:

- (1) Approval of the change proposed in the supplemental application would require data beyond that needed to support our previous finding of safety and efficacy in the approval of the original application (or earlier supplement), and the applicant has not conducted all of its own studies for approval of the change, or obtained a right to reference studies it does not own. For example, if the change were for a new indication AND a higher dose, we would likely require clinical efficacy data and preclinical safety data to approve the higher dose. If the applicant provided the effectiveness data, but had to rely on a different listed drug, or a new aspect of a previously cited listed drug, to support the safety of the new dose, the supplement would be a 505(b)(2),
- (2) The applicant relies for approval of the supplement on published literature that is based on data that the applicant does not own or have a right to reference. If published literature is cited in the supplement but is not necessary for approval, the inclusion of such literature will not, in itself, make the supplement a 505(b)(2) supplement, or
- (3) The applicant is relying upon any data they do not own or to which they do not have right of reference.

If you have questions about whether an application is a 505(b)(1) or 505(b)(2) application, consult with your OND ADRA or OND IO.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KEVIN B BUGIN
02/16/2012

RICHARD W ISHIHARA
02/17/2012

REGULATORY PROJECT MANAGER PLR FORMAT LABELING REVIEW

To be completed for all new NDAs, BLAs, Efficacy Supplements, and PLR Conversion Supplements

Application: NDA 202292

Name of Drug: (b) (4) (crofelemer) 125 mg
*Proprietary still pending review

Applicant: Salix Pharmaceuticals, Inc

Labeling Reviewed

Submission Date: December 05, 2011

Receipt Date: December 05, 2011

Since SPL was not available prior to filing, the MS Word version in PLR format was reviewed. Version will be further reviewed and verified to the SPL converted version once available.

Background and Summary Description

NDA 202292 for Crofelemer 125 mg tablets provides for the control and symptomatic relief of diarrhea in patients with human immunodeficiency virus (HIV)/acquired immune deficiency syndrome (AIDS) on anti-retroviral therapy (ART).

Review

The submitted labeling was reviewed in accordance with the labeling requirements listed in the “Selected Requirements for Prescribing Information (SRPI)” section of this review. Labeling deficiencies are identified in this section with an “X” in the checkbox next to the labeling requirement.

Conclusions/Recommendations

All labeling deficiencies identified in the SRPI section of this review and identified above will be conveyed to the applicant in the 74-day letter. The applicant will be asked to resubmit labeling that addresses all identified labeling deficiencies by March 02, 2012. The resubmitted labeling will be used for further labeling discussions.

See appended electronic signature.

Regulatory Project Manager

Date

See appended electronic signature.

Chief, Project Management Staff

Date

Selected Requirements for Prescribing Information (SRPI)

This document is meant to be used as a checklist in order to identify critical issues during labeling development and review. For additional information concerning the content and format of the prescribing information, see regulatory requirements (21 CFR 201.56 and 201.57) and labeling guidances. When used in reviewing the PI, only identified deficiencies should be checked.

Highlights (HL)

- **General comments**

- HL must be in two-column format, with ½ inch margins on all sides and between columns, and in a minimum of 8-point font.
- HL is limited in length to one-half page. If it is longer than one-half page, a waiver has been granted or requested by the applicant in this submission.
- There is no redundancy of information.
- If a Boxed Warning is present, it must be limited to 20 lines. (Boxed Warning lines do not count against the one-half page requirement.)
- A horizontal line must separate the HL and Table of Contents (TOC).
- All headings must be presented in the center of a horizontal line, in UPPER-CASE letters and **bold** type.
- Each summarized statement must reference the section(s) or subsection(s) of the Full Prescribing Information (FPI) that contains more detailed information.
- Section headings are presented in the following order:

• Highlights Limitation Statement (required statement)
• Drug names, dosage form, route of administration, and controlled substance symbol, if applicable (required information)
• Initial U.S. Approval (required information)
• Boxed Warning (if applicable)
• Recent Major Changes (for a supplement)
• Indications and Usage (required information)
• Dosage and Administration (required information)
• Dosage Forms and Strengths (required information)
• Contraindications (required heading - if no contraindications are known, it must state "None")
• Warnings and Precautions (required information)
• Adverse Reactions (required AR contact reporting statement)
• Drug Interactions (optional heading)
• Use in Specific Populations (optional heading)
• Patient Counseling Information Statement (required statement)

- **Revision Date** (required information)

- **Highlights Limitation Statement**
 - Must be placed at the beginning of HL, **bolded**, and read as follows: “**These highlights do not include all the information needed to use (insert name of drug product in UPPER CASE) safely and effectively. See full prescribing information for (insert name of drug product in UPPER CASE).**”

- **Product Title**
 - Must be **bolded** and note the proprietary and established drug names, followed by the dosage form, route of administration (ROA), and, if applicable, controlled substance symbol.

- **Initial U.S. Approval**
 - The verbatim statement “Initial U.S. Approval” followed by the 4-digit year in which the FDA initially approved of the new molecular entity (NME), new biological product, or new combination of active ingredients, must be placed immediately beneath the product title line. If this is an NME, the year must correspond to the current approval action.

- **Boxed Warning**
 - All text in the boxed warning is **bolded**.
 - Summary of the warning must not exceed a length of 20 lines.
 - Requires a heading in UPPER-CASE, **bolded** letters containing the word “**WARNING**” and other words to identify the subject of the warning (e.g., “**WARNING: LIFE-THREATENING ADVERSE REACTIONS**”).
 - Must have the verbatim statement “*See full prescribing information for complete boxed warning.*” If the boxed warning in HL is identical to boxed warning in FPI, this statement is not necessary.

- **Recent Major Changes (RMC)**
 - Applies only to supplements and is limited to substantive changes in five sections: Boxed Warning, Indications and Usage, Dosage and Administration, Contraindications, and Warnings and Precautions.
 - The heading and, if appropriate, subheading of each section affected by the recent change must be listed with the date (MM/YYYY) of supplement approval. For example, “Dosage and Administration, Coronary Stenting (2.2) ~ 2/2010.”
 - For each RMC listed, the corresponding new or modified text in the FPI must be marked with a vertical line (“margin mark”) on the left edge.
 - A changed section must be listed for at least one year after the supplement is approved and must be removed at the first printing subsequent to one year.

- Removal of a section or subsection should be noted. For example, “Dosage and Administration, Coronary Stenting (2.2) -- removal 2/2010.”

- **Indications and Usage**

- If a product belongs to an established pharmacologic class, the following statement is required in HL: [Drug/Biologic Product) is a (name of class) indicated for (indication(s)).” Identify the established pharmacologic class for the drug at:
<http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/ucm162549.htm>.

- **Contraindications**

- This section must be included in HL and cannot be omitted. If there are no contraindications, state “None.”
- All contraindications listed in the FPI must also be listed in HL.
- List known hazards and not theoretical possibilities (i.e., hypersensitivity to the drug or any inactive ingredient). If the contraindication is not theoretical, describe the type and nature of the adverse reaction.
- For drugs with a pregnancy Category X, state “Pregnancy” and reference Contraindications section (4) in the FPI.

- **Adverse Reactions**

- Only “adverse reactions” as defined in 21 CFR 201.57(a)(11) are included in HL. Other terms, such as “adverse events” or “treatment-emergent adverse events,” should be avoided. Note the criteria used to determine their inclusion (e.g., incidence rate greater than X%).
- For drug products other than vaccines, the verbatim **bolded** statement, “**To report SUSPECTED ADVERSE REACTIONS, contact (insert name of manufacturer) at (insert manufacturer’s phone number) or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch**” must be present. Only include toll-free numbers.

- **Patient Counseling Information Statement**

- Must include the verbatim statement: “**See 17 for Patient Counseling Information**” or if the product has FDA-approved patient labeling: “**See 17 for Patient Counseling Information and (insert either “FDA-approved patient labeling” or “Medication Guide”).**”

- **Revision Date**

- A placeholder for the revision date, presented as “Revised: MM/YYYY or Month Year,” must appear at the end of HL. The revision date is the month/year of application or supplement approval.

Contents: Table of Contents (TOC)

- The heading **FULL PRESCRIBING INFORMATION: CONTENTS** must appear at the beginning in UPPER CASE and **bold** type.
- The section headings and subheadings (including the title of boxed warning) in the TOC must match the headings and subheadings in the FPI.
- All section headings must be in **bold** type, and subsection headings must be indented and not bolded.
- When a section or subsection is omitted, the numbering does not change. For example, under Use in Specific Populations, if the subsection 8.2 (Labor and Delivery) is omitted, it must read:
 - 8.1 Pregnancy
 - 8.3 Nursing Mothers (not 8.2)
 - 8.4 Pediatric Use (not 8.3)
 - 8.5 Geriatric Use (not 8.4)
- If a section or subsection is omitted from the FPI and TOC, the heading “**Full Prescribing Information: Contents**” must be followed by an asterisk and the following statement must appear at the end of TOC: “*Sections or subsections omitted from the Full Prescribing Information are not listed.”

Full Prescribing Information (FPI)

- **General Format**
 - A horizontal line must separate the TOC and FPI.
 - The heading – **FULL PRESCRIBING INFORMATION** – must appear at the beginning in UPPER CASE and **bold** type.
 - The section and subsection headings must be named and numbered in accordance with 21 CFR 201.56(d)(1).
- **Boxed Warning**
 - Must have a heading, in UPPER CASE, **bold** type, containing the word “**WARNING**” and other words to identify the subject of the warning. Use **bold** type and lower-case letters for

the text.

- Must include a brief, concise summary of critical information and cross-reference to detailed discussion in other sections (e.g., Contraindications, Warnings and Precautions).

- **Contraindications**

- For Pregnancy Category X drugs, list pregnancy as a contraindication.

- **Adverse Reactions**

- Only “adverse reactions” as defined in 21 CFR 201.57(c)(7) should be included in labeling. Other terms, such as “adverse events” or “treatment-emergent adverse events,” should be avoided.

- For the “Clinical Trials Experience” subsection, the following verbatim statement or appropriate modification should precede the presentation of adverse reactions:

“Because clinical trials are conducted under widely varying conditions, adverse reaction rates observed in the clinical trials of a drug cannot be directly compared to rates in the clinical trials of another drug and may not reflect the rates observed in clinical practice.”

- For the “Postmarketing Experience” subsection, the listing of post-approval adverse reactions must be separate from the listing of adverse reactions identified in clinical trials. Include the following verbatim statement or appropriate modification:

“The following adverse reactions have been identified during post-approval use of (insert drug name). Because these reactions are reported voluntarily from a population of uncertain size, it is not always possible to reliably estimate their frequency or establish a causal relationship to drug exposure.”

- **Use in Specific Populations**

- Subsections 8.4 Pediatric Use and 8.5 Geriatric Use are required and cannot be omitted.

- **Patient Counseling Information**

- This section is required and cannot be omitted.

- Must reference any FDA-approved patient labeling, including the type of patient labeling. The statement “See FDA-approved patient labeling (insert type of patient labeling).” should appear at the beginning of Section 17 for prominence. For example:

- “See FDA-approved patient labeling (Medication Guide)”
- “See FDA-approved patient labeling (Medication Guide and Instructions for Use)”
- “See FDA-approved patient labeling (Patient Information)”
- “See FDA-approved patient labeling (Instructions for Use)”
- “See FDA-approved patient labeling (Patient Information and Instructions for Use)”

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KEVIN B BUGIN
02/16/2012

RICHARD W ISHIHARA
02/16/2012