CENTER FOR DRUG EVALUATION AND RESEARCH

APPLICATION NUMBER:

202091Orig1s000

ADMINISTRATIVE and CORRESPONDENCE DOCUMENTS

EXCLUSIVITY SUMMARY

NDA # 202091 SUPPL # N/A HFD # 520

Trade Name Suprax

Generic Name Cefixime for Oral Suspension, 500mg/5mL

Applicant Name Lupin Pharmaceuticals, Inc.

Approval Date, If Known February 20, 2013

PART I IS AN EXCLUSIVITY DETERMINATION NEEDED?

1. An exclusivity determination will be made for all original applications, and all efficacy supplements. Complete PARTS II and III of this Exclusivity Summary only if you answer "yes" to one or more of the following questions about the submission.

a) Is it a 505(b)(1), 505(b)(2) or efficacy supplement?

YES ☒ NO ☐

If yes, what type? Specify 505(b)(1), 505(b)(2), SE1, SE2, SE3,SE4, SE5, SE6, SE7, SE8

505(b)(2)

c) Did it require the review of clinical data other than to support a safety claim or change in labeling related to safety? (If it required review only of bioavailability or bioequivalence data, answer "no.")

YES ☐ NO ☒

If your answer is "no" because you believe the study is a bioavailability study and, therefore, not eligible for exclusivity, EXPLAIN why it is a bioavailability study, including your reasons for disagreeing with any arguments made by the applicant that the study was not simply a bioavailability study.

N/A

If it is a supplement requiring the review of clinical data but it is not an effectiveness supplement, describe the change or claim that is supported by the clinical data:

N/A

d) Did the applicant request exclusivity?

Reference ID: 3263910

YES ☐ NO ☒

If the answer to (d) is "yes," how many years of exclusivity did the applicant request?

N/A

e) Has pediatric exclusivity been granted for this Active Moiety?

YES ☐ NO ☒

If the answer to the above question in YES, is this approval a result of the studies submitted in response to the Pediatric Written Request?

N/A

IF YOU HAVE ANSWERED "NO" TO ALL OF THE ABOVE QUESTIONS, GO DIRECTLY TO THE SIGNATURE BLOCKS AT THE END OF THIS DOCUMENT.

2. Is this drug product or indication a DESI upgrade?

YES ☐ NO ☒

IF THE ANSWER TO QUESTION 2 IS "YES," GO DIRECTLY TO THE SIGNATURE BLOCKS ON PAGE 8 (even if a study was required for the upgrade).

PART II FIVE-YEAR EXCLUSIVITY FOR NEW CHEMICAL ENTITIES

(Answer either #1 or #2 as appropriate)

1. Single active ingredient product.

Has FDA previously approved under section 505 of the Act any drug product containing the same active moiety as the drug under consideration? Answer "yes" if the active moiety (including other esterified forms, salts, complexes, chelates or clathrates) has been previously approved, but this particular form of the active moiety, e.g., this particular ester or salt (including salts with hydrogen or coordination bonding) or other non-covalent derivative (such as a complex, chelate, or clathrate) has not been approved. Answer "no" if the compound requires metabolic conversion (other than deesterification of an esterified form of the drug) to produce an already approved active moiety.

YES ☐ NO ☐

If "yes," identify the approved drug product(s) containing the active moiety, and, if known, the NDA #(s).

NDA#

Reference ID: 3263910

NDA#

NDA#

2. Combination product.

If the product contains more than one active moiety(as defined in Part II, #1), has FDA previously approved an application under section 505 containing any one of the active moieties in the drug product? If, for example, the combination contains one never-before-approved active moiety and one previously approved active moiety, answer "yes." (An active moiety that is marketed under an OTC monograph, but that was never approved under an NDA, is considered not previously approved.)

YES ☐ NO ☐

If "yes," identify the approved drug product(s) containing the active moiety, and, if known, the NDA #(s).

NDA#

NDA#

NDA#

IF THE ANSWER TO QUESTION 1 OR 2 UNDER PART II IS "NO," GO DIRECTLY TO THE SIGNATURE BLOCKS ON PAGE 8. (Caution: The questions in part II of the summary should only be answered “NO” for original approvals of new molecular entities.)
IF “YES,” GO TO PART III.

PART III THREE-YEAR EXCLUSIVITY FOR NDAs AND SUPPLEMENTS

To qualify for three years of exclusivity, an application or supplement must contain "reports of new clinical investigations (other than bioavailability studies) essential to the approval of the application and conducted or sponsored by the applicant." This section should be completed only if the answer to PART II, Question 1 or 2 was "yes."

1. Does the application contain reports of clinical investigations? (The Agency interprets "clinical investigations" to mean investigations conducted on humans other than bioavailability studies.) If the application contains clinical investigations only by virtue of a right of reference to clinical investigations in another application, answer "yes," then skip to question 3(a). If the answer to 3(a) is "yes" for any investigation referred to in another application, do not complete remainder of summary for that investigation.

YES ☐ NO ☒

Reference ID: 3263910

IF "NO," GO DIRECTLY TO THE SIGNATURE BLOCKS ON PAGE 8.

2. A clinical investigation is "essential to the approval" if the Agency could not have approved the application or supplement without relying on that investigation. Thus, the investigation is not essential to the approval if 1) no clinical investigation is necessary to support the supplement or application in light of previously approved applications (i.e., information other than clinical trials, such as bioavailability data, would be sufficient to provide a basis for approval as an ANDA or 505(b)(2) application because of what is already known about a previously approved product), or 2) there are published reports of studies (other than those conducted or sponsored by the applicant) or other publicly available data that independently would have been sufficient to support approval of the application, without reference to the clinical investigation submitted in the application.

(a) In light of previously approved applications, is a clinical investigation (either conducted by the applicant or available from some other source, including the published literature) necessary to support approval of the application or supplement?

YES ☐ NO ☐

If "no," state the basis for your conclusion that a clinical trial is not necessary for approval AND GO DIRECTLY TO SIGNATURE BLOCK ON PAGE 8:

(b) Did the applicant submit a list of published studies relevant to the safety and effectiveness of this drug product and a statement that the publicly available data would not independently support approval of the application?

YES ☐ NO ☐

(1) If the answer to 2(b) is "yes," do you personally know of any reason to disagree with the applicant's conclusion? If not applicable, answer NO.

YES ☐ NO ☐

If yes, explain:

(2) If the answer to 2(b) is "no," are you aware of published studies not conducted or sponsored by the applicant or other publicly available data that could independently demonstrate the safety and effectiveness of this drug product?

YES ☐ NO ☒

If yes, explain:

Reference ID: 3263910

(c) If the answers to (b)(1) and (b)(2) were both "no," identify the clinical investigations submitted in the application that are essential to the approval:

Studies comparing two products with the same ingredient(s) are considered to be bioavailability studies for the purpose of this section.

3. In addition to being essential, investigations must be "new" to support exclusivity. The agency interprets "new clinical investigation" to mean an investigation that 1) has not been relied on by the agency to demonstrate the effectiveness of a previously approved drug for any indication and 2) does not duplicate the results of another investigation that was relied on by the agency to demonstrate the effectiveness of a previously approved drug product, i.e., does not redemonstrate something the agency considers to have been demonstrated in an already approved application.

a) For each investigation identified as "essential to the approval," has the investigation been relied on by the agency to demonstrate the effectiveness of a previously approved drug product? (If the investigation was relied on only to support the safety of a previously approved drug, answer "no.")

Investigation #1 YES ☐ NO ☐

Investigation #2 YES ☐ NO ☐

If you have answered "yes" for one or more investigations, identify each such investigation and the NDA in which each was relied upon:

b) For each investigation identified as "essential to the approval", does the investigation duplicate the results of another investigation that was relied on by the agency to support the effectiveness of a previously approved drug product?

Investigation #1 YES ☐ NO ☐

Investigation #2 YES ☐ NO ☐

If you have answered "yes" for one or more investigation, identify the NDA in which a similar investigation was relied on:

Reference ID: 3263910

c) If the answers to 3(a) and 3(b) are no, identify each "new" investigation in the application or supplement that is essential to the approval (i.e., the investigations listed in #2(c), less any that are not "new"):

4. To be eligible for exclusivity, a new investigation that is essential to approval must also have been conducted or sponsored by the applicant. An investigation was "conducted or sponsored by" the applicant if, before or during the conduct of the investigation, 1) the applicant was the sponsor of the IND named in the form FDA 1571 filed with the Agency, or 2) the applicant (or its predecessor in interest) provided substantial support for the study. Ordinarily, substantial support will mean providing 50 percent or more of the cost of the study.

a) For each investigation identified in response to question 3(c): if the investigation was carried out under an IND, was the applicant identified on the FDA 1571 as the sponsor?

Investigation #1 ! !
IND # YES ☐ ! NO ☐
! Explain:

Investigation #2 ! !
IND # YES ☐ ! NO ☐
! Explain:

(b) For each investigation not carried out under an IND or for which the applicant was not identified as the sponsor, did the applicant certify that it or the applicant's predecessor in interest provided substantial support for the study?

Investigation #1 ! !
YES ☐ ! NO ☐
Explain: ! Explain:

Reference ID: 3263910

Investigation #2	!
	!
YES ☐	! NO ☐
Explain:	! Explain:

(c) Notwithstanding an answer of "yes" to (a) or (b), are there other reasons to believe that the applicant should not be credited with having "conducted or sponsored" the study? (Purchased studies may not be used as the basis for exclusivity. However, if all rights to the drug are purchased (not just studies on the drug), the applicant may be considered to have sponsored or conducted the studies sponsored or conducted by its predecessor in interest.)

YES ☐ NO ☐

If yes, explain:

==========

Name of person completing form: J. Christopher Davi, MS, Sr. Regulatory Project Manager

Title: Sr. RPM
Date: February 15, 2013

Name of Office/Division Director signing form: Katherine A. Laessig, MD
Title: Deputy Division

Form OGD-011347; Revised 05/10/2004; formatted 2/15/05

Reference ID: 3263910

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

MAUREEN P DILLON PARKER
02/20/2013

KATHERINE A LAESSIG
02/20/2013

PEDIATRIC PAGE
(Complete for all filed original applications and efficacy supplements)

NDA/BLA#: 202091 Supplement Number: _____ NDA Supplement Type (e.g. SE5): _____

Division Name: DAIOP PDUFA Goal Date: August 27, 2011_____ Stamp Date: October 27, 2010_____

Proprietary Name: Suprax_____

Established/Generic Name: cefixime for oral suspension_____

Dosage Form: 100 mg/mL

Applicant/Sponsor: Lupin Limited

Indication(s) *previously approved* (please complete this question for supplements and Type 6 NDAs only):
(1) _____
(2) _____
(3) _____
(4) _____

Pediatric use for each pediatric subpopulation must be addressed for each indication covered by current application under review. A Pediatric Page must be completed for each indication.

Number of indications for this pending application(s): 5
(Attach a completed Pediatric Page for each indication in current application.)

Indication: __ Uncomplicated Urinary Tract Infections _____

Q1: Is this application in response to a PREA PMR? Yes ☐ Continue
No X Please proceed to Question 2.

If Yes, NDA/BLA#: _____ Supplement #:_____ PMR #:_____

Does the division agree that this is a complete response to the PMR?

☐ Yes. Please proceed to Section D.

☐ No. Please proceed to Question 2 and complete the Pediatric Page, as applicable.

Q2: Does this application provide for (If yes, please check all categories that apply and proceed to the next question):

(a) NEW ☐ active ingredient(s) (includes new combination); ☐ indication(s); ☐ dosage form; ☐ dosing regimen; or ☐ route of administration?*

(b) X No. PREA does not apply. **Skip to signature block.**

**** Note for CDER: SE5, SE6, and SE7 submissions may also trigger PREA.***

Q3: Does this indication have orphan designation?

☐ Yes. PREA does not apply. **Skip to signature block.**

☐ No. Please proceed to the next question.

IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL (cderpmhs@fda hhs.gov) OR AT 301-796-0700.

Q4: Is there a full waiver for all pediatric age groups for this indication (check one)?

- ☐ Yes: (Complete Section A.)
- ☐ No: Please check all that apply:
  - ☐ Partial Waiver for selected pediatric subpopulations (Complete Sections B)
  - ☐ Deferred for some or all pediatric subpopulations (Complete Sections C)
  - ☐ Completed for some or all pediatric subpopulations (Complete Sections D)
  - ☐ Appropriately Labeled for some or all pediatric subpopulations (Complete Sections E)
  - ☐ Extrapolation in One or More Pediatric Age Groups (Complete Section F)

  (Please note that Section F may be used alone or in addition to Sections C, D, and/or E.)

Section A: Fully Waived Studies (for all pediatric age groups)

Reason(s) for full waiver: (**check, and attach a brief justification for the reason(s) selected**)

- ☐ Necessary studies would be impossible or highly impracticable because:
  - ☐ Disease/condition does not exist in children
  - ☐ Too few children with disease/condition to study
  - ☐ Other (e.g., patients geographically dispersed): _____
- ☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients AND is not likely to be used in a substantial number of pediatric patients.
- ☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)

☐ Justification attached.

If studies are fully waived, then pediatric information is complete for this indication. If there is another indication, please complete another Pediatric Page for each indication. Otherwise, this Pediatric Page is complete and should be signed.

Section B: Partially Waived Studies (for selected pediatric subpopulations)

Check subpopulation(s) and reason for which studies are being partially waived (fill in applicable criteria below):

Note: If Neonate includes premature infants, list minimum and maximum age in "gestational age" (in weeks).

				Reason (see below for further detail):			
		minimum	maximum	Not feasible#	Not meaningful therapeutic benefit*	Ineffective or unsafe†	Formulation failed∆
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Reason(s) for partial waiver (**check reason** corresponding to the category checked above, and **attach a brief justification**):

Not feasible:

☐ Necessary studies would be impossible or highly impracticable because:

- ☐ Disease/condition does not exist in children
- ☐ Too few children with disease/condition to study
- ☐ Other (e.g., patients geographically dispersed): _____

* Not meaningful therapeutic benefit:

☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients in this/these pediatric subpopulation(s) AND is not likely to be used in a substantial number of pediatric patients in this/these pediatric subpopulation(s).

† Ineffective or unsafe:

☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

∆ Formulation failed:

☐ Applicant can demonstrate that reasonable attempts to produce a pediatric formulation necessary for this/these pediatric subpopulation(s) have failed. (*Note: A partial waiver on this ground may only cover the pediatric subpopulation(s) requiring that formulation. An applicant seeking a partial waiver on this ground must submit documentation detailing why a pediatric formulation cannot be developed. This submission will be posted on FDA's website if waiver is granted.)*

☐ Justification attached.

For those pediatric subpopulations for which studies have not been waived, there must be (1) corresponding study plans that have been deferred (if so, proceed to Sections C and complete the PeRC Pediatric Plan Template); (2) submitted studies that have been completed (if so, proceed to Section D and complete the PeRC Pediatric Assessment form); (3) additional studies in other age groups that are not needed because the drug is appropriately labeled in one or more pediatric subpopulations (if so, proceed to Section E); and/or (4)

additional studies in other age groups that are not needed because efficacy is being extrapolated (if so, proceed to Section F). Note that more than one of these options may apply for this indication to cover all of the pediatric subpopulations.

Section C: Deferred Studies (for selected pediatric subpopulations).

Check pediatric subpopulation(s) for which pediatric studies are being deferred (and fill in applicable reason below):

Deferrals (for each or all age groups):				**Reason for Deferral**			**Applicant Certification** †
Population		minimum	maximum	Ready for Approval in Adults	Need Additional Adult Safety or Efficacy Data	Other Appropriate Reason (specify below)*	Received
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	All Pediatric Populations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐	☐	☐
	Date studies are due (mm/dd/yy): _____						

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

* Other Reason: _____

† Note: Studies may only be deferred if an applicant submits a certification of grounds for deferring the studies, a description of the planned or ongoing studies, evidence that the studies are being conducted or will be conducted with due diligence and at the earliest possible time, and a timeline for the completion of the studies. If studies are deferred, on an annual basis applicant must submit information detailing the progress made in conducting the studies or, if no progress has been made, evidence and documentation that such studies will be conducted with due diligence and at the earliest possible time. This requirement should be communicated to the applicant in an appropriate manner (e.g., in an approval letter that specifies a required study as a post-marketing commitment.)

If all of the pediatric subpopulations have been covered through partial waivers and deferrals, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section D: Completed Studies (for some or all pediatric subpopulations).

Pediatric subpopulation(s) in which studies have been completed (check below):					
Population		minimum	maximum	PeRC Pediatric Assessment form attached?.	
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	Yes ☐	No ☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If there are no further pediatric subpopulations to cover based on partial waivers, deferrals and/or completed studies, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section E: Drug Appropriately Labeled (for some or all pediatric subpopulations):

Additional pediatric studies are not necessary in the following pediatric subpopulation(s) because product is appropriately labeled for the indication being reviewed:			
Population		minimum	maximum
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

If all pediatric subpopulations have been covered based on partial waivers, deferrals, completed studies, and/or existing appropriate labeling, this Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section F: Extrapolation from Other Adult and/or Pediatric Studies (for deferred and/or completed studies)

Note: Pediatric efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations if (and only if) (1) the course of the disease/condition AND (2) the effects of the product are sufficiently similar between the reference population and the pediatric subpopulation for which information will be extrapolated. Extrapolation of efficacy from studies in adults and/or other children usually requires supplementation with other information obtained from the target pediatric subpopulation, such as

pharmacokinetic and safety studies. Under the statute, safety cannot be extrapolated.

Pediatric studies are not necessary in the following pediatric subpopulation(s) because efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations:					
Population		minimum	maximum	Extrapolated from:	
				Adult Studies?	Other Pediatric Studies?
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If extrapolating data from either adult or pediatric studies, a description of the scientific data supporting the extrapolation must be included in any pertinent reviews for the application.

If there are additional indications, please complete the attachment for each one of those indications. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS or DARRTS as appropriate after clearance by PeRC.

This page was completed by:

{See appended electronic signature page}

_____

Regulatory Project Manager

(Revised: 6/2008)

NOTE: If you have no other indications for this application, you may delete the attachments from this document.

PEDIATRIC PAGE
(Complete for all filed original applications and efficacy supplements)

NDA: 202091 Supplement Number: _____ NDA Supplement Type (e.g. SE5): _____

Division Name: DAIOP PDUFA Goal Date: August 27, 2011_____ Stamp Date: October 27, 2010_____

Proprietary Name: __ Suprax____

Established/Generic Name: cefixime for oral suspension

Dosage Form: 100 mg/mL

Applicant/Sponsor: Lupin Limited

Indication(s) *previously approved* (please complete this question for supplements and Type 6 NDAs only):
(1) _____
(2) _____
(3) _____
(4) _____

Pediatric use for each pediatric subpopulation must be addressed for each indication covered by current application under review. A Pediatric Page must be completed for each indication.

Number of indications for this pending application(s): 5
(Attach a completed Pediatric Page for each indication in current application.)

Indication: Otitis Media_____

Q1: Is this application in response to a PREA PMR? Yes ☐ Continue
No X Please proceed to Question 2.

If Yes, NDA/BLA#: _____ Supplement #:_____ PMR #:_____

Does the division agree that this is a complete response to the PMR?

☐ Yes. Please proceed to Section D.

☐ No. Please proceed to Question 2 and complete the Pediatric Page, as applicable.

Q2: Does this application provide for (If yes, please check all categories that apply and proceed to the next question):

(a) NEW ☐ active ingredient(s) (includes new combination); ☐ indication(s); ☐ dosage form; ☐ dosing regimen; or ☐ route of administration?*

(b) X No. PREA does not apply. **Skip to signature block.**

**** Note for CDER: SE5, SE6, and SE7 submissions may also trigger PREA.***

Q3: Does this indication have orphan designation?

☐ Yes. PREA does not apply. **Skip to signature block.**

☐ No. Please proceed to the next question.

IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL (cderpmhs@fda hhs.gov) OR AT 301-796-0700.

Q4: Is there a full waiver for all pediatric age groups for this indication (check one)?

- ☐ Yes: (Complete Section A.)
- ☐ No: Please check all that apply:
  - ☐ Partial Waiver for selected pediatric subpopulations (Complete Sections B)
  - ☐ Deferred for some or all pediatric subpopulations (Complete Sections C)
  - ☐ Completed for some or all pediatric subpopulations (Complete Sections D)
  - ☐ Appropriately Labeled for some or all pediatric subpopulations (Complete Sections E)
  - ☐ Extrapolation in One or More Pediatric Age Groups (Complete Section F)

  (Please note that Section F may be used alone or in addition to Sections C, D, and/or E.)

Section A: Fully Waived Studies (for all pediatric age groups)

Reason(s) for full waiver: (**check, and attach a brief justification for the reason(s) selected**)

- ☐ Necessary studies would be impossible or highly impracticable because:
  - ☐ Disease/condition does not exist in children
  - ☐ Too few children with disease/condition to study
  - ☐ Other (e.g., patients geographically dispersed): _____
- ☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients AND is not likely to be used in a substantial number of pediatric patients.
- ☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)

☐ Justification attached.

If studies are fully waived, then pediatric information is complete for this indication. If there is another indication, please complete another Pediatric Page for each indication. Otherwise, this Pediatric Page is complete and should be signed.

Section B: Partially Waived Studies (for selected pediatric subpopulations)

Check subpopulation(s) and reason for which studies are being partially waived (fill in applicable criteria below):

Note: If Neonate includes premature infants, list minimum and maximum age in "gestational age" (in weeks).

				Reason (see below for further detail):			
		minimum	maximum	Not feasible#	Not meaningful therapeutic benefit*	Ineffective or unsafe†	Formulation failed∆
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Reason(s) for partial waiver (**check reason** corresponding to the category checked above, and **attach a brief justification**):

Not feasible:

☐ Necessary studies would be impossible or highly impracticable because:

- ☐ Disease/condition does not exist in children
- ☐ Too few children with disease/condition to study
- ☐ Other (e.g., patients geographically dispersed): _____

* Not meaningful therapeutic benefit:

☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients in this/these pediatric subpopulation(s) AND is not likely to be used in a substantial number of pediatric patients in this/these pediatric subpopulation(s).

† Ineffective or unsafe:

☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

∆ Formulation failed:

☐ Applicant can demonstrate that reasonable attempts to produce a pediatric formulation necessary for this/these pediatric subpopulation(s) have failed. (*Note: A partial waiver on this ground may only cover the pediatric subpopulation(s) requiring that formulation. An applicant seeking a partial waiver on this ground must submit documentation detailing why a pediatric formulation cannot be developed. This submission will be posted on FDA's website if waiver is granted.)*

☐ Justification attached.

For those pediatric subpopulations for which studies have not been waived, there must be (1) corresponding study plans that have been deferred (if so, proceed to Sections C and complete the PeRC Pediatric Plan Template); (2) submitted studies that have been completed (if so, proceed to Section D and complete the PeRC Pediatric Assessment form); (3) additional studies in other age groups that are not needed because the drug is appropriately labeled in one or more pediatric subpopulations (if so, proceed to Section E); and/or (4)

additional studies in other age groups that are not needed because efficacy is being extrapolated (if so, proceed to Section F). Note that more than one of these options may apply for this indication to cover all of the pediatric subpopulations.

Section C: Deferred Studies (for selected pediatric subpopulations).

Check pediatric subpopulation(s) for which pediatric studies are being deferred (and fill in applicable reason below):

Deferrals (for each or all age groups):				**Reason for Deferral**			**Applicant Certification** †
Population		minimum	maximum	Ready for Approval in Adults	Need Additional Adult Safety or Efficacy Data	Other Appropriate Reason (specify below)*	Received
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	All Pediatric Populations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐	☐	☐
	Date studies are due (mm/dd/yy): _____						

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

* Other Reason: _____

† Note: Studies may only be deferred if an applicant submits a certification of grounds for deferring the studies, a description of the planned or ongoing studies, evidence that the studies are being conducted or will be conducted with due diligence and at the earliest possible time, and a timeline for the completion of the studies. If studies are deferred, on an annual basis applicant must submit information detailing the progress made in conducting the studies or, if no progress has been made, evidence and documentation that such studies will be conducted with due diligence and at the earliest possible time. This requirement should be communicated to the applicant in an appropriate manner (e.g., in an approval letter that specifies a required study as a post-marketing commitment.)

If all of the pediatric subpopulations have been covered through partial waivers and deferrals, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section D: Completed Studies (for some or all pediatric subpopulations).

Pediatric subpopulation(s) in which studies have been completed (check below):					
Population		minimum	maximum	PeRC Pediatric Assessment form attached?.	
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	Yes ☐	No ☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If there are no further pediatric subpopulations to cover based on partial waivers, deferrals and/or completed studies, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section E: Drug Appropriately Labeled (for some or all pediatric subpopulations):

Additional pediatric studies are not necessary in the following pediatric subpopulation(s) because product is appropriately labeled for the indication being reviewed:			
Population		minimum	maximum
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

If all pediatric subpopulations have been covered based on partial waivers, deferrals, completed studies, and/or existing appropriate labeling, this Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section F: Extrapolation from Other Adult and/or Pediatric Studies (for deferred and/or completed studies)

Note: Pediatric efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations if (and only if) (1) the course of the disease/condition AND (2) the effects of the product are sufficiently similar between the reference population and the pediatric subpopulation for which information will be extrapolated. Extrapolation of efficacy from studies in adults and/or other children usually requires supplementation with other information obtained from the target pediatric subpopulation, such as

pharmacokinetic and safety studies. Under the statute, safety cannot be extrapolated.

Pediatric studies are not necessary in the following pediatric subpopulation(s) because efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations:					
Population		minimum	maximum	Extrapolated from:	
				Adult Studies?	Other Pediatric Studies?
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If extrapolating data from either adult or pediatric studies, a description of the scientific data supporting the extrapolation must be included in any pertinent reviews for the application.

If there are additional indications, please complete the attachment for each one of those indications. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS or DARRTS as appropriate after clearance by PeRC.

This page was completed by:

{See appended electronic signature page}

_____

Regulatory Project Manager

(Revised: 6/2008)

NOTE: If you have no other indications for this application, you may delete the attachments from this document.

PEDIATRIC PAGE
(Complete for all filed original applications and efficacy supplements)

NDA: 202091 Supplement Number: _____ NDA Supplement Type (e.g. SE5): _____

Division Name: DAIOP PDUFA Goal Date: August 27, 2011_____ Stamp Date: October 27, 2010_____

Proprietary Name: __ Suprax____

Established/Generic Name: cefixime for oral suspension

Dosage Form: 100 mg/mL

Applicant/Sponsor: Lupin Limited

Indication(s) *previously approved* (please complete this question for supplements and Type 6 NDAs only):
(1) _____
(2) _____
(3) _____
(4) _____

Pediatric use for each pediatric subpopulation must be addressed for each indication covered by current application under review. A Pediatric Page must be completed for each indication.

Number of indications for this pending application(s): 5
(Attach a completed Pediatric Page for each indication in current application.)

Indication: Pharyngitis and Tonsillitis

Q1: Is this application in response to a PREA PMR? Yes ☐ Continue
No X Please proceed to Question 2.

If Yes, NDA/BLA#: _____ Supplement #:_____ PMR #:_____

Does the division agree that this is a complete response to the PMR?

☐ Yes. Please proceed to Section D.

☐ No. Please proceed to Question 2 and complete the Pediatric Page, as applicable.

Q2: Does this application provide for (If yes, please check all categories that apply and proceed to the next question):

(a) NEW ☐ active ingredient(s) (includes new combination); ☐ indication(s); ☐ dosage form; ☐ dosing regimen; or ☐ route of administration?*

(b) X No. PREA does not apply. **Skip to signature block.**

**** Note for CDER: SE5, SE6, and SE7 submissions may also trigger PREA.***

Q3: Does this indication have orphan designation?

☐ Yes. PREA does not apply. **Skip to signature block.**

☐ No. Please proceed to the next question.

IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL (cderpmhs@fda hhs.gov) OR AT 301-796-0700.

Q4: Is there a full waiver for all pediatric age groups for this indication (check one)?

- ☐ Yes: (Complete Section A.)
- ☐ No: Please check all that apply:
  - ☐ Partial Waiver for selected pediatric subpopulations (Complete Sections B)
  - ☐ Deferred for some or all pediatric subpopulations (Complete Sections C)
  - ☐ Completed for some or all pediatric subpopulations (Complete Sections D)
  - ☐ Appropriately Labeled for some or all pediatric subpopulations (Complete Sections E)
  - ☐ Extrapolation in One or More Pediatric Age Groups (Complete Section F)

  (Please note that Section F may be used alone or in addition to Sections C, D, and/or E.)

Section A: Fully Waived Studies (for all pediatric age groups)

Reason(s) for full waiver: (**check, and attach a brief justification for the reason(s) selected**)

- ☐ Necessary studies would be impossible or highly impracticable because:
  - ☐ Disease/condition does not exist in children
  - ☐ Too few children with disease/condition to study
  - ☐ Other (e.g., patients geographically dispersed): _____
- ☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients AND is not likely to be used in a substantial number of pediatric patients.
- ☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)

☐ Justification attached.

If studies are fully waived, then pediatric information is complete for this indication. If there is another indication, please complete another Pediatric Page for each indication. Otherwise, this Pediatric Page is complete and should be signed.

Section B: Partially Waived Studies (for selected pediatric subpopulations)

Check subpopulation(s) and reason for which studies are being partially waived (fill in applicable criteria below):

Note: If Neonate includes premature infants, list minimum and maximum age in "gestational age" (in weeks).

				Reason (see below for further detail):			
		minimum	maximum	Not feasible#	Not meaningful therapeutic benefit*	Ineffective or unsafe†	Formulation failed∆
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Reason(s) for partial waiver (**check reason** corresponding to the category checked above, and **attach a brief justification**):

Not feasible:

☐ Necessary studies would be impossible or highly impracticable because:

- ☐ Disease/condition does not exist in children
- ☐ Too few children with disease/condition to study
- ☐ Other (e.g., patients geographically dispersed): _____

* Not meaningful therapeutic benefit:

☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients in this/these pediatric subpopulation(s) AND is not likely to be used in a substantial number of pediatric patients in this/these pediatric subpopulation(s).

† Ineffective or unsafe:

☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

∆ Formulation failed:

☐ Applicant can demonstrate that reasonable attempts to produce a pediatric formulation necessary for this/these pediatric subpopulation(s) have failed. (*Note: A partial waiver on this ground may only cover the pediatric subpopulation(s) requiring that formulation. An applicant seeking a partial waiver on this ground must submit documentation detailing why a pediatric formulation cannot be developed. This submission will be posted on FDA's website if waiver is granted.)*

☐ Justification attached.

For those pediatric subpopulations for which studies have not been waived, there must be (1) corresponding study plans that have been deferred (if so, proceed to Sections C and complete the PeRC Pediatric Plan Template); (2) submitted studies that have been completed (if so, proceed to Section D and complete the PeRC Pediatric Assessment form); (3) additional studies in other age groups that are not needed because the drug is appropriately labeled in one or more pediatric subpopulations (if so, proceed to Section E); and/or (4)

additional studies in other age groups that are not needed because efficacy is being extrapolated (if so, proceed to Section F). Note that more than one of these options may apply for this indication to cover all of the pediatric subpopulations.

Section C: Deferred Studies (for selected pediatric subpopulations).

Check pediatric subpopulation(s) for which pediatric studies are being deferred (and fill in applicable reason below):

Deferrals (for each or all age groups):				**Reason for Deferral**			**Applicant Certification** †
Population		minimum	maximum	Ready for Approval in Adults	Need Additional Adult Safety or Efficacy Data	Other Appropriate Reason (specify below)*	Received
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	All Pediatric Populations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐	☐	☐
	Date studies are due (mm/dd/yy): _____						

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

* Other Reason: _____

† Note: Studies may only be deferred if an applicant submits a certification of grounds for deferring the studies, a description of the planned or ongoing studies, evidence that the studies are being conducted or will be conducted with due diligence and at the earliest possible time, and a timeline for the completion of the studies. If studies are deferred, on an annual basis applicant must submit information detailing the progress made in conducting the studies or, if no progress has been made, evidence and documentation that such studies will be conducted with due diligence and at the earliest possible time. This requirement should be communicated to the applicant in an appropriate manner (e.g., in an approval letter that specifies a required study as a post-marketing commitment.)

If all of the pediatric subpopulations have been covered through partial waivers and deferrals, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section D: Completed Studies (for some or all pediatric subpopulations).

Pediatric subpopulation(s) in which studies have been completed (check below):					
Population		minimum	maximum	PeRC Pediatric Assessment form attached?.	
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	Yes ☐	No ☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If there are no further pediatric subpopulations to cover based on partial waivers, deferrals and/or completed studies, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section E: Drug Appropriately Labeled (for some or all pediatric subpopulations):

Additional pediatric studies are not necessary in the following pediatric subpopulation(s) because product is appropriately labeled for the indication being reviewed:			
Population		minimum	maximum
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

If all pediatric subpopulations have been covered based on partial waivers, deferrals, completed studies, and/or existing appropriate labeling, this Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section F: Extrapolation from Other Adult and/or Pediatric Studies (for deferred and/or completed studies)

Note: Pediatric efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations if (and only if) (1) the course of the disease/condition AND (2) the effects of the product are sufficiently similar between the reference population and the pediatric subpopulation for which information will be extrapolated. Extrapolation of efficacy from studies in adults and/or other children usually requires supplementation with other information obtained from the target pediatric subpopulation, such as

pharmacokinetic and safety studies. Under the statute, safety cannot be extrapolated.

Pediatric studies are not necessary in the following pediatric subpopulation(s) because efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations:					
Population		minimum	maximum	Extrapolated from:	
				Adult Studies?	Other Pediatric Studies?
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If extrapolating data from either adult or pediatric studies, a description of the scientific data supporting the extrapolation must be included in any pertinent reviews for the application.

If there are additional indications, please complete the attachment for each one of those indications. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS or DARRTS as appropriate after clearance by PeRC.

This page was completed by:

{See appended electronic signature page}

_____

Regulatory Project Manager

(Revised: 6/2008)

NOTE: If you have no other indications for this application, you may delete the attachments from this document.

PEDIATRIC PAGE
(Complete for all filed original applications and efficacy supplements)

NDA: 202091 Supplement Number: _____ NDA Supplement Type (e.g. SE5): _____

Division Name: DAIOP PDUFA Goal Date: August 27, 2011_____ Stamp Date: October 27, 2010_____

Proprietary Name: __ Suprax____

Established/Generic Name: cefixime for oral suspension

Dosage Form: 100 mg/mL

Applicant/Sponsor: Lupin Limited

Indication(s) *previously approved* (please complete this question for supplements and Type 6 NDAs only):
(1) _____
(2) _____
(3) _____
(4) _____

Pediatric use for each pediatric subpopulation must be addressed for each indication covered by current application under review. A Pediatric Page must be completed for each indication.

Number of indications for this pending application(s): 5
(Attach a completed Pediatric Page for each indication in current application.)

Indication: (b) (4) Acute Exacerbations of Chronic Bronchitis

Q1: Is this application in response to a PREA PMR? Yes ☐ Continue
No X Please proceed to Question 2.

If Yes, NDA/BLA#: _____ Supplement #:_____ PMR #:_____

Does the division agree that this is a complete response to the PMR?

☐ Yes. Please proceed to Section D.

☐ No. Please proceed to Question 2 and complete the Pediatric Page, as applicable.

Q2: Does this application provide for (If yes, please check all categories that apply and proceed to the next question):

(a) NEW ☐ active ingredient(s) (includes new combination); ☐ indication(s); ☐ dosage form; ☐ dosing regimen; or ☐ route of administration?*

(b) X No. PREA does not apply. **Skip to signature block.**

**** Note for CDER: SE5, SE6, and SE7 submissions may also trigger PREA.***

Q3: Does this indication have orphan designation?

☐ Yes. PREA does not apply. **Skip to signature block.**

☐ No. Please proceed to the next question.

IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL (cderpmhs@fda hhs.gov) OR AT 301-796-0700.

Q4: Is there a full waiver for all pediatric age groups for this indication (check one)?

- ☐ Yes: (Complete Section A.)
- ☐ No: Please check all that apply:
  - ☐ Partial Waiver for selected pediatric subpopulations (Complete Sections B)
  - ☐ Deferred for some or all pediatric subpopulations (Complete Sections C)
  - ☐ Completed for some or all pediatric subpopulations (Complete Sections D)
  - ☐ Appropriately Labeled for some or all pediatric subpopulations (Complete Sections E)
  - ☐ Extrapolation in One or More Pediatric Age Groups (Complete Section F)

  (Please note that Section F may be used alone or in addition to Sections C, D, and/or E.)

Section A: Fully Waived Studies (for all pediatric age groups)

Reason(s) for full waiver: (**check, and attach a brief justification for the reason(s) selected**)

- ☐ Necessary studies would be impossible or highly impracticable because:
  - ☐ Disease/condition does not exist in children
  - ☐ Too few children with disease/condition to study
  - ☐ Other (e.g., patients geographically dispersed): _____
- ☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients AND is not likely to be used in a substantial number of pediatric patients.
- ☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)

☐ Justification attached.

If studies are fully waived, then pediatric information is complete for this indication. If there is another indication, please complete another Pediatric Page for each indication. Otherwise, this Pediatric Page is complete and should be signed.

Section B: Partially Waived Studies (for selected pediatric subpopulations)

Check subpopulation(s) and reason for which studies are being partially waived (fill in applicable criteria below):

Note: If Neonate includes premature infants, list minimum and maximum age in "gestational age" (in weeks).

				Reason (see below for further detail):			
		minimum	maximum	Not feasible#	Not meaningful therapeutic benefit*	Ineffective or unsafe†	Formulation failed∆
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Reason(s) for partial waiver (**check reason** corresponding to the category checked above, and **attach a brief justification**):

Not feasible:

☐ Necessary studies would be impossible or highly impracticable because:

- ☐ Disease/condition does not exist in children
- ☐ Too few children with disease/condition to study
- ☐ Other (e.g., patients geographically dispersed): _____

* Not meaningful therapeutic benefit:

☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients in this/these pediatric subpopulation(s) AND is not likely to be used in a substantial number of pediatric patients in this/these pediatric subpopulation(s).

† Ineffective or unsafe:

☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

∆ Formulation failed:

☐ Applicant can demonstrate that reasonable attempts to produce a pediatric formulation necessary for this/these pediatric subpopulation(s) have failed. (*Note: A partial waiver on this ground may only cover the pediatric subpopulation(s) requiring that formulation. An applicant seeking a partial waiver on this ground must submit documentation detailing why a pediatric formulation cannot be developed. This submission will be posted on FDA's website if waiver is granted.)*

☐ Justification attached.

For those pediatric subpopulations for which studies have not been waived, there must be (1) corresponding study plans that have been deferred (if so, proceed to Sections C and complete the PeRC Pediatric Plan Template); (2) submitted studies that have been completed (if so, proceed to Section D and complete the PeRC Pediatric Assessment form); (3) additional studies in other age groups that are not needed because the drug is appropriately labeled in one or more pediatric subpopulations (if so, proceed to Section E); and/or (4)

additional studies in other age groups that are not needed because efficacy is being extrapolated (if so, proceed to Section F). Note that more than one of these options may apply for this indication to cover all of the pediatric subpopulations.

Section C: Deferred Studies (for selected pediatric subpopulations).

Check pediatric subpopulation(s) for which pediatric studies are being deferred (and fill in applicable reason below):

Deferrals (for each or all age groups):				**Reason for Deferral**			**Applicant Certification** †
Population		minimum	maximum	Ready for Approval in Adults	Need Additional Adult Safety or Efficacy Data	Other Appropriate Reason (specify below)*	Received
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	All Pediatric Populations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐	☐	☐
	Date studies are due (mm/dd/yy): _____						

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

* Other Reason: _____

† Note: Studies may only be deferred if an applicant submits a certification of grounds for deferring the studies, a description of the planned or ongoing studies, evidence that the studies are being conducted or will be conducted with due diligence and at the earliest possible time, and a timeline for the completion of the studies. If studies are deferred, on an annual basis applicant must submit information detailing the progress made in conducting the studies or, if no progress has been made, evidence and documentation that such studies will be conducted with due diligence and at the earliest possible time. This requirement should be communicated to the applicant in an appropriate manner (e.g., in an approval letter that specifies a required study as a post-marketing commitment.)

If all of the pediatric subpopulations have been covered through partial waivers and deferrals, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section D: Completed Studies (for some or all pediatric subpopulations).

Pediatric subpopulation(s) in which studies have been completed (check below):					
Population		minimum	maximum	PeRC Pediatric Assessment form attached?.	
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	Yes ☐	No ☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If there are no further pediatric subpopulations to cover based on partial waivers, deferrals and/or completed studies, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section E: Drug Appropriately Labeled (for some or all pediatric subpopulations):

Additional pediatric studies are not necessary in the following pediatric subpopulation(s) because product is appropriately labeled for the indication being reviewed:			
Population		minimum	maximum
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

If all pediatric subpopulations have been covered based on partial waivers, deferrals, completed studies, and/or existing appropriate labeling, this Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section F: Extrapolation from Other Adult and/or Pediatric Studies (for deferred and/or completed studies)

Note: Pediatric efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations if (and only if) (1) the course of the disease/condition AND (2) the effects of the product are sufficiently similar between the reference population and the pediatric subpopulation for which information will be extrapolated. Extrapolation of efficacy from studies in adults and/or other children usually requires supplementation with other information obtained from the target pediatric subpopulation, such as

pharmacokinetic and safety studies. Under the statute, safety cannot be extrapolated.

Pediatric studies are not necessary in the following pediatric subpopulation(s) because efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations:					
Population		minimum	maximum	Extrapolated from:	
				Adult Studies?	Other Pediatric Studies?
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If extrapolating data from either adult or pediatric studies, a description of the scientific data supporting the extrapolation must be included in any pertinent reviews for the application.

If there are additional indications, please complete the attachment for each one of those indications. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS or DARRTS as appropriate after clearance by PeRC.

This page was completed by:

{See appended electronic signature page}

_____

Regulatory Project Manager

(Revised: 6/2008)

NOTE: If you have no other indications for this application, you may delete the attachments from this document.

PEDIATRIC PAGE
(Complete for all filed original applications and efficacy supplements)

NDA: 202091 Supplement Number: _____ NDA Supplement Type (e.g. SE5): _____

Division Name: DAIOP PDUFA Goal Date: August 27, 2011_____ Stamp Date: October 27, 2010_____

Proprietary Name: __ Suprax____

Established/Generic Name: cefixime for oral suspension

Dosage Form: 100 mg/mL

Applicant/Sponsor: Lupin Limited

Indication(s) *previously approved* (please complete this question for supplements and Type 6 NDAs only):
(1) _____
(2) _____
(3) _____
(4) _____

Pediatric use for each pediatric subpopulation must be addressed for each indication covered by current application under review. A Pediatric Page must be completed for each indication.

Number of indications for this pending application(s): 5
(Attach a completed Pediatric Page for each indication in current application.)

Indication: Uncomplicated gonorrhea (cervical/urethral)

Q1: Is this application in response to a PREA PMR? Yes ☐ Continue
No X Please proceed to Question 2.

If Yes, NDA/BLA#: _____ Supplement #:_____ PMR #:_____

Does the division agree that this is a complete response to the PMR?

☐ Yes. Please proceed to Section D.

☐ No. Please proceed to Question 2 and complete the Pediatric Page, as applicable.

Q2: Does this application provide for (If yes, please check all categories that apply and proceed to the next question):

(a) NEW ☐ active ingredient(s) (includes new combination); ☐ indication(s); ☐ dosage form; ☐ dosing regimen; or ☐ route of administration?*

(b) X No. PREA does not apply. **Skip to signature block.**

**** Note for CDER: SE5, SE6, and SE7 submissions may also trigger PREA.***

Q3: Does this indication have orphan designation?

☐ Yes. PREA does not apply. **Skip to signature block.**

☐ No. Please proceed to the next question.

IF THERE ARE QUESTIONS, PLEASE CONTACT THE CDER PMHS VIA EMAIL (cderpmhs@fda hhs.gov) OR AT 301-796-0700.

Q4: Is there a full waiver for all pediatric age groups for this indication (check one)?

- ☐ Yes: (Complete Section A.)
- ☐ No: Please check all that apply:
  - ☐ Partial Waiver for selected pediatric subpopulations (Complete Sections B)
  - ☐ Deferred for some or all pediatric subpopulations (Complete Sections C)
  - ☐ Completed for some or all pediatric subpopulations (Complete Sections D)
  - ☐ Appropriately Labeled for some or all pediatric subpopulations (Complete Sections E)
  - ☐ Extrapolation in One or More Pediatric Age Groups (Complete Section F)

  (Please note that Section F may be used alone or in addition to Sections C, D, and/or E.)

Section A: Fully Waived Studies (for all pediatric age groups)

Reason(s) for full waiver: (**check, and attach a brief justification for the reason(s) selected**)

- ☐ Necessary studies would be impossible or highly impracticable because:
  - ☐ Disease/condition does not exist in children
  - ☐ Too few children with disease/condition to study
  - ☐ Other (e.g., patients geographically dispersed): _____
- ☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients AND is not likely to be used in a substantial number of pediatric patients.
- ☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)
- ☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are fully waived on this ground, this information must be included in the labeling.*)

☐ Justification attached.

If studies are fully waived, then pediatric information is complete for this indication. If there is another indication, please complete another Pediatric Page for each indication. Otherwise, this Pediatric Page is complete and should be signed.

Section B: Partially Waived Studies (for selected pediatric subpopulations)

Check subpopulation(s) and reason for which studies are being partially waived (fill in applicable criteria below):

Note: If Neonate includes premature infants, list minimum and maximum age in "gestational age" (in weeks).

				Reason (see below for further detail):			
		minimum	maximum	Not feasible#	Not meaningful therapeutic benefit*	Ineffective or unsafe†	Formulation failed∆
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Reason(s) for partial waiver (**check reason** corresponding to the category checked above, and **attach a brief justification**):

Not feasible:

☐ Necessary studies would be impossible or highly impracticable because:

- ☐ Disease/condition does not exist in children
- ☐ Too few children with disease/condition to study
- ☐ Other (e.g., patients geographically dispersed): _____

* Not meaningful therapeutic benefit:

☐ Product does not represent a meaningful therapeutic benefit over existing therapies for pediatric patients in this/these pediatric subpopulation(s) AND is not likely to be used in a substantial number of pediatric patients in this/these pediatric subpopulation(s).

† Ineffective or unsafe:

☐ Evidence strongly suggests that product would be unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

☐ Evidence strongly suggests that product would be ineffective and unsafe in all pediatric subpopulations (*Note: if studies are partially waived on this ground, this information must be included in the labeling.*)

∆ Formulation failed:

☐ Applicant can demonstrate that reasonable attempts to produce a pediatric formulation necessary for this/these pediatric subpopulation(s) have failed. (*Note: A partial waiver on this ground may only cover the pediatric subpopulation(s) requiring that formulation. An applicant seeking a partial waiver on this ground must submit documentation detailing why a pediatric formulation cannot be developed. This submission will be posted on FDA's website if waiver is granted.)*

☐ Justification attached.

For those pediatric subpopulations for which studies have not been waived, there must be (1) corresponding study plans that have been deferred (if so, proceed to Sections C and complete the PeRC Pediatric Plan Template); (2) submitted studies that have been completed (if so, proceed to Section D and complete the PeRC Pediatric Assessment form); (3) additional studies in other age groups that are not needed because the drug is appropriately labeled in one or more pediatric subpopulations (if so, proceed to Section E); and/or (4)

additional studies in other age groups that are not needed because efficacy is being extrapolated (if so, proceed to Section F). Note that more than one of these options may apply for this indication to cover all of the pediatric subpopulations.

Section C: Deferred Studies (for selected pediatric subpopulations).

Check pediatric subpopulation(s) for which pediatric studies are being deferred (and fill in applicable reason below):

Deferrals (for each or all age groups):				**Reason for Deferral**			**Applicant Certification** †
Population		minimum	maximum	Ready for Approval in Adults	Need Additional Adult Safety or Efficacy Data	Other Appropriate Reason (specify below)*	Received
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐	☐	☐
☐	All Pediatric Populations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐	☐	☐
	Date studies are due (mm/dd/yy): _____						

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

* Other Reason: _____

† Note: Studies may only be deferred if an applicant submits a certification of grounds for deferring the studies, a description of the planned or ongoing studies, evidence that the studies are being conducted or will be conducted with due diligence and at the earliest possible time, and a timeline for the completion of the studies. If studies are deferred, on an annual basis applicant must submit information detailing the progress made in conducting the studies or, if no progress has been made, evidence and documentation that such studies will be conducted with due diligence and at the earliest possible time. This requirement should be communicated to the applicant in an appropriate manner (e.g., in an approval letter that specifies a required study as a post-marketing commitment.)

If all of the pediatric subpopulations have been covered through partial waivers and deferrals, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section D: Completed Studies (for some or all pediatric subpopulations).

Pediatric subpopulation(s) in which studies have been completed (check below):					
Population		minimum	maximum	PeRC Pediatric Assessment form attached?.	
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	Yes ☐	No ☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	Yes ☐	No ☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If there are no further pediatric subpopulations to cover based on partial waivers, deferrals and/or completed studies, Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section E: Drug Appropriately Labeled (for some or all pediatric subpopulations):

Additional pediatric studies are not necessary in the following pediatric subpopulation(s) because product is appropriately labeled for the indication being reviewed:			
Population		minimum	maximum
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	Other	__ yr. __ mo.	__ yr. __ mo.
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

If all pediatric subpopulations have been covered based on partial waivers, deferrals, completed studies, and/or existing appropriate labeling, this Pediatric Page is complete and should be signed. If not, complete the rest of the Pediatric Page as applicable.

Section F: Extrapolation from Other Adult and/or Pediatric Studies (for deferred and/or completed studies)

Note: Pediatric efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations if (and only if) (1) the course of the disease/condition AND (2) the effects of the product are sufficiently similar between the reference population and the pediatric subpopulation for which information will be extrapolated. Extrapolation of efficacy from studies in adults and/or other children usually requires supplementation with other information obtained from the target pediatric subpopulation, such as

pharmacokinetic and safety studies. Under the statute, safety cannot be extrapolated.

Pediatric studies are not necessary in the following pediatric subpopulation(s) because efficacy can be extrapolated from adequate and well-controlled studies in adults and/or other pediatric subpopulations:					
Population		minimum	maximum	Extrapolated from:	
				Adult Studies?	Other Pediatric Studies?
☐	Neonate	__ wk. __ mo.	__ wk. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	Other	__ yr. __ mo.	__ yr. __ mo.	☐	☐
☐	All Pediatric Subpopulations	0 yr. 0 mo.	16 yr. 11 mo.	☐	☐

Are the indicated age ranges (above) based on weight (kg)? ☐ No; ☐ Yes.

Are the indicated age ranges (above) based on Tanner Stage? ☐ No; ☐ Yes.

Note: If extrapolating data from either adult or pediatric studies, a description of the scientific data supporting the extrapolation must be included in any pertinent reviews for the application.

If there are additional indications, please complete the attachment for each one of those indications. Otherwise, this Pediatric Page is complete and should be signed and entered into DFS or DARRTS as appropriate after clearance by PeRC.

This page was completed by:

{See appended electronic signature page}

_____

Regulatory Project Manager

(Revised: 6/2008)

NOTE: If you have no other indications for this application, you may delete the attachments from this document.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KYONG M HYON
05/18/2011

FRANCES V LESANE
05/20/2011

LUPIN

October 25, 2010

Food and Drug Administration,
Center for Drug Evaluation and Research,
Central Document Room,
5901-B, Ammendale Road,
Beltsville, MD 20705-1266

Re: Pre-Assigned NDA (#202091) Original Application for Suprax® Cefixime for Oral Suspension, 100 mg/mL

CERTIFICATION REQUIRED BY GENERIC DRUG ENFORCEMENT ACT OF 1992

Lupin Limited hereby certifies that it did not use and will not use the services, in any capacity, of any person debarred under section 306 of the Federal Food, Drug, and Cosmetic Act in connection with this application.

Lupin Limited did not and will not use the services, in any capacity, of anyone convicted of a relevant offense within the last 5 years in connection with this application.

Sincerely,

For **LUPIN LIMITED**

RAJEEV PATIL
SR. VICE PRESIDENT – REGULATORY AFFAIRS

Lupin Limited
Registered Office : 159, C.S.T. Road, Kalina, Santacruz (East), Mumbai - 400 098, India. Tel.: (91-22) 6640 2323. Fax: (91-22) 2652 8321. Website: www.lupinworld.com

ACTION PACKAGE CHECKLIST

APPLICATION INFORMATION[1]

NDA # 202091 BLA # N/A	NDA Supplement # N/A BLA STN # N/A	If NDA, Efficacy Supplement Type: N/A
Proprietary Name: Suprax Established/Proper Name: cefixime suspension Dosage Form: 100 mg/mL		Applicant: Lupin Limted, Mumbai, India Agent for Applicant (if applicable): Lupin Pharmaceuticals, Inc.
RPM: J. Christopher Davi, MS, Sr. RPM		Division: DAIP

NDAs:
NDA Application Type: ☐ 505(b)(1) ☒ 505(b)(2)
Efficacy Supplement: ☐ 505(b)(1) ☐ 505(b)(2)

(A supplement can be either a (b)(1) or a (b)(2) regardless of whether the original NDA was a (b)(1) or a (b)(2). Consult page 1 of the 505(b)(2) Assessment or the Appendix to this Action Package Checklist.)

505(b)(2) Original NDAs and 505(b)(2) NDA supplements:
Listed drug(s) relied upon for approval (include NDA #(s) and drug name(s)):

Suprax® Cefixime for Oral Suspension, 200 mg/5 mL (ANDA # A065355)

Provide a brief explanation of how this product is different from the listed drug.

It is more concentrated formulation: 100 mg/mL

If no listed drug, explain.
- ☐ This application relies on literature.
- ☐ This application relies on a final OTC monograph.
- ☐ Other (explain)

Two months prior to each action, review the information in the 505(b)(2) Assessment and submit the draft to CDER OND IO for clearance. Finalize the 505(b)(2) Assessment at the time of the approval action.

On the day of approval, check the Orange Book again for any new patents or pediatric exclusivity.

☒ No changes ☐ Updated Date of check: February 20, 2013

If pediatric exclusivity has been granted or the pediatric information in the labeling of the listed drug changed, determine whether pediatric information needs to be added to or deleted from the labeling of this drug.

❖ Actions	
• Proposed action • User Fee Goal Date is February 20, 2013	☒ AP ☐ TA ☐ CR
• Previous actions *(specify type and date for each action taken)*	☐ None August 26, 2011 (CR)
❖ If accelerated approval or approval based on efficacy studies in animals, were promotional materials received? Note: Promotional materials to be used within 120 days after approval must have been submitted (for exceptions, see http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm069965.pdf). If not submitted, explain _____	☐ Received

[1] The **Application Information** section is (only) a checklist. The **Contents of Action Package** section (beginning on page 5) lists the documents to be included in the Action Package.

Application Characteristics [2]	
Review priority: ☒ Standard ☐ Priority Chemical classification (new NDAs only): Type 5 - New Formulation ☐ Fast Track ☐ Rolling Review ☐ Orphan drug designation ☐ Rx-to-OTC full switch ☐ Rx-to-OTC partial switch ☐ Direct-to-OTC NDAs: Subpart H ☐ Accelerated approval (21 CFR 314.510) ☐ Restricted distribution (21 CFR 314.520) Subpart I ☐ Approval based on animal studies BLAs: Subpart E ☐ Accelerated approval (21 CFR 601.41) ☐ Restricted distribution (21 CFR 601.42) Subpart H ☐ Approval based on animal studies ☐ Submitted in response to a PMR ☐ Submitted in response to a PMC ☐ Submitted in response to a Pediatric Written Request REMS: ☐ MedGuide ☐ Communication Plan ☐ ETASU ☒ REMS not required Comments:	
❖ BLAs only: Ensure *RMS-BLA Product Information Sheet for TBP* and *RMS-BLA Facility Information Sheet for TBP* have been completed and forwarded to OPI/OBI/DRM (Vicky Carter)	☐ Yes, dates
❖ BLAs only: Is the product subject to official FDA lot release per 21 CFR 610.2 *(approvals only)*	☐ Yes ☐ No
Public communications *(approvals only)*	
• Office of Executive Programs (OEP) liaison has been notified of action	☐ Yes ☒ No
• Press Office notified of action (by OEP)	☐ Yes ☒ No
• Indicate what types (if any) of information dissemination are anticipated	☒ None ☐ HHS Press Release ☐ FDA Talk Paper ☐ CDER Q&As ☐ Other

[2] Answer all questions in all sections in relation to the pending application, i.e., if the pending application is an NDA or BLA ıpplement, then the questions should be answered in relation to that supplement, not in relation to the original NDA or BLA. For .ample, if the application is a pending BLA supplement, then a new *RMS-BLA Product Information Sheet for TBP* must be completed.

Exclusivity	
• Is approval of this application blocked by any type of exclusivity?	☒ No ☐ Yes
• NDAs and BLAs: Is there existing orphan drug exclusivity for the "same" drug or biologic for the proposed indication(s)? *Refer to 21 CFR 316.3(b)(13) for the definition of "same drug" for an orphan drug (i.e., active moiety). This definition is NOT the same as that used for NDA chemical classification.*	☐ No ☐ Yes If, yes, NDA/BLA # and date exclusivity expires:
• (b)(2) NDAs only: Is there remaining 5-year exclusivity that would bar effective approval of a 505(b)(2) application)? *(Note that, even if exclusivity remains, the application may be tentatively approved if it is otherwise ready for approval.)*	☒ No ☐ Yes If yes, NDA # and date exclusivity expires:
• (b)(2) NDAs only: Is there remaining 3-year exclusivity that would bar effective approval of a 505(b)(2) application? *(Note that, even if exclusivity remains, the application may be tentatively approved if it is otherwise ready for approval.)*	☒ No ☐ Yes If yes, NDA # and date exclusivity expires:
• (b)(2) NDAs only: Is there remaining 6-month pediatric exclusivity that would bar effective approval of a 505(b)(2) application? *(Note that, even if exclusivity remains, the application may be tentatively approved if it is otherwise ready for approval.)*	☒ No ☐ Yes If yes, NDA # and date exclusivity expires:
• NDAs only: Is this a single enantiomer that falls under the 10-year approval limitation of 505(u)? *(Note that, even if the 10-year approval limitation period has not expired, the application may be tentatively approved if it is otherwise ready for approval.)*	☐ No ☐ Yes If yes, NDA # and date 10-year limitation expires:
❖ Patent Information (NDAs only)	
• Patent Information: Verify that form FDA-3542a was submitted for patents that claim the drug for which approval is sought. If the drug is an old antibiotic, skip the Patent Certification questions.	☒ Verified ☐ Not applicable because drug is an old antibiotic.
• Patent Certification [505(b)(2) applications]: Verify that a certification was submitted for each patent for the listed drug(s) in the Orange Book and identify the type of certification submitted for each patent.	21 CFR 314.50(i)(1)(*i*)(A) ☒ Verified 21 CFR 314.50(i)(1) ☐ (ii) ☐ (iii)
• [505(b)(2) applications] If the application includes a **paragraph III** certification, it cannot be approved until the date that the patent to which the certification pertains expires (but may be tentatively approved if it is otherwise ready for approval).	☒ No paragraph III certification Date patent will expire
• [505(b)(2) applications] For **each paragraph IV** certification, verify that the applicant notified the NDA holder and patent owner(s) of its certification that the patent(s) is invalid, unenforceable, or will not be infringed (review documentation of notification by applicant and documentation of receipt of notice by patent owner and NDA holder). *(If the application does not include any paragraph IV certifications, mark "N/A" and skip to the next section below (*Summary Reviews*)).*	☒ N/A (no paragraph IV certification) ☐ Verified

- [505(b)(2) applications] For **each paragraph IV** certification, based on the questions below, determine whether a 30-month stay of approval is in effect due to patent infringement litigation.

  Answer the following questions for **each** paragraph IV certification:

  (1) Have 45 days passed since the patent owner's receipt of the applicant's notice of certification? ☐ Yes ☐ No

  (Note: The date that the patent owner received the applicant's notice of certification can be determined by checking the application. The applicant is required to amend its 505(b)(2) application to include documentation of this date (e.g., copy of return receipt or letter from recipient acknowledging its receipt of the notice) (see 21 CFR 314.52(e))).

  *If "**Yes,**" skip to question (4) below. If "**No,**" continue with question (2).*

  (2) Has the patent owner (or NDA holder, if it is an exclusive patent licensee) submitted a written waiver of its right to file a legal action for patent infringement after receiving the applicant's notice of certification, as provided for by 21 CFR 314.107(f)(3)? ☐ Yes ☐ No

  *If "**Yes,**" there is no stay of approval based on this certification. Analyze the next paragraph IV certification in the application, if any. If there are no other paragraph IV certifications, skip the rest of the patent questions.*

  *If "**No,**" continue with question (3).*

  (3) Has the patent owner, its representative, or the exclusive patent licensee filed a lawsuit for patent infringement against the applicant? ☐ Yes ☐ No

  (Note: This can be determined by confirming whether the Division has received a written notice from the (b)(2) applicant (or the patent owner or its representative) stating that a legal action was filed within 45 days of receipt of its notice of certification. The applicant is required to notify the Division in writing whenever an action has been filed within this 45-day period (see 21 CFR 314.107(f)(2))).

  *If "**No,**" the patent owner (or NDA holder, if it is an exclusive patent licensee) has until the expiration of the 45-day period described in question (1) to waive its right to bring a patent infringement action or to bring such an action. After the 45-day period expires, continue with question (4) below.*

  (4) Did the patent owner (or NDA holder, if it is an exclusive patent licensee) submit a written waiver of its right to file a legal action for patent infringement within the 45-day period described in question (1), as provided for by 21 CFR 314.107(f)(3)? ☐ Yes ☐ No

  *If "**Yes,**" there is no stay of approval based on this certification. Analyze the next paragraph IV certification in the application, if any. If there are no other paragraph IV certifications, skip to the next section below (*Summary Reviews*).*

  *If "**No,**" continue with question (5).*

(5) Did the patent owner, its representative, or the exclusive patent licensee bring suit against the (b)(2) applicant for patent infringement within 45 days of the patent owner's receipt of the applicant's notice of certification? (Note: This can be determined by confirming whether the Division has received a written notice from the (b)(2) applicant (or the patent owner or its representative) stating that a legal action was filed within 45 days of receipt of its notice of certification. The applicant is required to notify the Division in writing whenever an action has been filed within this 45-day period (see 21 CFR 314.107(f)(2)). If no written notice appears in the NDA file, confirm with the applicant whether a lawsuit was commenced within the 45-day period). *If "**No**," there is no stay of approval based on this certification. Analyze the next paragraph IV certification in the application, if any. If there are no other paragraph IV certifications, skip to the next section below (*Summary Reviews*).* *If "**Yes**," a stay of approval may be in effect. To determine if a 30-month stay is in effect, consult with the OND ADRA and attach a summary of the response.*	☐ Yes ☐ No

CONTENTS OF ACTION PACKAGE

Copy of this Action Package Checklist[3]	Yes
Officer/Employee List	
❖ List of officers/employees who participated in the decision to approve this application and consented to be identified on this list *(approvals only)*	☒ Included
Documentation of consent/non-consent by officers/employees	☒ Included
Action Letters	
❖ Copies of all action letters *(including approval letter with final labeling)*	Action(s) and date(s) August 26, 2011 (CR) and February 20, 2013 (AP)
Labeling	
❖ Package Insert *(write submission/communication date at upper right of first page of PI)*	
• Most recent draft labeling. If it is division-proposed labeling, it should be in track-changes format.	February 11, 2013
• Original applicant-proposed labeling	10-25-2010 (Cycle 1) 12-13-12 (Cycle 2)
• Example of class labeling, if applicable	N/A

[3] Fill in blanks with dates of reviews, letters, etc.

Medication Guide/Patient Package Insert/Instructions for Use/Device Labeling *(write submission/communication date at upper right of first page of each piece)*	☐ Medication Guide ☐ Patient Package Insert ☐ Instructions for Use ☐ Device Labeling ☒ None
• Most-recent draft labeling. If it is division-proposed labeling, it should be in track-changes format.	February 11, 2013
• Original applicant-proposed labeling	August 20, 2012
• Example of class labeling, if applicable	N/A
❖ Labels (**full color** carton and immediate-container labels) *(write submission/communication date on upper right of first page of each submission)*	
• Most-recent draft labeling	December 13, 2012
❖ Proprietary Name • Acceptability/non-acceptability letter(s) *(indicate date(s))* • Review(s) *(indicate date(s))*	N/A
❖ Labeling reviews *(indicate dates of reviews and meetings)*	☐ RPM ☒ DMEPA 8/5/11 & 2/7/13 ☐ DRISK ☐ DDMAC ☐ CSS ☒ Other reviews OPDP 1/24/13
Administrative / Regulatory Documents	
Administrative Reviews *(e.g., RPM Filing Review[4]/Memo of Filing Meeting) (indicate date of each review)*	RPM filing Review: 04-27-2011
❖ All NDA (b)(2) Actions: Date each action cleared by (b)(2) Clearance Cmte ❖ NDA (b)(2) Approvals Only: 505(b)(2) Assessment *(indicate date)*	☐ Not a (b)(2) 2/6/13 ☐ Not a (b)(2) 2/11/13
❖ NDAs only: Exclusivity Summary *(signed by Division Director)*	☒ Included
❖ Application Integrity Policy (AIP) Status and Related Documents http://www.fda.gov/ICECI/EnforcementActions/ApplicationIntegrityPolicy/default.htm	
• Applicant is on the AIP	☐ Yes ☒ No
• This application is on the AIP o If yes, Center Director's Exception for Review memo *(indicate date)* o If yes, OC clearance for approval *(indicate date of clearance communication)*	☐ Yes ☐ No ☐ Not an AP action
❖ Pediatrics *(approvals only)* • Date reviewed by PeRC January 9, 2013 (Does not trigger PREA) If PeRC review not necessary, explain: This is a change in concentration of existing suspension formulation. PREA does not apply. • Pediatric Page/Record *(approvals only, must be reviewed by PERC before finalized)*	☒ Included
❖ Debarment certification (original applications only): verified that qualifying language was not used in certification and that certifications from foreign applicants are cosigned by U.S. agent *(include certification)*	☒ Verified, statement is acceptable
Outgoing communications *(letters (except action letters), emails, faxes, telecons)*	

[4] Filing reviews for scientific disciplines should be filed behind the respective discipline tab.

Internal memoranda, telecons, etc.	
❖ Minutes of Meetings	
• Regulatory Briefing *(indicate date of mtg)*	☒ No mtg
• If not the first review cycle, any end-of-review meeting *(indicate date of mtg)*	☒ N/A or no mtg
• Pre-NDA/BLA meeting *(indicate date of mtg)*	☒ No mtg
• EOP2 meeting *(indicate date of mtg)*	☒ No mtg
• Other milestone meetings (e.g., EOP2a, CMC pilots) *(indicate dates of mtgs)*	FDA initiated Type A meeting: 05-05-2011
❖ Advisory Committee Meeting(s)	☒ No AC meeting
• Date(s) of Meeting(s)	
• 48-hour alert or minutes, if available *(do not include transcript)*	
Decisional and Summary Memos	
❖ Office Director Decisional Memo *(indicate date for each review)*	☒ None
Division Director Summary Review *(indicate date for each review)*	☒ None
Cross-Discipline Team Leader Review *(indicate date for each review)*	☒ None August 11, 2011 and February 19, 2013
PMR/PMC Development Templates *(indicate total number)*	☒ None
Clinical Information[5]	
Clinical Reviews	
• Clinical Team Leader Review(s) *(indicate date for each review)*	February 19, 2013
• Clinical review(s) *(indicate date for each review)*	07-26-2011 and 01-09-13
• Social scientist review(s) (if OTC drug) *(indicate date for each review)*	☒ None
❖ Financial Disclosure reviews(s) or location/date if addressed in another review OR If no financial disclosure information was required, check here ☐ and include a review/memo explaining why not *(indicate date of review/memo)*	October 27, 2010 Form 3454 Included
❖ Clinical reviews from immunology and other clinical areas/divisions/Centers *(indicate date of each review)*	☒ None
❖ Controlled Substance Staff review(s) and Scheduling Recommendation *(indicate date of each review)*	☒ Not applicable
❖ Risk Management • REMS Documents and Supporting Statement *(indicate date(s) of submission(s))* • REMS Memo(s) and letter(s) *(indicate date(s))* • Risk management review(s) and recommendations (including those by OSE and CSS) *(indicate date of each review and indicate location/date if incorporated into another review)*	☒ None
❖ DSI Clinical Inspection Review Summary(ies) *(include copies of DSI letters to investigators)*	☒ None requested

[5] Filing reviews should be filed with the discipline reviews.

Clinical Microbiology ☐ None	
Clinical Microbiology Team Leader Review(s) *(indicate date for each review)*	☐ None
Clinical Microbiology Review(s) *(indicate date for each review)*	☐ None 05-11-2011; also signed by TL
Biostatistics ☐ None	
❖ Statistical Division Director Review(s) *(indicate date for each review)*	☒ None
Statistical Team Leader Review(s) *(indicate date for each review)*	☒ None
Statistical Review(s) *(indicate date for each review)*	☐ None 03-01-2011 & 9/20/12
Clinical Pharmacology ☐ None	
❖ Clinical Pharmacology Division Director Review(s) *(indicate date for each review)*	☒ None
Clinical Pharmacology Team Leader Review(s) *(indicate date for each review)*	☐ None
Clinical Pharmacology review(s) *(indicate date for each review)*	☐ None 06-01-2011 & 1/8/13
❖ DSI Clinical Pharmacology Inspection Review Summary *(include copies of DSI letters)*	☒ None
Nonclinical ☐ None	
❖ Pharmacology/Toxicology Discipline Reviews	
• ADP/T Review(s) *(indicate date for each review)*	☒ None
• Supervisory Review(s) *(indicate date for each review)*	☐ None
• Pharm/tox review(s), including referenced IND reviews *(indicate date for each review)*	☐ None 04-29-2011; also signed by the supervisory reviewer
Review(s) by other disciplines/divisions/Centers requested by P/T reviewer *(indicate date for each review)*	☒ None
❖ Statistical review(s) of carcinogenicity studies *(indicate date for each review)*	☒ No carc
❖ ECAC/CAC report/memo of meeting	☒ None Included in P/T review, page
❖ DSI Nonclinical Inspection Review Summary *(include copies of DSI letters)*	☒ None requested
Product Quality ☐ None	
❖ Product Quality Discipline Reviews	
• ONDQA/OBP Division Director Review(s) *(indicate date for each review)*	☒ None
• Branch Chief/Team Leader Review(s) *(indicate date for each review)*	☒ None 12/19/12
• Product quality review(s) including ONDQA biopharmaceutics reviews *(indicate date for each review)*	☐ None 06-27-2011: 06-08-2011 & 1-18-13 (ONDQA biopharmaceutics review
❖ Microbiology Reviews ☐ NDAs: Microbiology reviews (sterility & pyrogenicity) (OPS/NDMS) *(indicate date of each review)* ☐ BLAs: Sterility assurance, microbiology, facilities reviews (DMPQ/MAPCB/BMT) *(indicate date of each review)*	☒ Not needed
❖ Reviews by other disciplines/divisions/Centers requested by CMC/quality reviewer *(indicate date of each review)*	☒ None

Environmental Assessment (check one) (original and supplemental applications)	
☒ Categorical Exclusion *(indicate review date)(all original applications and all efficacy supplements that could increase the patient population)*	06-27-2011 in CMC review
☐ Review & FONSI *(indicate date of review)*	N/A
☐ Review & Environmental Impact Statement *(indicate date of each review)*	N/A
❖ Facilities Review/Inspection	
☐ NDAs: Facilities inspections (include EER printout) *(date completed must be within **2 years** of action date) (only original NDAs and supplements that include a new facility or a change that affects the manufacturing sites[6])*	Date completed: ☐ Acceptable ☐ Withhold recommendation ☒ Not applicable
☐ BLAs: TB-EER *(date of most recent TB-EER must be within **30 days** of action date) (original and supplemental BLAs)*	Date completed: N/A ☐ Acceptable ☐ Withhold recommendation
❖ NDAs: Methods Validation *(check box only, do not include documents)*	☐ Completed ☐ Requested ☐ Not yet requested ☒ Not needed (per review)

[6] I.e., a new facility or a change in the facility, or a change in the manufacturing process in a way that impacts the Quality Management Systems of the facility.

ɔpendix to Action Package Checklist

An NDA or NDA supplemental application is likely to be a 505(b)(2) application if:

(1) It relies on published literature to meet any of the approval requirements, and the applicant does not have a written right of reference to the underlying data. If published literature is cited in the NDA but is not necessary for approval, the inclusion of such literature will not, in itself, make the application a 505(b)(2) application.
(2) **Or** it relies for approval on the Agency's previous findings of safety and efficacy for a listed drug product and the applicant does not own or have right to reference the data supporting that approval.
(3) **Or** it relies on what is "generally known" or "scientifically accepted" about a class of products to support the safety or effectiveness of the particular drug for which the applicant is seeking approval. (Note, however, that this does not mean *any* reference to general information or knowledge (e.g., about disease etiology, support for particular endpoints, methods of analysis) causes the application to be a 505(b)(2) application.)

Types of products for which 505(b)(2) applications are likely to be submitted include: fixed-dose combination drug products (e.g., heart drug and diuretic (hydrochlorothiazide) combinations); OTC monograph deviations(see 21 CFR 330.11); new dosage forms; new indications; and, new salts.

An efficacy supplement can be either a (b)(1) or a (b)(2) regardless of whether the original NDA was a (b)(1) or a (b)(2).

An efficacy supplement is a 505(b)(1) supplement if the supplement contains all of the information needed to support the approval of the change proposed in the supplement. For example, if the supplemental application is for a new indication, the supplement is a 505(b)(1) if:

(1) The applicant has conducted its own studies to support the new indication (or otherwise owns or has right of reference to the data/studies).
(2) **And** no additional information beyond what is included in the supplement or was embodied in the finding of safety and effectiveness for the original application or previously approved supplements is needed to support the change. For example, this would likely be the case with respect to safety considerations if the dose(s) was/were the same as (or lower than) the original application.
(3) **And** all other "criteria" are met (e.g., the applicant owns or has right of reference to the data relied upon for approval of the supplement, the application does not rely for approval on published literature based on data to which the applicant does not have a right of reference).

An efficacy supplement is a 505(b)(2) supplement if:

(1) Approval of the change proposed in the supplemental application would require data beyond that needed to support our previous finding of safety and efficacy in the approval of the original application (or earlier supplement), and the applicant has not conducted all of its own studies for approval of the change, or obtained a right to reference studies it does not own. For example, if the change were for a new indication AND a higher dose, we would likely require clinical efficacy data and preclinical safety data to approve the higher dose. If the applicant provided the effectiveness data, but had to rely on a different listed drug, or a new aspect of a previously cited listed drug, to support the safety of the new dose, the supplement would be a 505(b)(2).
(2) **Or** the applicant relies for approval of the supplement on published literature that is based on data that the applicant does not own or have a right to reference. If published literature is cited in the supplement but is not necessary for approval, the inclusion of such literature will not, in itself, make the supplement a 505(b)(2) supplement.
(3) **Or** the applicant is relying upon any data they do not own or to which they do not have right of reference.

If you have questions about whether an application is a 505(b)(1) or 505(b)(2) application, consult with your ODE's ADRA.

FOOD AND DRUG ADMINISTRATION
CENTER FOR DRUG EVALUATION AND RESEARCH

MEMORANDUM OF MEETING MINUTES

Meeting Type: Type A

Meeting Category: Clarification

Meeting Date and Time: April 13, 2011, 10:00 AM – 11:00 AM (EST)

Dial in Number: (b) (4)

Application Number: NDA 202091

Product Name: Cefixime for Oral Suspension, 100 mg/mL

Indication: Treatment of: Uncomplicated Urinary Tract Infections; Otitis Media; Pharyngitis and Tonsillitis; (b) (4) Acute Exacerbations of Chronic Bronchitis; Uncomplicated gonorrhea (cervical/urethral)

Sponsor/Applicant Name: Lupin Limited

Meeting Recorder: Kyong Hyon

FDA ATTENDEES

Division of Anti-Infective and Ophthalmology Products (DAIOP)
Katherine Laessig, MD, Deputy Director
Sumathi Nambiar, MD, MPH, Deputy Director for Safety
Janice Pohlman, MD, MPH, Clinical Team Leader
Kimberly Bergman, PharmD, Acting Clinical Pharmacology Team Leader
Rapti Madurawe, PhD, Branch Chief, ONDQA II - Branch V, Office of New Drugs Quality Assessment (ONDQA)
Andrew Yu, PhD, Chemistry reviewer, Branch IV, ONDQA
Mark Seggel, PhD, Biopharmaceutics Reviewer, ONDQA
Kyong Hyon, RN, BSN, MA, Senior Regulatory Project Manager

Reference ID: 2942563

EXTERNAL CONSTITUENT ATTENDEES: (Sponsor)

Lupin Limited
Ninad Deshpanday, PhD, President, Pharm, R&D
Dhananjay Bakhale, MD, Ex. Vice President, Medical Research
Rajeev Patil, M. Sc. (Tech.), Sr. Vice President, Reg. Affairs
Makarand Avachat, Master of Pharmacy, Vice President, R&D
Shrenik Kole, Master of Pharmacy, Principal Research Scientist, R&D
Atul Gokhale, B. Sc. (Micro.), MBA, Sr. General Manager - Business Development
Mr. Pramod Dahibhate, Master of Pharmacy, General Manager - Regulatory Affairs
Ms. Geetanjali Jaguste, Bachelor of Pharmacy, Manager - Regulatory Affairs

BACKGROUND

This teleconference was requested by the Division to address the Division's concerns about Lupin's proposed higher concentration (100 mg/mL) of cefixime suspension and its impact on pediatric dosing. The Division sent the list of discussion questions via e-mail on April 4, 2011 to which Lupin sent its response via e-mail on April 12, 2011 (see attached).

SUMMARY OF DISCUSSION

The following is a summary of the minutes of the teleconference held on April 13, 2011, including prior communication between the Division and Lupin.

The teleconference began at 10:30AM due to technical difficulties, and therefore all questions were not discussed. The Division stated that they were concerned about the higher concentration (100 mg/mL) of the proposed product and the implications this may have on pediatric dosing.

Discussion:

- The Division acknowledged Lupin's rationale for developing the higher concentration product (i.e. administration of a smaller volume) and their explanation for dosing pediatric patients. The Division stated that they continue to have concerns about dosing of pediatric patients with low body weight and use of a highly concentrated suspension, dosed in small amounts. Lupin explained that as shown in the tables in their April 12, 2011 response (pages 2 and 3), they would use the same pediatric dosage chart (by weight) as in the package insert of the Reference Listed Drug (RLD), Suprax, cefixime for oral suspension USP, 100 mg/5 mL and 200 mg/5 mL.
- (b) (4)

Reference ID: 2942563

(b) (4)

(b) (4) 6.25 kg and 9.38 kg would require 0.375 mL twice a day (total daily dose 75 mg) but rounded up to receive 0.5 mL twice a day (total daily dose of 100 mg) or approximately a 40% increment which would not be acceptable.

- Lupin responded that healthcare providers could prescribe divided doses in 0 (b) (4) increments that were unequal (i.e. a smaller initial dose and a second larger dose) to equal the total daily dose. The Division stated that Lupin needed to provide clear cut instructions for physicians to prescribe the medication, either once or twice a day in equal divided doses. The Division also pointed out that the frequency of administration for the RLD is once or twice a day. Lupin stated then that they would like to propose (b) (4)

(b) (4)

- The Division stated that they noted that Lupin would continue to market formulations of 200 mg/5 mL and 100 mg/5 mL in addition to the proposed 100 mg/mL formulation, and expressed concern about the potential for medication error when selecting one of three suspension formulations if all were shelved next to one another. The Division thought that the more formulations available, the greater the possibility of medication error. The Division stated they would consult DMEPA on this issue.
- The Division stated that the use of this medication might be limited to a subpopulation of pediatric patients and enquired if Lupin had considered labeling

Reference ID: 2942563

the product for children only above a certain age or weight. Lupin responded that even though only a small portion of the pediatric population may use this medication, the more concentrated formulation would improve patient compliance by allowing consumption of a very small amount of medication.

Reference ID: 2942563

LUPIN's response to the communication received from the agency regarding NDA #202091; Suprax® Cefixime for Oral Suspension, 100 mg/mL

The Division has concerns about the higher concentration (100 mg/mL) of your cefixime suspension and the implications this may have on pediatric dosing. Based on these concerns, the Division has the following questions and comments about your proposed 100 mg/mL formulation:

1. **What is you rationale for developing the higher concentration product?**

   The rationale for developing the higher concentration product is as follows:

   - Convenience to the parent/caregiver with respect to ease of administration because of smaller volume (in some cases, few drops rather than multiple spoons of medication) per dose.
   - Lower volume of liquid to be consumed, particularly with younger children and heavier weight children.
   - Ease of dosing may result in better patient compliance.

2. **What population (i.e. adult, pediatric) are you targeting with the more concentrated formulation?**

   We are targeting pediatric population including children weighing more than 50 kg.

3. **Should the concentrated formulation be administered to infants or young children?**

   The concentrated formulation shall be administered to infants (more than 6 months of age) and young children. This is in line with the text included in our proposed insert labeling (which is based on the RLD labeling) which under "8.4 USE IN SPECIFIC POPULATIONS – Pediatric Use; states –

   "Safety and effectiveness of cefixime in children aged less than six months old have not been established".

Reference ID: 2942563

4. **Are you planning on discontinuing both the 100 mg/5 mL and 200 mg/5 mL formulations? Are both of these products still available on the market? What is the status of current supplies of these products?**

The agency may note that both these formulations i.e. Suprax, Cefixime for Oral Suspension USP, 100 mg/5 mL and 200 mg/5 mL are currently available in the market.

At present, we have not yet determined about discontinuation of these formulations.

(b) (4)

1 Page has been Withheld in Full as b4 (CCI/TS) immediately following this page

Reference ID: 2942563

6. **Do you have any use data on whether cefixime is typically administered once a day or twice a day as a divided dose? Does the dosing frequency differ between children and adults?**

We have collected the National Disease and Therapeutic Index (NDTI) data from March 2010 to February 2011 and the datasheet is provided as **Attachment 1**.

The datasheet provided displays Drug Appearances (mentioned as DRGA) as an NDTI measure. Drug appearance is the mention of a drug in a single patient visit.

For example: If a doctor treats two conditions in one patient with the same product, this counts as two drug uses but only one drug appearance. Therefore, drug appearances may be equal to or less than drug uses.

It is evident from the data that, cefixime is typically administered once a day. Further there are no significant differences in the dosing frequency between children and adults.

7. (b) (4)

2 Page (s) have been Withheld in Full as b4 (CCI/TS) immediately following this page

Reference ID: 2942563

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KYONG M HYON
05/05/2011

SUMATHI NAMBIAR
05/05/2011

E-mail Correspondence with Industry

Hyon, Kyong

From: Hyon, Kyong
Sent: Tuesday, April 05, 2011 1:44 PM
To: 'Leslie Sands'
Subject: RE: 05Apr11 Biopharmaceutics questions for NDA 202091, Cefixime for Oral Suspension

Hello Ms. Sands,

Please respond to the following requests with a formal submission as soon as possible:

1. Provide the solubility of cefixime in the dissolution medium.

2. In section m3-2-p-5-2 analytical procedures, page 5, Preparation of Test Solution, you state that, "From each bottle, weigh and transfer slowly an amount of constituted suspension equivalent to 100 mg of Cefixime in a dissolution vessel containing dissolution medium with the help of syringe." However, in the validation report (dissolutionval-cefiximedrops, page 4, Test preparation), you state that, "Weigh and transfer an amount of constituted suspension equivalent to 500 mg of Cefixime in a dissolution vessel containing dissolution medium." Please clarify this discrepancy and justify the sample weight selected for regulatory purposes.

3. In addition, please indicate the weight of cefixime transferred to the dissolution vessels for the regulatory dissolution tests for the previously approved 200 mg/5 mL and 100 mg/4 mL cefixime suspension products.

4. Please identify the sample weights used in the study comparing the 100 mg/mL to 200 mg/5 mL suspensions as described in 2.7.1.2.1.

Best regards,

Kyong Hyon, CDR
Regulatory Project Manager
Food and Drug Administration (CDER)
Division of Anti-Infective Ophthalmology Products, HFD-520
10903 New Hampshire Ave.
BLDG #22/Room 6345
Silver Spring, MD 20993-0002
Tel: 301-796-0734
Fax: 301-796-9881
kyong.hyon@fda.hhs.gov
Please note: My e-mail address is now kyong.hyon@fda.hhs.gov. If you have a different address, please change it.

This e-mail message is intended for the exclusive use of the recipient(s) named above. It may contain information that is protected, privileged, or confidential, and it should not be disseminated, distributed, or copied to persons not authorized to receive such information. If you are not the intended recipient, any dissemination, distribution or copying is strictly prohibited. If you think you have received this e-mail message in error, please e-mail the sender immediately at kyong.hyon@fda.hhs.gov.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KYONG M HYON
04/05/2011

MARK R SEGGEL
04/05/2011

E-mail Correspondence with Industry

Hyon, Kyong

From: Hyon, Kyong
Sent: Monday, January 31, 2011 4:45 PM
To: 'Leslie Sands'
Subject: RE: 31Jan11 CMC IR for NDA 202091

Hello Ms. Sands,

Please respond to the following requests with a formal submission as soon as possible:

1. If you intend to provide stability update for shelf life projection, please submit them at least three months before the NDA goal date.
2. You stated that (b) (4) overage was used in your submission, please justify.
3. You stated that Microbial limit test will be performed only on the first three commercial batches only, and subsequently only 1 of every 10 batches or one annually whichever sooner. Please justify. We recommend Microbial limit test be tested for every batches during release.
4. The shelf life acceptance criteria for sodium benzoate was NLT (b) (4) mg/mL, greatly reduced from the release acceptance criteria of NLT (b) (4) mg/mL, please justify (with data if available).

Best regards,

Kyong Hyon, CDR
Regulatory Project Manager
Food and Drug Administration (CDER)
Division of Anti-Infective Ophthalmology Products, HFD-520
10903 New Hampshire Ave.
BLDG #22/Room 6345
Silver Spring, MD 20993-0002
Tel: 301-796-0734
Fax: 301-796-9881
kyong.hyon@fda.hhs.gov
Please note: My e-mail address is now kyong.hyon@fda.hhs.gov. If you have a different address, please change it.
This e-mail message is intended for the exclusive use of the recipient(s) named above. It may contain information that is protected, privileged, or confidential, and it should not be disseminated, distributed, or copied to persons not authorized to receive such information. If you are not the intended recipient, any dissemination, distribution or copying is strictly prohibited. If you think you have received this e-mail message in error, please e-mail the sender immediately at kyong.hyon@fda.hhs.gov.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KYONG M HYON
02/02/2011

STEPHEN P MILLER
02/03/2011

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration
Silver Spring MD 20993

NDA 202091 **INFORMATION REQUEST**

Lupin Pharmaceuticals Inc
Attention: Leslie Sands, US Agent
Director, Regulatory Affairs
Harborplace Tower
111 South Calvert Street, 21st Floor
Baltimore, MD 21202

Dear Ms. Sands:

Please refer to your New Drug Application (NDA) submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act for SUPRAX Cefixime for Oral Suspension, 100 mg/mL.

We are reviewing your submission and have the following comments and information requests. We request a prompt written response in order to continue our evaluation of your NDA.

CHEMISTRY:

(b) (4)

CLINICAL MICROBIOLOGY:

- Submit to the NDA data describing the in vitro antibacterial activity of cefixime against recently collected isolates of pathogens sought in the indications for the drug (including *Escherichia coli*, *Proteus mirabilis*, *Haemophilus influenzae*, *Moraxella catarrhalis*, *Streptococcus pyogenes*, *Streptococcus pneumoniae*, and *Neisseria gonorrhoeae*). This information may come from studies conducted by your company or from the recent literature. At least 500 clinical isolates should be listed for each bacterial species, and should include drug resistant phenotypes. Submitted data should include pertinent information for each isolate, including susceptibility test results to cefixime and appropriate comparators, geographic source of the tested isolate, clinical specimen source for each isolate, date of specimen collection, geographic origin, and date of susceptibility test. Tabular data summaries should include MIC_{90}, MIC_{50}, and MIC_{range} values for each species and resistance phenotype.

BIOPHARMACEUTICS:

- The approved Suprax suspension products provide 200 mg/5 mL and 100 mg/5 mL. The approved dissolution requirement for both is NLT (b)(4)% (Q) dissolved after (b)(4) minutes. For the new product, you are proposing NLT (b)(4)% (Q) after (b)(4) minutes (in one place you also mention NLT(b)(4)% Q after (b)(4) minutes). Please provide your justification for Q of (b)(4)% (include the dissolution data supporting the proposed specification-time point and specification value).

If you have any questions, call Kyong Hyon, Regulatory Project Manager, at (301) 796-0734.

Sincerely,

{See appended electronic signature page}

Katherine Laessig, M.D.
Deputy Director
Division of Anti-Infective and Ophthalmology Products
Office of Antimicrobial Products
Center for Drug Evaluation and Research

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KATHERINE A LAESSIG
01/03/2011

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration
Silver Spring MD 20993

NDA 202091

FILING COMMUNICATION

Lupin Pharmaceuticals Inc
Attention: Leslie Sands, US Agent
Director, Regulatory Affairs
Harborplace Tower
111 South Calvert Street, 21st Floor
Baltimore, MD 21202

Dear Ms. Sands:

Please refer to your New Drug Application (NDA) dated October 25, 2010, received October 27, 2010, submitted pursuant to section 505(b)(2) of the Federal Food, Drug, and Cosmetic Act, for SUPRAX Cefixime for Oral Suspension, 100 mg/mL.

We have completed our filing review and have determined that your application is sufficiently complete to permit a substantive review. Therefore, in accordance with 21 CFR 314.101(a), this application is considered filed 60 days after the date we received your application. The review classification for this application is **Standard**. Therefore, the user fee goal date is August 27, 2011.

We are reviewing your application according to the processes described in the Guidance for Review Staff and Industry: Good Review Management Principles and Practices for PDUFA Products. Therefore, we have established internal review timelines as described in the guidance, which includes the timeframes for FDA internal milestone meetings (e.g., filing, planning, midcycle, team and wrap-up meetings). Please be aware that the timelines described in the guidance are flexible and subject to change based on workload and other potential review issues (e.g., submission of amendments). We will inform you of any necessary information requests or status updates following the milestone meetings or at other times, as needed, during the process. If major deficiencies are not identified during the review, we plan to communicate proposed labeling and, if necessary, any postmarketing commitment requests by August 12, 2011.

During our filing review of your application, we identified the following potential review issues:

1. DMF (b) (4) titled, (b) (4)" is listed in Form 356h-Annexture 3, but a letter of authorization (LOA) to the DMF is not included in Module 1-section 1.4. Provide an LOA to DMF (b) (4).

We are providing the above comments to give you preliminary notice of potential review issues. Our filing review is only a preliminary evaluation of the application and is not indicative of deficiencies that may be identified during our review. Issues may be added, deleted, expanded upon, or modified as we review the application.

If you have not already done so, you must submit the content of labeling [21 CFR 314.50(l)(1)(i)] in structured product labeling (SPL) format as described at http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm. The content of labeling must be in the Prescribing Information (physician labeling rule) format.

Please respond only to the above requests for additional information. While we anticipate that any response submitted in a timely manner will be reviewed during this review cycle, such review decisions will be made on a case-by-case basis at the time of receipt of the submission.

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients, new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication(s) in pediatric patients unless this requirement is waived, deferred, or inapplicable.

Because none of these criteria apply to your application, you are exempt from this requirement.

If you have any questions, call Kyong Hyon, Regulatory Project Manager, at (301) 796-0734.

Sincerely,

{See appended electronic signature page}

Katherine Laessig, M.D.
Deputy Director
Division of Anti-Infective and Ophthalmology Products
Office of Antimicrobial Products
Center for Drug Evaluation and Research

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KATHERINE A LAESSIG
01/03/2011