

**CENTER FOR DRUG EVALUATION AND
RESEARCH**

APPLICATION NUMBER:

125557Orig1s000

PROPRIETARY NAME REVIEW(S)

PROPRIETARY NAME REVIEW

Division of Medication Error Prevention and Analysis (DMEPA)
Office of Medication Error Prevention and Risk Management (OMEPRM)
Office of Surveillance and Epidemiology (OSE)
Center for Drug Evaluation and Research (CDER)

***** This document contains proprietary information that cannot be released to the public*****

Date of This Review:	November 13, 2014
Application Type and Number:	BLA 125557
Product Name and Strength:	Blincyto (blinatumomab) for Injection, (b) (4) mcg per vial
Product Type:	Combination (drug + stabilizing solution)
Rx or OTC:	Rx
Applicant/Sponsor Name:	Amgen
Submission Date:	September 26, 2014
Panorama #:	2014-36966
DMEPA Primary Reviewer:	Neil Vora, PharmD, MBA
DMEPA Team Leader:	Yelena Maslov, PharmD

Contents

1	INTRODUCTION	1
1.1	Regulatory History.....	1
1.2	Product Information.....	1
2	RESULTS	2
2.1	Misbranding Assessment	2
2.2	Safety Assessment.....	2
3	CONCLUSIONS.....	3
3.1	Comments to the Applicant	4
4	REFERENCES.....	5
	APPENDICES	6

1 INTRODUCTION

This review evaluates the proposed proprietary name, Blincyto, from a safety and misbranding perspective. The sources and methods used to evaluate the proposed name are outlined in the reference section and Appendix A respectively. The Applicant submitted an external name study, conducted by (b) (4) for this product.

1.1 REGULATORY HISTORY

The sponsor previously submitted the proposed proprietary name, Blincyto under IND 100135 on August 13, 2013. The Division of Medication Error Prevention and Analysis (DMEPA) found the name, Blincyto acceptable in OSE review 2013-1952. The sponsor is now resubmitting the name Blincyto under BLA 125557 for review.

1.2 PRODUCT INFORMATION

The following product information is provided in the September 26, 2014 proprietary name submission.

- Intended Pronunciation: blin sye' toe
- Active Ingredient: blinatumomab
- Indication of Use: Treatment of adults with Philadelphia chromosome-negative relapsed or refractory B-precursor acute lymphoblastic leukemia (ALL).
- Route of Administration: Intravenous
- Dosage Form: for Injection
- Strength: (b) (4) mcg per vial
- Dose and Frequency: In the first cycle, the initial dose will be 9 mcg/day for the first 7 days of treatment, a dose which is then escalated to 28 mcg/day starting at week 2 through week 4. All subsequent cycles will be dosed at 28 mcg/day throughout the entire 4-week treatment period. Patients may receive 2 cycles of induction treatment followed by 3 additional cycles of blinatumomab consolidation treatment.
- How Supplied: Each Blincyto package contains one Blincyto single-use (b) (4) mcg per vial containing a sterile, preservative free, white to off-white lyophilized powder and one Intravenous Solution Stabilizer 10 mL single-use glass vial containing a sterile, preservative free, colorless-to-slightly yellow, clear solution.
- Storage: Store BLINCYTO and IV Solution Stabilizer vials in the original package refrigerated at 2°C to 8°C (36°F to 46°F) and protect from light until time of use. Do not freeze.

2 RESULTS

The following sections provide information obtained and considered in the overall evaluation of the proposed proprietary name.

2.1 MISBRANDING ASSESSMENT

The Office of Prescription Drug Promotion (OPDP) determined that the proposed name does not misbrand the proposed product. DMEPA and the Division of Hematology Products (DHP) concurred with the findings of OPDP's assessment of the proposed name.

2.2 SAFETY ASSESSMENT

The following aspects were considered in the safety evaluation of the name.

2.2.1 *United States Adopted Names (USAN) Search*

There is no USAN stem present in the proprietary name¹.

2.2.2 *Components of the Proposed Proprietary Name*

The Applicant did not provide a derivation or intended meaning for the proposed name, Blinkyto, in their submission. This proprietary name is comprised of a single word that does not contain any components (i.e. a modifier, route of administration, dosage form, etc.) that are misleading or can contribute to medication error.

2.2.3 *FDA Name Simulation Studies*

One hundred two practitioners participated in DMEPA's prescription studies. The responses did not overlap with any currently marketed products nor did the responses sound or look similar to any currently marketed products or any products in the pipeline. In the voice prescription study, 16 of 74 participants correctly interpreted the prescription. In the written inpatient study, 29 of 74 participants correctly interpreted the prescription. In the outpatient study, 29 of 74 participants correctly interpreted the prescription.

Common misinterpretations in the outpatient study include: "c" for "e," "n" for "m," and the addition of two "l" in the name. Common misinterpretations in the inpatient study include: "t" for "f," "c" for "z," "i" for "y," "c" for "a," and "l" for "r." Common misinterpretations in the voice study include: "y" for "i," "i" for "e," "c" for "z," "c" for "s," "b" for "g," "b" for "p" and "i" for "u."

Appendix B contains the results from the verbal and written prescription studies.

¹USAN stem search conducted on October 20, 2014.

2.2.3 Comments from Other Review Disciplines at Initial Review

In response to the OSE, October 14, 2014 e-mail, the Division of Hematology Products (DHP) did not forward any comments or concerns relating to the proposed proprietary name at the initial phase of the review.

2.2.4 Phonetic and Orthographic Computer Analysis (POCA) Search Results

Table 1 lists the number of names with the combined orthographic and phonetic score of $\geq 50\%$ retrieved from our POCA search² organized as highly similar, moderately similar or low similarity for further evaluation. Table 1 also includes names identified from the FDA Prescription Simulation and (b) (4)

Table 1. POCA Search Results	Number of Names
Highly similar name pair: combined match percentage score $\geq 70\%$	1
Moderately similar name pair: combined match percentage score $\geq 50\%$ to $\leq 69\%$	68
Low similarity name pair: combined match percentage score $\leq 49\%$	8

2.2.5 Safety Analysis of Names with Potential Orthographic, Spelling, and Phonetic Similarities

Our analysis of the seventy-seven names contained in Table 1 determined zero names will pose a risk for confusion as described in Appendices C through H.

2.2.6 Communication of DMEPA's Analysis at Midpoint of Review

DMEPA communicated our findings to the Division of Hematology Products (DHP) via e-mail on November 11, 2014. At that time we also requested additional information or concerns that could inform our review. Per e-mail correspondence from the DHP on November 12, 2014, they stated no additional concerns with the proposed proprietary name, Blincyto.

3 CONCLUSIONS

The proposed proprietary name is acceptable.

If you have further questions or need clarifications, please contact Kevin Wright, OSE project manager, at 301-796-3621.

² POCA search conducted on October 20, 2014.

3.1 COMMENTS TO THE APPLICANT

We have completed our review of the proposed proprietary name, Blincyto, and have concluded that this name is acceptable.

If any of the proposed product characteristics as stated in your September 26, 2014 submission are altered prior to approval of the marketing application, the name must be resubmitted for review.

4 REFERENCES

1. **USAN Stems** (<http://www.ama-assn.org/ama/pub/physician-resources/medical-science/united-states-adopted-names-council/naming-guidelines/approved-stems.page>)

USAN Stems List contains all the recognized USAN stems.

2. Phonetic and Orthographic Computer Analysis (POCA)

POCA is a system that FDA designed. As part of the name similarity assessment, POCA is used to evaluate proposed names via a phonetic and orthographic algorithm. The proposed proprietary name is converted into its phonemic representation before it runs through the phonetic algorithm. Likewise, an orthographic algorithm exists that operates in a similar fashion. POCA is publicly accessible.

Drugs@FDA

Drugs@FDA is an FDA Web site that contains most of the drug products approved in the United States since 1939. The majority of labels, approval letters, reviews, and other information are available for drug products approved from 1998 to the present.

Drugs@FDA contains official information about FDA-approved *brand name* and *generic drugs*; *therapeutic biological products*, *prescription* and *over-the-counter* human drugs; and *discontinued drugs* (see Drugs @ FDA Glossary of Terms, available at http://www.fda.gov/Drugs/InformationOnDrugs/ucm079436.htm#ther_biological).

RxNorm

RxNorm contains the names of prescription and many OTC drugs available in the United States. RxNorm includes generic and branded:

- Clinical drugs – pharmaceutical products given to (or taken by) a patient with therapeutic or diagnostic intent
- Drug packs – packs that contain multiple drugs, or drugs designed to be administered in a specified sequence

Radiopharmaceuticals, contrast media, food, dietary supplements, and medical devices, such as bandages and crutches, are all out of scope for RxNorm (<http://www.nlm.nih.gov/research/umls/rxnorm/overview.html#>).

Division of Medication Errors Prevention and Analysis proprietary name consultation requests

This is a list of proposed and pending names that is generated by the Division of Medication Error Prevention and Analysis from the Access database/tracking system.

*** This document contains proprietary information that cannot be released to the public.

APPENDICES

Appendix A

FDA's Proprietary Name Risk Assessment evaluates proposed proprietary names for misbranding and safety concerns.

1. **Misbranding Assessment:** For prescription drug products, OPDP assesses the name for misbranding concerns. . For over-the-counter (OTC) drug products, the misbranding assessment of the proposed name is conducted by DNCE. OPDP or DNCE evaluates proposed proprietary names to determine if the name is false or misleading, such as by making misrepresentations with respect to safety or efficacy. For example, a fanciful proprietary name may misbrand a product by suggesting that it has some unique effectiveness or composition when it does not (21 CFR 201.10(c)(3)). OPDP or DNCE provides their opinion to DMEPA for consideration in the overall acceptability of the proposed proprietary name.
2. **Safety Assessment:** The safety assessment is conducted by DMEPA, and includes the following:
 - a. Preliminary Assessment: We consider inclusion of USAN stems or other characteristics that when incorporated into a proprietary name may cause or contribute to medication errors (i.e., dosing interval, dosage form/route of administration, medical or product name abbreviations, names that include or suggest the composition of the drug product, etc.) See prescreening checklist below in Table 2*. DMEPA defines a medication error as any preventable event that may cause or lead to inappropriate medication use or patient harm while the medication is in the control of the health care professional, patient, or consumer.³

³ National Coordinating Council for Medication Error Reporting and Prevention.
<http://www.nccmerp.org/aboutMedErrors.html>. Last accessed 10/11/2007.

***Table 2- Prescreening Checklist for Proposed Proprietary Name**

	Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.
Y/N	Is the proposed name obviously similar in spelling and pronunciation to other names?
	Proprietary names should not be similar in spelling or pronunciation to proprietary names, established names, or ingredients of other products.
Y/N	Are there medical and/or coined abbreviations in the proprietary name?
	Proprietary names should not incorporate medical abbreviations (e.g., QD, BID, or others commonly used for prescription communication) or coined abbreviations that have no established meaning.
Y/N	Are there inert or inactive ingredients referenced in the proprietary name?
	Proprietary names should not incorporate any reference to an inert or inactive ingredient in a way that might create an impression that the ingredient's value is greater than its true functional role in the formulation (21 CFR 201.10(c)(4)).
Y/N	Does the proprietary name include combinations of active ingredients?
	Proprietary names of fixed combination drug products should not include or suggest the name of one or more, but not all, of its active ingredients (see 21 CFR 201.6(b)).
Y/N	Is there a United States Adopted Name (USAN) stem in the proprietary name?
	Proprietary names should not incorporate a USAN stem in the position that USAN designates for the stem.
Y/N	Is this proprietary name used for another product that does not share at least one common active ingredient?
	Drug products that do not contain at least one common active ingredient should not use the same (root) proprietary name.
Y/N	Is this a proprietary name of a discontinued product?

*** This document contains proprietary information that cannot be released to the public.

Proprietary names should not use the proprietary name of a discontinued product if that discontinued drug product does not contain the same active ingredients.

b. Phonetic and Orthographic Computer Analysis (POCA): Following the preliminary screening of the proposed proprietary name, DMEPA staff evaluates the proposed name against potentially similar names. In order to identify names with potential similarity to the proposed proprietary name, DMEPA enters the proposed proprietary name in POCA and queries the name against the following drug reference databases, Drugs@fda, CernerRxNorm, and names in the review pipeline using a 50% threshold in POCA. DMEPA reviews the combined orthographic and phonetic matches and group the names into one of the following three categories:

- Highly similar pair: combined match percentage score $\geq 70\%$.
- Moderately similar pair: combined match percentage score $\geq 50\%$ to $\leq 69\%$.
- Low similarity: combined match percentage score $\leq 49\%$.

Using the criteria outlined in the check list (Table 3-5) that corresponds to each of the three categories (highly similar pair, moderately similar pair, and low similarity), DMEPA evaluates the name pairs to determine the acceptability or non-acceptability of a proposed proprietary name. The intent of these checklists is to increase the transparency and predictability of the safety determination of whether a proposed name is vulnerable to confusion from a look-alike or sound-alike perspective. Each bullet below corresponds to the name similarity category cross-references the respective table that addresses criteria that DMEPA uses to determine whether a name presents a safety concern from a look-alike or sound-alike perspective.

- For highly similar names, differences in product characteristics often cannot mitigate the risk of a medication error, including product differences such as strength and dose. Thus, proposed proprietary names that have a combined score of ≥ 70 percent are at risk for a look-alike sound-alike confusion which is an area of concern (See Table 3).
- Moderately similar names with overlapping or similar strengths or doses represent an area for concern for FDA. The dosage and strength information is often located in close proximity to the drug name itself on prescriptions and medication orders, and it can be an important factor that either increases or decreases the potential for confusion between similarly named drug pairs. The ability of other product characteristics to mitigate confusion (e.g., route, frequency, dosage form, etc.) may be limited when the strength or dose overlaps. We review such names further, to determine whether sufficient differences exist to prevent confusion. (See Table 4).

*** This document contains proprietary information that cannot be released to the public.

- Names with low similarity that have no overlap or similarity in strength and dose are generally acceptable (See Table 5) unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

- c. FDA Prescription Simulation Studies: DMEPA staff also conducts a prescription simulation studies using FDA health care professionals.

Three separate studies are conducted within the Centers of the FDA for the proposed proprietary name to determine the degree of confusion of the proposed proprietary name with marketed U.S. drug names (proprietary and established) due to similarity in visual appearance with handwritten prescriptions or verbal pronunciation of the drug name. The studies employ healthcare professionals (pharmacists, physicians, and nurses), and attempts to simulate the prescription ordering process. The primary Safety Evaluator uses the results to identify orthographic or phonetic vulnerability of the proposed name to be misinterpreted by healthcare practitioners.

In order to evaluate the potential for misinterpretation of the proposed proprietary name in handwriting and verbal communication of the name, inpatient medication orders and/or outpatient prescriptions are written, each consisting of a combination of marketed and unapproved drug products, including the proposed name. These orders are optically scanned and one prescription is delivered to a random sample of participating health professionals via e-mail. In addition, a verbal prescription is recorded on voice mail. The voice mail messages are then sent to a random sample of the participating health professionals for their interpretations and review. After receiving either the written or verbal prescription orders, the participants record their interpretations of the orders which are recorded electronically.

- d. Comments from Other Review Disciplines: DMEPA requests the Office of New Drugs (OND) and/or Office of Generic Drugs (OGD), ONDQA or OBP for their comments or concerns with the proposed proprietary name, ask for any clinical issues that may impact the DMEPA review during the initial phase of the name review. Additionally, when applicable, at the same time DMEPA requests concurrence/non-concurrence with OPDP's decision on the name. The primary Safety Evaluator addresses any comments or concerns in the safety evaluator's assessment.

The OND/OGD Regulatory Division is contacted a second time following our analysis of the proposed proprietary name. At this point, DMEPA conveys their decision to

*** This document contains proprietary information that cannot be released to the public.

accept or reject the name. The OND or OGD Regulatory Division is requested to provide any further information that might inform DMEPA’s final decision on the proposed name.

Additionally, other review disciplines opinions such as ONDQA or OBP may be considered depending on the proposed proprietary name.

When provided, DMEPA considers external proprietary name studies conducted by or for the Applicant/Sponsor and incorporates the findings of these studies into the overall risk assessment.

The DMEPA primary reviewer assigned to evaluate the proposed proprietary name is responsible for considering the collective findings, and provides an overall risk assessment of the proposed proprietary name.

Table 3. Highly Similar Name Pair Checklist (i.e., combined Orthographic and Phonetic score is $\geq 70\%$).

Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may render the names less likely to confusion, provided that the pair do not share a common strength or dose.			
<u>Orthographic Checklist</u>		<u>Phonetic Checklist</u>	
Y/N	Do the names begin with different first letters? <i>Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.</i>	Y/N	Do the names have different number of syllables?
Y/N	Are the lengths of the names dissimilar* when scripted? <i>*FDA considers the length of names different if the names differ by two or more letters.</i>	Y/N	Do the names have different syllabic stresses?

*** This document contains proprietary information that cannot be released to the public.

Y/N	Considering variations in scripting of some letters (such as z and f), is there a different number or placement of upstroke/downstroke letters present in the names?	Y/N	Do the syllables have different phonologic processes, such vowel reduction, assimilation, or deletion?
Y/N	Is there different number or placement of cross-stroke or dotted letters present in the names?	Y/N	Across a range of dialects, are the names consistently pronounced differently?
Y/N	Do the infixes of the name appear dissimilar when scripted?		
Y/N	Do the suffixes of the names appear dissimilar when scripted?		

Table 4: Moderately Similar Name Pair Checklist (i.e., combined score is $\geq 50\%$ to $\leq 69\%$).

*** This document contains proprietary information that cannot be released to the public.

<p>Step 1</p>	<p>Review the DOSAGE AND ADMINISTRATION and HOW SUPPLIED/STORAGE AND HANDLING sections of the prescribing information (or for OTC drugs refer to the Drug Facts label) to determine if strengths and doses of the name pair overlap or are very similar. Different strengths and doses for products whose names are moderately similar may decrease the risk of confusion between the moderately similar name pairs. Name pairs that have overlapping or similar strengths or doses have a higher potential for confusion and should be evaluated further (see Step 2). Because the strength or dose could be used to express an order or prescription for a particular drug product, overlap in one or both of these components would be reason for further evaluation.</p> <p>For single strength products, also consider circumstances where the strength may not be expressed.</p> <p>For any i.e. drug products comprised of more than one active ingredient, consider whether the strength or dose may be expressed using only one of the components.</p> <p>To determine whether the strengths or doses are similar to your proposed product, consider the following list of factors that may increase confusion:</p> <ul style="list-style-type: none"> ○ Alternative expressions of dose: 5 mL may be listed in the prescribing information, but the dose may be expressed in metric weight (e.g., 500 mg) or in non-metric units (e.g., 1 tsp, 1 tablet/capsule). Similarly, a strength or dose of 1000 mg may be expressed, in practice, as 1 g, or vice versa. ○ Trailing or deleting zeros: 10 mg is similar in appearance to 100 mg which may potentiate confusion between a name pair with moderate similarity. ○ Similar sounding doses: 15 mg is similar in sound to 50 mg
<p>Step 2</p>	<p>Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may reduce the likelihood of confusion for moderately similar names <u>with</u> overlapping or similar strengths or doses.</p>

	<p>Orthographic Checklist (Y/N to each question)</p> <ul style="list-style-type: none"> • Do the names begin with different first letters? <p>Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.</p> <ul style="list-style-type: none"> • Are the lengths of the names dissimilar* when scripted? <p>*FDA considers the length of names different if the names differ by two or more letters.</p> <ul style="list-style-type: none"> • Considering variations in scripting of some letters (such as <i>z</i> and <i>f</i>), is there a different number or placement of upstroke/downstroke letters present in the names? • Is there different number or placement of cross-stroke or dotted letters present in the names? • Do the infixes of the name appear dissimilar when scripted? • Do the suffixes of the names appear dissimilar when scripted? 	<p>Phonetic Checklist (Y/N to each question)</p> <ul style="list-style-type: none"> • Do the names have different number of syllables? • Do the names have different syllabic stresses? • Do the syllables have different phonologic processes, such as vowel reduction, assimilation, or deletion? • Across a range of dialects, are the names consistently pronounced differently?
--	--	--

*** This document contains proprietary information that cannot be released to the public.

Table 5: Low Similarity Name Pair Checklist (i.e., combined score is $\leq 49\%$).

In most circumstances, these names are viewed as sufficiently different to minimize confusion. Exceptions to this would occur in circumstances where, for example, there are data that suggest a name with low similarity is nonetheless misinterpreted as a marketed product name in a prescription simulation study. In such instances, FDA would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

Appendix B: Prescription Simulation Samples and Results

Figure 1. Blincyto Study (Conducted on October 9, 2014)

Handwritten Requisition Medication Order	Verbal Prescription
<p><u>Medication Order:</u> <i>Blincyto 9 mg intravenous daily x 7 days</i></p> <p><u>Outpatient Prescription:</u> <i>Blincyto</i> <i>Bring to clinic</i> <i>#7</i></p>	<p>Blincyto Bring to clinic Dispense #7</p>

*** This document contains proprietary information that cannot be released to the public.

FDA Prescription Simulation Responses (Aggregate 1 Rx Studies Report)

259 people received study

102 people responded

Study Name: Blincyto

TOTAL	33	34	35	
INTERPRETATION	OUTPATIENT	VOICE	INPATIENT	TOTAL
BLENCYTO	0	2	0	2
BLENZyto	0	1	0	1
BLIMCYTO	1	0	0	1
BLINCITO	0	3	0	3
BLINCY	0	0	1	1
BLINCYFO	0	0	2	2
BLINCYTO	29	16	29	74
BLINEYTO	2	0	0	2
BLINSITO	0	6	0	6
BLINZyto	0	0	1	1
BLLINCYTO	1	0	0	1
BLUCINTO	0	1	0	1
BLUNCYTO	0	1	0	1
BLUNSITO	0	1	0	1
BLYNAYTO	0	0	1	1
BLYNCYTO	0	1	0	1

*** This document contains proprietary information that cannot be released to the public.

BRINCYTO	0	0	1	1
GLINZITO	0	1	0	1
PLENCITO	0	1	0	1

Appendix C: Highly Similar Names (e.g., combined POCA score is ≥70%)

No.	Proposed name: Blincyto Strength(s): (b) (4) mcg / vial Usual Dose: 9 mcg/day for the first 7 days, then 28 mcg/day starting at week 2 through week 4.	POCA Score (%)	Orthographic and/or phonetic differences in the names sufficient to prevent confusion
1.	Blincyto ***	100	Proposed proprietary name subject of this review

Appendix D: Moderately Similar Names (e.g., combined POCA score is ≥50% to ≤69%) with no overlap or numerical similarity in Strength and/or Dose

No.	Proposed Name	POCA Score (%)
1.	Blood Stop	66
2.	Binosto	64
3.	Bronchitol ***	62
4.	Blis-To-Sol	58
5.	Droncit	58
6.	Blistex	58
7.	Balacet	56
8.	Benzepro	56
9.	(b) (4) ***	55
10.	Belinostat	54
11.	Benzacot	54

*** This document contains proprietary information that cannot be released to the public.

12.	Blink Tears	54
13.	(b) (4) ***	54
14.	Clindets	54
15.	Blanex-A	53
16.	Bendopa	52
17.	(b) (4) ***	52
18.	BromSite ***	52
19.	Clinac BPO	52
20.	Clinisol 15	52
21.	Clinpro 5000	52
22.	Clinsol	52
23.	Clinistat	51
24.	Clintabs	51
25.	Balnetar	50
26.	Benzac W	50
27.	Broncotron	50
28.	Brontex	50

Appendix E: Moderately Similar Names (e.g., combined POCA score is $\geq 50\%$ to $\leq 69\%$) with overlap or numerical similarity in Strength and/or Dose

No.	Proposed name: Blincyto Strength(s): (b) (4) mcg / vial Usual Dose: 9 mcg/day for the first 7 days, then 28 mcg/day starting at week 2 through week 4.	POCA Score (%)	Prevention of Failure Mode
1.	Brilinta	56	In the conditions outlined below, the following combination of factors, are expected to minimize the risk of confusion between these two names The infix of this name pair have sufficient orthographic differences The first and second syllables of this name pair sound different.

*** This document contains proprietary information that cannot be released to the public.

2.	Benlysta	52	The prefix and infix of this name pair have sufficient orthographic differences The first and second syllables of this name pair sound different.
3.	Bleomycin	52	The suffix of this name pair have sufficient orthographic differences The second and third syllables of Blincyto sound different, also Bleomycin name contains an extra syllable.
4.	(b) (4) ***	50	The prefix, infix and suffix of this name pair have sufficient orthographic differences The first, second and third syllables of this name pair sound different.

Appendix F: Low Similarity Names (e.g., combined POCA score is $\leq 49\%$)

No.	Name	POCA Score (%)
1.	Blenoxane	49
2.	Kalydeco	43
3.	Cytotec	40
4.	Betimol	40
5.	Bicillin	37
6.	Biltricide	34
7.	Bupropion	30
8.	Baygam	25

*** This document contains proprietary information that cannot be released to the public.

Appendix G: Names not likely to be confused or not used in usual practice settings for the reasons described.

No.	Name	POCA Score (%)	Failure preventions
1.	Broncot	57	OTC product that is discontinued with no generic equivalent available.
2.	Balancer	54	Name found in RxNorm. No product characteristics available in common drug references.
3.	Bramitob ***	54	Proposed proprietary name found unacceptable by DMEPA (OSE #2010-2307)
4.	Bravecto	54	Veterinary product for treating fleas and ticks.
5.	Clinitar	54	Discontinued European product. Shampoo and cream, OTC coal tar product.
6.	Brexidol	53	European drug not marketed in the U.S.
7.	Bencort	52	Product that is discontinued with no generic equivalent available.
8.	Bilivist	52	Product that is discontinued with no generic equivalent available.

*** This document contains proprietary information that cannot be released to the public.

9.	(b) (4) ***	52	Proposed proprietary name found unacceptable by OPDP (#2011-351)
10.	(b) (4) ***	52	Name withdrawn by sponsor and under new name submission of Incivek. ***
11.	Linseed oil	52	OTC herbal product
12.	Balanta	51	Name found in RxNorm. No product characteristics available in common drug references.
13.	Bronitin	51	Product that is discontinued with no generic equivalent available.
14.	(b) (4) ***	50	Secondary name submitted by the sponsor. Approved under the name Juxtapid.
15.	Benzoate	50	Name found in RxNorm. No product characteristics available in common drug references.
16.	BromSpiro	50	Canadian OTC allergy product.
17.	Zincate	50	OTC herbal supplement

*** This document contains proprietary information that cannot be released to the public.

Appendix H: Names not likely to be confused due to notable spelling, orthographic and phonetic differences.

No.	Name	POCA Score (%)
1.	Clenz-Lyte	56
2.	(b) (4) ***	54
3.	Lansinoh	54
4.	Placebo	54
5.	Dilantin	53
6.	Dilantin-125	53
7.	Dilantin-30	53
8.	Dolacet	53
9.	Inositol	53
10.	(b) (4) ***	52
11.	Lactitol	52
12.	Lidocation	52
13.	Tencet	52
14.	Lentizol	51
15.	(b) (4) ***	50
16.	(b) (4) ***	50
17.	Lunesta	50
18.	(b) (4) ***	50
19.	Slo-Indo	50

*** This document contains proprietary information that cannot be released to the public.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

NEIL H VORA
11/13/2014

YELENA L MASLOV
11/13/2014