

**Zydelig**<sup>™</sup>  
(idelalisib) 150 mg  
100 mg tablets

**Patient Safety  
Information Card**



**Important Safety Information for Patients Taking Zydelig\***

There are serious risks to understand when taking Zydelig. Be certain to get regular blood tests as scheduled by your doctor. Also, if you experience any of the following symptoms, you should immediately call your doctor and seek emergency medical care.

These symptoms include:

- Stomach (abdominal) pain or swelling
- Persistent or worsening nausea or vomiting
- Severe diarrhea
- Dark urine color
- Bloody or tar-colored stool
- Shortness of breath, difficulty breathing, or wheezing
- New or worsening cough
- Persistent fever (temperature over 101°F)



Remember! Call your doctor and get emergency medical care right away if you have any of these symptoms and **show this card** to any doctor involved in your care.

**Zydelig**<sup>™</sup>  
(idelalisib) 150 mg  
100 mg tablets

**Patient Safety  
Information Card**

\_\_\_\_\_  
Patient Name

\_\_\_\_\_  
Zydelig Prescriber Name

\_\_\_\_\_  
Prescriber's Phone Number

© 2014 Gilead Sciences, Inc.  
All rights reserved. REMS-ZYD-0007 07/2014  
Gilead and Zydelig are trademarks of  
Gilead Sciences, Inc., or one of  
its related companies.

**+ Important Safety Information for Healthcare Providers**



This patient is taking  
Zydelig® (idelalisib) therapy  
for the treatment of leukemia  
or lymphoma.

These are some of the serious risks  
associated with Zydelig:

- Fatal and/or serious  
hepatotoxicity
- Fatal and/or serious and severe  
diarrhea or colitis
- Fatal and serious pneumonitis
- Fatal and serious intestinal  
perforation

Please evaluate urgently, provide  
all supportive care, and contact  
the prescribing physician (see  
contact information at left) as  
soon as possible to coordinate  
care if a patient presents with  
signs and symptoms of the risks  
noted here. For more information  
about Zydelig, please refer to the  
full Prescribing Information. In  
case of safety concerns, call  
Gilead at 1-800-445-3235.



**Patients receiving Zydelig should carry this card at all times.  
Show this card to any doctor involved in your healthcare.**

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

RICHARD PAZDUR  
07/23/2014