

SEP 21 2001

II. 510(k) Summary

Submitted By: Qingdao Shuang Die Latex Production Co. Ltd.
 No. 103 Taidongyi Road
 Qingdao, China
 Telephone: 213 383 9863 (US)

Contact Person: Eli J. Carter Michael Park
 Consultant President, Import/Export
 1219 Little Creek Road EC Plaza USA, Inc.
 Durham, NC 27713 3333 Wilshire Blvd.
 Telephone: 919 544 4098 Los Angeles, CA 90010
 Telephone: 213 383 9863

Date Prepared: August 8, 2001

Proprietary Name: Various Brand Names

Common Name: Latex Condom

Classification Name: Condom (21 CFR 884.5300)

Predicate Device: Thai Nippon Male Latex Condom
 510(k)# K994095

Description of Device: This condom is made of a natural rubber latex, which completely covers the erect penis with a closely fitted membrane. This condom is straight-walled with a reservoir tip, and is designed to conform to established national and international voluntary standards including ASTM D3492, ISO 4074, and EN 600. This condom is lubricated with silicone.

Intended Use of the Device: This latex condom has the same intended use as the predicate condom. The condom is used for contraception and for prophylactic purposes (to help prevent pregnancy and the transmission of sexually transmitted diseases), including HIV. If properly used, this condom will help reduce the risk of pregnancy without the serious side effects sometimes associated with other contraceptive methods.

Technological Characteristics: This condom has the same technological characteristics as the predicate condom identified above. The design of both products conforms with ASTM Latex Condom Standard D3492 and the condom is made of natural rubber latex.



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

SEP 21 2001

Qingdao Shuang Die Latex Production Co., Ltd.
% Mr. Eli J. Carter
Consultant to Qingdao Shuang
1219 Little Creek Road
DURHAM NC 27713

Re: K012653

Trade/Device Name: Male Latex Condom
Regulation Number: 21 CFR 884.5300
Regulation Name: Condom
Regulatory Class: II
Product Code: 85 HIS
Dated: August 8, 2001
Received: August 13, 2001

Dear Mr. Carter:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.


This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed

predicate device results in a classification for your device and thus, permits your device to proceed to the market.

Please be advised that, as of March 25, 1998, labeling for latex condoms (21 CFR 884.5300 and 884.5310) must comply with Use Labeling for Latex Condoms: Expiration Dating, 21 CFR 801.435. Therefore, an expiration date, supported by test data developed under the conditions specified in 801.435(d), must be displayed prominently and legibly on condom labeling. For condoms with spermicidal lubricant, the effective shelf life of the spermicide must be compared with the shelf life of the condom and labeled with the earlier of the two expiration dates. Although supporting data is not to be provided in your 510(k) submission, 801.435(j) requires that you maintain this data and that it be available for inspection by FDA. Furthermore, 801.435(e) requires that if your real-time test data fails to confirm the shelf life estimated by the methods in 801.435(d), then you must relabel all product to reflect the actual shelf life. Condoms are not to be labeled with an expiration date that gives a shelf life more than five years.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4616. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597, or at its Internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,



Nancy C. Brogdon
Director, Division of Reproductive,
Abdominal, and Radiological Devices
Office of Device Evaluation
Center for Devices and Radiological Health

Enclosure

K012653

VII. INDICATIONS FOR USE STATEMENT

510(K) Number	Not Known
Device Name	Male Natural Rubber Latex Condom (Various Brand Names)
Indications for Use	The Qingdao Shuang condom is used for contraception and for prophylactic purposes (to help prevent pregnancy and the transmission of sexually transmitted diseases).

PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED
Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use _____ OR Over-the-Counter Use

(Per 21 CFR 801.109)

Nancy C. Brogdon
(Division Sign-Off)
Division of Reproductive, Abdominal,
and Radiological Devices
510(k) Number K012653