



DEPARTMENT OF HEALTH & HUMAN SERVICES

Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

FEB 28 2002

Mr. Paul W. MacDonald
Director of Quality Assurance/Regulatory Affairs
Nova Biomedical
200 Prospect Street
Waltham, MA 02254-9141

Re: k014295
Trade/Device Name: Stat Profile pHox Analyzer
Regulation Number: 21 CFR 862.1120; 21 CFR 862.1150; 21 CFR 862.1660;
21 CFR 864.5600; 21 CFR 864.5620
Regulation Name: Blood gases (P_{CO2} , P_{O2}) and blood pH test system; Calibrator;
Quality control material (assayed and unassayed); Automated
hematocrit instrument; Automated hemoglobin system
Regulatory Class: Class II, Class II; Class II; Class II; Class I
Product Code: CHL; JIX; GKF; GKR; JJS
Dated: December 27, 2001
Received: December 28, 2001

Dear Mr. MacDonald:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Page 2 -

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4588. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

A handwritten signature in black ink that reads "Steven Gutman". The signature is written in a cursive, slightly slanted style.

Steven I. Gutman, M.D., M.B.A.
Director
Division of Clinical Laboratory-Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications for Use

510(k) Number: K014295

Device Name: Stat Profile pHox Analyzer

Indications for Use:

Intended Use

The Stat Profile pHox Analyzer is intended for in vitro diagnostic use by health care professionals and for Point-of-Care usage for the quantitative determination of pH, pCO₂, pO₂, SO₂%, Hct and Hb in heparinized whole blood. Whole blood measurement of blood gases is used in the diagnosis and treatment of life-threatening acid-base disturbances.

Jean Cooper
(Division Sign-Off)
Division of Clinical Laboratory Devices
510(k) Number K014295

(PLEASE DO NOT WRITE BELOW THIS LINE- CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Optional Format 3-10-98)

Rx ✓

OTC —