



Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. Martin Dalsing  
Consultant for Biomed Devices  
Corporation  
623 Glacier Drive  
Grand Junction, CO 81503

MAY 20 1997

Re: K971515

Trade Name: PROMED 38 SOFBLU (POLYMACON) Soft (Spherical and Toric) Daily Wear Contact Lens (Visibility Tinted, Lathe-cut from Lens Blank)

Regulatory Class: II

Product Code: 86 LPL

Dated: April 23, 1997

Received: April 25, 1997

Dear Mr. Dalsing:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Pre-market Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21-CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Martin Dalsing

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or at (301) 443-6597.

Sincerely yours,



A. Ralph Rosenthal, M.D.  
Director  
Division of Ophthalmic Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

BIOMED DEVICES CORPORATION  
510(K) Premarket Notification

**INDICATIONS FOR USE STATEMENT**

**Device Name:** Promed 38 SOFBLU (polymacon) Soft (Spherical & Toric) Daily Wear Contact Lens

**INDICATIONS FOR USE:**

The **PROMED 38 SOFBLU (Toric)** (polymacon) SOFT CONTACT LENSES for daily wear are indicated for the correction of visual acuity in not aphakic persons with non-diseased eyes with myopia or hyperopia and refractive astigmatism not exceeding 10 Diopters.

The **PROMED 38 SOFBLU (Spherical)** (polymacon) SOFT CONTACT LENSES for daily wear are indicated for the correction of visual acuity in aphakic and not aphakic persons with non-diseased eyes with myopia or hyperopia. The lens may be worn by persons who exhibit refractive astigmatism of 1.50 diopters or less where the astigmatism does not interfere with visual acuity.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

*Samuel W. C. Brown Ph.D.*

(Division Sign-Off)  
Division of Ophthalmic Devices

510(k) Number K971515

Prescription Use   
(Per 21 CFR 801.109)

Over-The-Counter Use

(Optional Format 1-2-96)