

## Summary of Safety and Effectiveness

### SNT Stereotactic Localization System

JUL 14 1997

- I. Company:** Surgical Navigation Technologies  
530 Compton St.  
Broomfield, CO 80020  
(303) 439-9709
- II. Product Name:** SNT Stereotactic Localization System
- III.** The SNT Stereotactic Localization System is indicated for providing a precise stereotactic coordinate system in either CT or Radiographic images for the purpose of planning and performing stereotactic cranial procedures.
- The system includes:
- a headring
  - a CT localizer
  - an X-ray localizer
  - a film holder
- IV.** The SNT Stereotactic Localization System was shown to be substantially equivalent to other commercially available stereotactic localization systems.



Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. Roger N. White  
Surgical Navigation Technologies, Inc.  
530.Compton Street  
Broomfield, Colorado 80020

JUL 14 1997

Re: K971675  
Trade Name: SNT Stereotactic Localization System  
Regulatory Class: II  
Product Code: 84HAW  
Dated: May 5, 1997  
Received: May 7, 1997

Dear Mr. White:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Roger N. White

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4648. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597, or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Thomas J. Callahan, Ph.D.  
Director  
Division of Cardiovascular, Respiratory,  
and Neurological Devices  
Office of Device Evaluation  
Center for Devices  
and Radiological Health

510(k) Number (if known): K971675

Device Name: SNT Stereotactic Localization System

Indications For Use:

The SNT Stereotactic Localization System is indicated for providing a precise stereotactic coordinate system in either CT or Radiographic images for the purpose of planning and performing stereotactic cranial procedures.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)


Concurrence of CDRH, Office Of Device Evaluation (ODE)

Prescription Use  (Per 21 CFR 801.109)

OR

Over-The-Counter Use

(Optional Format 1-2-96)

  
for (Division Sign-Off)  
Division of Cardiovascular, Respiratory,  
and Neurological Devices  
510(k) Number K971675