



SUMMARY OF SAFETY AND EFFECTIVENESS

FEB - 5 1998

- This 510(k) summary of safety and effectiveness information is submitted in accordance with the requirements of 21 CFR Part 807.87(h).
- Identification of Submitter
Larry A. Kroger, Ph.D., 414-544-3894, August 13, 1997
- Identification of the Product
Diffusion Weighted EPI Imaging Option

Manufactured by: GE Medical Systems
 3200 N. Grandview Blvd.
 Waukesha, WI 53188
- Device Description

The Diffusion Weighted EPI Imaging Option provides an additional imaging option to the Echo Planar Imaging pulse sequence. The DW-EPI option is a single shot EPI pulse designed to create images that differentiates tissues with restricted diffusion from tissues with normal diffusion.
- Indications for Use

Diffusion Weighted EPI imaging produces magnetic resonance (MR) images whose contrast is dependent on the local diffusion coefficient of water. Diffusion Weighted EPI can be useful in visualizing the apparent loss of diffusion (mobility) by water molecules in brain tissues affected by acute stroke.

Diffusion Weighted EPI is more accurate than conventional MRI pulse sequence (ie Fast FLAIR and Fast Spin Echo) in identifying the occurrence of acute stroke.
- Comparison with Predicate

The Diffusion Weighted EPI Imaging Option is substantially equivalent to the currently marketed Siemens Medical System Diffusion Weighted MR Imaging Option (510k #K971055).
- Summary of Studies

The Diffusion Weighted EPI Imaging Option was evaluated to the IEC 601-2-33 International medical equipment safety standard for Magnetic Resonance Systems. Evaluation testing confirmed accuracy statements in the User Manual.
- Conclusions

It is the opinion of GE that the Diffusion Weighted EPI Imaging Option does not result in any new potential hazards.



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Larry Kroger, Ph.D.
Senior Regulatory Programs Manager
GE Medical System
PO Box 414, W-709
Milwaukee, WI 53201

Re: K972990
Diffusion Weighted EPI Imaging
Option
Dated: November 20, 1997
Received: November 21, 1997
Regulatory class: II
21 CFR 892.1000/Procode: 90 LNH

FEB - 5 1998

Dear Dr. Kroger:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsmamain.html>.

Sincerely yours,

Lillian Yin, Ph.D.
Director, Division of Reproductive,
Abdominal, Ear, Nose and Throat,
and Radiological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): 1K972990

Device Name: Diffusion Weighted EPI Imaging Option


Indications For Use:

Diffusion Weighted EPI imaging produces magnetic resonance (MR) images whose contrast is dependent on the local diffusion coefficient of water. Diffusion Weighted EPI can be useful in visualizing the apparent loss of diffusion (mobility) by water molecules in brain tissues affected by acute stroke.

Diffusion Weighted EPI is more accurate than conventional MRI pulse sequence (ie Fast FLAIR and Fast Spin Echo) in identifying the occurrence of acute stroke.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)


(Division Sign-Off)
Division of Reproductive, Abdominal, ENT,
and Radiological Devices
510(k) Number 1K972990

Prescription Use
(Per 21 CFR 801.109)

OR

Over-The-Counter Use