



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

DEC 18 1997

Michael Baker
CEO
Swissray International, Inc.
577 Soundview Drive, Suite 103A
Gig Harbor, WA 98335

Re: K973710
Digital Addon Multi System, Stationary X-Ray System
Dated: September 14, 1997
Received: September 29, 1997
Regulatory class: II
21 CFR 892.1680/Procode: 90 KPR

Dear Mr. Baker:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsmamain.html>.

Sincerely yours,

Lillian Yin, Ph.D.
Director, Division of Reproductive,
Abdominal, Ear, Nose and Throat,
and Radiological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): K973710

Device Name: AddOn Multi System

Indication For Use:

The Swissray Telleray AG Digital Add-on multi system is a high resolution, digital X-Ray system designed for Digital Photofluorography. It is intended to replace conventional film techniques in multipurpose or dedicated applications where general Radiography procedures are performed. The AddOn multi System is intended for applying general radiography on a patient in a supine, seated, or standing position .

The AddOn multi system allows the operator to view and enhance the images. Images may be viewed and enhanced enabling the operator to bring out diagnostic details difficult or impossible to see using conventional imaging techniques.

The Add-on multi system enables the operator to hardcopy images with a laser printer. The major system components include: an optional floating table, x-ray generator, x-ray tube, digital AddOn Bucky: CCD camera, monitors and an image processor.

(PLEASE DO NOT WRITE BELOW THIS LINE- CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (DOE)

Prescription Use or Over-The Counter Use

(Per 21 CFR 801.109) (Optional Format 1-2-96)

David C. Johnson
(Division Sign-Off)
Division of Reproductive, Abdominal, ENT,
and Radiological Devices
510(k) Number K973710