



Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. Partha Basumallik  
Vice President  
Trinity Laboratories, Inc.  
201 Kiley Drive  
Salisbury, MD 21801

DEC 12 1997

Re: K974286  
Circumcision Tray  
Regulatory Class: II  
Product Code: 85 HFX; CFR 884.4530  
Dated: November 11, 1997  
Received: November 14, 1997

Dear Mr. Basumallik:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (the Act). You may, therefore, market the device, subject to the general controls provisions of Act. However, you are responsible to determine that the medical devices you use as components in the tray have either been determined as substantially equivalent under the premarket notification process (Section 510(k) of the act), or were on the market prior to May 28, 1976, the enactment date of the Medical Device Amendments. Please note: If you purchase your device components in bulk (i.e., unfinished) and further process (e.g., sterilize) you must submit a new 510(k) before including these components in your tray. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval) it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, FDA will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, the Food and Drug Administration (FDA) may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

In addition, we have determined that your device kit contains PVP Swabsticks which are subject to regulation as a drug.


Our substantially equivalent determination does not apply to the drug component of your device. We recommend you first contact the Center for Drug Evaluation and Research before marketing your device with the drug component. For information on applicable Agency requirements for marketing this drug, we suggest you contact:

Director, Division of Drug Labeling Compliance (HFD-310)  
Center for Drug Evaluation and Research  
Food and Drug Administration  
5600 Fishers Lane  
Rockville, Maryland 20857  
(301) 594-0101

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act, may be obtained from the Division of Small Manufacturers Assistance at its toll free number (800) 638-2041 or (301) 443-6597, or at its Internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Lillian Yin, Ph.D.  
Director, Division of Reproductive,  
Abdominal, Ear, Nose and Throat,  
and Radiological Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

510 (k) Number (if Known): K974286

Device Name: Circumcision Tray

Indications for Use:

Trinity's Circumcision Tray is a sterile prepackaged disposable unit. It contains the gauze sponges, straight mosquito forceps, curved mosquito forceps, adson tissue forceps, probe with eye, PVP swabsticks, OR scissors, multi-compartment pouch, #10 blade scalpel, and fenestrated cloth OR towel necessary for the performance of the circumcision surgical procedure..

PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use X  
(Per 21 CFR 801.109)

OR

Over-the-Counter Use \_\_\_\_\_

Peter D. Sathiy /  
(Division Sign-Off)

Division of Reproductive, Abdominal, ENT,  
and Radiological Devices

510(k) Number K974286

(Optional Format 1-2-96)