

Section 2 - Summary of Safety and Effectiveness

MAR - 9 1998

Submitter

Persyst Development Corporation
316 Skyline Drive
Prescott, AZ 86303
520/708-0705
Contact: Scott Wilson
Submitted: December 12, 1997

5974718

Device

PERSYST PRISM
Classification: 21 CFR 882.1420

Predicate Device

STELLATE RHYTHM
Classification: 21 CFR 882.1420

Description

The Persyst Prism is a software only product. It runs on a personal computer and requires no specialized hardware. It displays digitized EEG signals, power spectra, topographic maps, etc. These functions are all controlled and interpreted by the user. The digitized EEG input is read from a file on the personal computer (or available across the network).

Neither the computer nor the software control the delivery of energy, the administration of parenteral drugs, or another form of life sustaining function to the patient.

Intended Use

This product is intended for use by a trained EEG reader.

Comparison Summary of Technological Characteristics

Both Prism and Rhythm support the following digital EEG plots: average power spectrum, compressed spectral arrays, topographic spectrum, topographic voltage plots, and correlation and lag. Neither product utilizes a normative database. Rhythm is capable of digitizing an analog signal while Prism requires that the signal be digitized by a separate EEG acquisition system. Both are software only products.



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

MAR - 9 1998

Mr. Scott B. Wilson
President
Persyst Development Corporation
316 Skyline Drive
Prescott, Arizona 86303

Re: K974718
Trade Name: PERSYST PRISM
Regulatory Class: I
Product Code: GWS
Dated: December 12, 1997
Received: December 17, 1997

Dear Mr. Wilson:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Wilson

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4595. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,


Celia M. Witten, Ph.D., M.D.
Director
Division of General and
Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): K974718


Device Name: PERSYST PRISM

Indications For Use:

This software is intended for use by a trained EEG technician or neurologist.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)

Division of General Restorative Devices

510(k) Number K974718

✓
Prescription Use _____
(Per 21 CFR 801.109)

OR

Over-The-Counter Use _____

(Optional Format 1-2-96)