



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

FEB 19 1998

Mr. Hilario E. Mata
President
Runch Industrial USA, Inc.
2401 Fountainview, Suite 802
Houston, Texas 77057

Re: K980107
Trade Name: Runch Industrial Wheelchair
Regulatory Class: I
Product Code: IOR
Dated: January 5, 1998
Received: January 12, 1998

Dear Mr. Mata:


We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,

A handwritten signature in black ink, appearing to read "C. Witten", with a stylized flourish at the end.

En Celia M. Witten, Ph.D., M.D.
Director
Division of General and
Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health


Enclosure

Indications for Use Statement

Device Name: Mechanical Wheelchair

A mechanical, manual, foldable wheelchair which can be used in a residential environment, managed care or public facility. This device is for incapacitated and partially incapacitated persons requiring mobility in a sitting position. The device can be operated by using downward (forward) strokes or upward (backward) strokes by the operator on the hand rim steering device attached to an made part of the wheel. To turn left or right, apply pressure on the hand rim. The device can also be powered by an attendant pushing the device with the two (left and right) rear handles. Brakes are located on either side of each wheel and can operated by the left or right hand. Expendable energy is minimal and efficient when traveling short distances.

Over-the-Counter Use N



() on Sign-Off

() n of General Restorative Devices

() Number

14980107