



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Mr. Richard C. Lanzillotto
Agent for Windmere Corporation
North American Technical Services Corporation
30 Northport Road
Sound Beach, New York 11789-1734

MAR 27 1998

Re: K980769
Windmere Model DS-2 Foot Bath
Regulatory Class: II
Product Code: ILJ
Dated: February 25, 1998
Received: February 27, 1998

Dear Mr. Lanzillotto:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Richard C. Lanzillotto

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,


Celia M. Witten, Ph.D., M.D.
Director
Division of General and
Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

INDICATIONS FOR USE

510(k) Number (if known): *K 980769*

Device Name: Windmere DS-2


Indications for Use: Hydrotherapy;
Professional footbath for a relaxing aqua massage. Ideal for pedicure preparation. Gently massages soles of feet, comforts soles of feet, soothing relief for tired feet.

Contraindications:

- Anyone suffering from leg or foot problems, e.g. phlebitis, varicose veins, a rash, open sores or other ailments, should first consult a doctor before use.
- Do not stand in the appliance. Use only in a sitting position.
- Consult your physician if you have any therapeutic questions regarding its use.
- Do not use on any unexplained pain before consulting your physician.
- Consult your physician before using the aqua massager if you are pregnant, diabetic or ill.
- Do not use the aqua massager on any area of the body that is swollen, burned, or inflamed.
- Do not use continuously for more than 20 minutes.
- Not for children, elderly or handicapped unless supervised.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)


(Division Sign-Off)

Division of General Restorative Devices

510(k) Number *K 980769*

Prescription Use _____
(Per 21 CFR 801.109)

OR

Over-The-Counter Use *X*