

K981100

APR 16 1998

DADE BEHRING

This summary of 510(k) safety and effectiveness information is being submitted in accordance with the requirements of SMDA 1990 and 21 CFR 807.92

Stratus® CS TROP CalPak

Summary of Safety and Effectiveness

The Stratus® CS TROP CalPak is an *in vitro* diagnostic product used to calibrate the cardiac troponin I method on the Stratus® CS STAT fluorometric analyzer.

The TROP CalPak is a buffered bovine protein matrix product with cardiac troponin I at an approximate concentration of 45 ng/mL. The CalPak is a plastic cartridge which contains the calibrator material in reagent wells.

The TROP CalPak is substantially equivalent to the Stratus® troponin I calibrator as they are both intended to be used as calibrators for similar cardiac troponin I methods.

Carolyn K. George

Carolyn K. George
Regulatory Affairs and
Compliance Manager

March 24, 1998

Date



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

APR 16 1998

Carolyn K. George
Regulatory Affairs and Compliance Manager
Dade Behring Inc.
P.O. Box 6101
Newark, Delaware 19714

Re: K981100
Stratus® CS TROP CalPak
Regulatory Class: II
Product Code: JIT
Dated: March 24, 1998
Received: March 26, 1998

Dear Ms. George:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.


Page 2

Under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88), this device may require a CLIA complexity categorization. To determine if it does, you should contact the Centers for Disease Control and Prevention (CDC) at (770) 488-7655.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4588. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Steven I. Gutman, M.D., M.B.A.
Director
Division of Clinical
Laboratory Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications Statement

Device Name: Dade Behring TROP CalPak

Indications for Use: The TROP CalPak is an *in vitro* diagnostic product used to calibrate the cardiac troponin I method on the Stratus® CS STAT fluorometric analyzer. This calibrator is a device intended to establish a point of reference that is used in the determination of troponin I values.

Carolyn K. George

Carolyn K. George
Regulatory Affairs and
Compliance Manager

March 24, 1998

Date

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

K981100
510(k) Number

[Signature]
Division Sign-Off
Office of Device Evaluation

✓ prescription use

[Signature]
(Division Sign-Off)

Division of Regulatory Laboratory

510(k) Number K981100

000006