



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

JUN 25 1998

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Mr. Thomas L. Parker
Director, Regulatory Affairs
MINRAD™ Incorporated
6576 East Quaker Street
Orchard Park, New York 14127-2593

Re: K981140
Trade Name: MINRAD DRTS Light Saber™ Syringe
Regulatory Class: II
Product Code: FMF
Dated: March 23, 1998
Received: March 30, 1998

Dear Mr. Parker:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Parker

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control,
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

SECTION 5
INDICATIONS FOR USE
MINRAD LIGHT SABER™ SYRINGE

“Single use disposable syringe to inject fluids into, or retract fluids from the body”

“When used with the DRTS™ Laser Alignment System, the Light Saber™ Syringe will provide an accuracy of $\pm 3\text{mm}$ from the laser path when using a 10 cm needle.”

Pattina Cuccinelli
(Division Sign-Off)
Division of Dental, Infection Control,
and General Hospital Devices
510(k) Number K981140

Prescription Use ✓
(Per 21CFR 801.109)