



MAY 12 1998

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850Mr. Ashvin Desai
President
Ximed Medical/ProSurg, Inc.
2193 Trade Zone Boulevard
San Jose, California 95131Re: K981256
Isolated Electrosurgical Probes and Devices - Salinetrode™
(cutting loops, roller balls, roller bars/barrels, and
needles/blades)
Dated: March 30, 1998
Received: April 2, 1998
Regulatory Class: II
21 CFR §876.4300/Product Code: 78 FAS
21 CFR §876.1500/Product Code: 78 FDC

Dear Mr. Desai:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Pre-market Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597, or at its Internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,


Lillian Yin, Ph.D.
Director, Division of Reproductive,
Abdominal, Ear, Nose and Throat,
and Radiological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

510(k) NUMBER (IF KNOWN): _____

DEVICE NAME: Isolated Electrosurgical Probes & Devices-Salinetrode™

INDICATIONS FOR USE:

The electrosurgical probes and devices are to be used with commercially available R.F. generators, endoscopes including laparoscopes, hysteroscopes, resectoscopes, cystoscopes and suction/irrigation systems. These devices can be used for laparoscopic, hysteroscopic, cystoscopic, resectoscopic and other endoscopic and open surgical procedures including TURP, BPH, prostate surgery, and other soft tissue removal using cutting/coagulation/ablation mode of R.F. energy.



(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED.)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use (Per 21 CFR 801.109)

OR

Over-The-Counter-Use (Optional Format 1-2-96)

Debra P. Rathin
(Division Sign-Off)
Division of Reproductive, Abdominal, ENT,
and Radiological Devices
510(k) Number K981256