

**IX. 510(k) Summary of Safety and Effectiveness**

**SUBMITTER:** United States Surgical Corporation  
150 Glover Avenue  
Norwalk, CT 06856

**CONTACT PERSON:** Jamie Yieh

**DATE PREPARED:** July 23, 1998

**CLASSIFICATION NAME:** Mesh, Surgical, Polymeric

**COMMON NAME:** Nonabsorbable Surgical Mesh

**PROPRIETARY NAME:** Not yet determined

**PREDICATE DEVICES:** Bard® Marlex® Mesh PerFix™ Plug (K922916)  
Surgipro\* Mesh (K905655)

**DEVICE DESCRIPTION:** Surgipro\* Mesh Plug\*\* device is a nonabsorbable, inert, sterile, porous, surgical mesh knitted from yarns of polypropylene polymer from which Surgipro\* surgical sutures are manufactured.

**INTENDED USE:** Surgipro\* Mesh Plug\*\* device is indicated for the repair of groin hernia defects.

**MATERIALS:** All component materials of the Surgipro\* Mesh Plug\*\* device are comprised of materials which are in accordance with ISO Standard # 10993-1.



NOV 6 1998

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. Jamie Yieh  
Regulatory Affairs, Associate  
United States Surgical Corporation  
150 Glover Avenue  
Norwalk, Connecticut 06856

Re: K982575  
Trade Name: Surgipro™ Mesh Plug  
Regulatory Class: II  
Product Code: FTL  
Dated: October 05, 1998  
Received: October 13, 1998

Dear Mr. Yieh:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic


Page 2 - Mr. Jamie Yieh

Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Celia M. Witten, Ph.D., M.D.  
Director  
Division of General and  
Restorative Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

K982575

**Surgipro\* Mesh Plug\*\* Device**

**IV. Indications For Use:**

510(k) Number (if known): \_\_\_\_\_

Name: Surgipro\* Mesh Plug\*\* device

Indications For Use:

The Surgipro\* Mesh Plug\*\* device is indicated for the repair of groin hernia defects.

(Please do not write below this line - continue on another page if needed)

Concurrence of CDRH, Office of Evaluation (ODE)

Prescription Use: X OR Over-The-Counter Use: \_\_\_\_\_  
(Per 21 CFR §801.109)

  
\_\_\_\_\_  
(Division Sign-Off)  
Division of General Restorative Devices  
510(k) Number K982575