



Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

SEP 18 1998

Ms. Annie Velez  
Magna Advanced Technologies, Inc.  
7200 N.W. 7<sup>th</sup> Street  
Miami, FL 33126

Re: K982846  
MTEK-1400  
Regulatory Class: II (two)  
Product Code: 73 CCK  
Dated: June 26, 1998  
Received: August 12, 1998

Dear Ms. Velez:


We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Pre-market Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4648. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597, or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,



Thomas J. Callahan, Ph.D.  
Director  
Division of Cardiovascular,  
Respiratory, and Neurological Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure



INDICATION FOR USE STATEMENT

510(k) Number: K982846

Device Name: CO2 Monitor

Device Model: MTEK-1400

Indications for Use:

The MTEK-1400 unit is to be used to in order to measure CO2 concentration using the principles of infrared absorption spectrometry. This unit provides continuous non-invasive information used to aid the clinician in assessing a patient's cardiopulmonary function and metabolic state. It is extremely effective in determining the efficacy of various respiratory treatments. Capnography can aid in detecting esophageal intubations, disconnections, apnea, malignant hyperthermia and air emboli.

The MTEK-1400 can also measure respiration rate and capnography. The MTEK-1400 Plus model is capable of measuring percent arterial oxygen saturation and pulse rate.

Federal Law restricts the use of this device by or on the order of a qualified physician only.

Concurrence of CDRH, Office of Device Evaluation (ODE)

Mark Kramer

Prescription Use  OR Over the Counter Use

(Per 21 CFR 801.109)

(Division Sign-Off)
Division of Cardiovascular, Respiratory,
and Neurological Devices

510(k) Number