



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

AUG 11 1999

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Mr. Clinton R. Holland JR.
Chief Technical Officer/Chief Operating Officer
Buffalo Filter Company, Incorporated
6000 North Bailey Avenue
SUITE 9
Buffalo, New York 14226-5102

Re: K983364
Trade Name: Buffalo Filter Virosafe 18 Filter-Catalog #VSO1801
Regulatory Class: II
Product Code: FYD
Dated: June 08, 1999
Received: June 09, 1999

Dear Mr. Holland:


We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Holland

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market. If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control,
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number: K983364
Device Name: Disposable Smoke Evacuation Filter
Proprietary/Trade Names: Buffalo Filter® ViroSafe® 18 Filter - #VS01801

Indications for Use:

The Indications for Use of the ViroSafe® 18 Filter is for the removal and filtration of the smoke and incidental fluid produced during electrosurgery, laser surgery, or other smoke plume producing devices. This device is not intended for contact with the patient. It is intended to be used during either open or endoscopic surgical procedures.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF
NEEDED.)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use *[initials]*
(Per 21 CFR 801.109)

OR

Over-The-Counter-Use *X*
(Optional Format 1-2-96)

Chin S. Lin
(Division Sign-Off)

Division of Dental, Infection Control,
and General Hospital Devices

510(k) Number ~~1952374~~ K983364