



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

JUN 8 1999

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Margaret J. Larson
President
Sonotech, Inc.
P.O. Box 2189
Bellingham, WA 98227-2189

Re: K984562
VivoSonic (Diagnostic Ultrasound
Imaging Coupling Media)
Dated: April 1, 1999
Received: April 9, 1999
Regulatory Class: II
21 CFR 892.1570/Procode: 90 ITX

Dear Ms. Larson:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597, or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

CAPT Daniel G. Schultz, M.D.
Acting Director, Division of Reproductive,
Abdominal, Ear, Nose and Throat,
and Radiological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure



K98-1563
Sonotech, Inc.
774 Marine Drive, Bellingham, WA 98225
360/671-9121 fax: 360/671-9024 plarson@nas.com

6

Registration # 2523891

JUN 8 1999

510(k) Application: **VivoSonic - In Vivo Biocompatible
Sterile Ultrasound Imaging Couplant**

Page 6 of 16

510(k) Number (if known): _____

Device Name: VivoSonic In Vivo Biocompatible Sterile Ultrasound Imaging Couplant

Indications For Use:

Used during invasive medical diagnostic ultrasound imaging to couple sound waves between the patient and the medical imaging electronics, and to lubricate the insertion and passage of imaging devices.

Used in conjunction with transcutaneous ultrasound image guided biopsy and aspiration, intraoperative ultrasound imaging, endocavity ultrasound imaging and ophthalmic ultrasound imaging.

Intended for use in all diagnostic ultrasound procedures which currently use an ultrasound coupling gel or fluid alone or in combination with a latex, polyurethane or polyethylene transducer cover where sterility and in vivo biocompatibility are required.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)
Division of Reproductive, Abdominal, ENT,
and Radiological Devices

510(k) Number

K984562

Prescription Use X
(Per 21 CFR 801.109)

OR

Over-The-Counter Use _____