



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

MAY 13 1999

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. William E. Patton  
Vice President Regulatory Affairs  
OmniGrace (Thailand) Ltd.  
641 Moo 5 Kanchanawanit Road  
Tambon Banpru,  
HatYai, Songkhla  
THAILAND 90250

Re: K990696  
Trade Name: Omni Flex Nitrile Examination Glove,  
Powder-Free, White  
Regulatory Class: I  
Product Code: LZA  
Dated: February 27, 1999  
Received: March 3, 1999

Dear Mr. Patton:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531


Page 2 - Mr. Patton

through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski  
Director  
Division of Dental, Infection Control,  
and General Hospital Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

OMNIGRACE (THAILAND) LTD.  
841 MOO 5  
KANCHANAWANIT ROAD  
TAMBON BANPRU  
HATYAI SONGKHLA  
THAILAND 90250  
TEL: (6674) 439 526  
FAX: (6674) 210 600

February 1999  
Attachment II

OmniGrace (Thailand) Ltd.  
510(k) Premarket Notification  
Patient Examination Glove, Nitrile, Powder-Free, *WHITE*

#### INDICATIONS FOR USE STATEMENT

Applicant : OmniGrace (Thailand) Ltd.  
510(k) Number :  
Device Name : Omni Flex Nitrile Examination Glove, Powder Free, *WHITE*

#### Indications For Use

A medical glove is worn on the hand of healthcare and similar personnel to prevent contamination between health care personnel and the patient.

---

Concurrence of CDRH Office of Device Evaluation (ODE)

Prescription Use per 21CFR 801.109 \_\_\_\_\_ or Over-The-Counter *X*

(5)

*Chin S. Lin*  
(Division Sign-Off)  
Division of Dental, Infection Control,  
and General Hospital Devices  
510(k) Number *X 990696*