



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

MAY 4 1999

Mr. Son Hong Lee  
APL Products Sdn. Bhd.  
Lot 8961 & 8964, Batu 19, Jalan Bruas,  
32400 Ayer Tawar, Perak Darul Ridzuan,  
MALAYSIA

Re: K990901  
Trade Name: Powder-Free Latex Examination Gloves  
Contains 50 Micrograms or Less of Total Water  
Extractable Protein Per Gram  
Regulatory Class: I  
Product Code: LYY  
Dated: March 16, 1999  
Received: March 18, 1999

Dear Mr. Son Hong Lee:


We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski  
Director  
Division of Dental, Infection Control,  
and General Hospital Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

# APL Products Sdn. Bhd.

(COMPANY NO.: 241845-A)

Lot 8961 & 8964, Batu19, Jalan Bruas,  
32400 Ayer Tawar, Perak Darul Ridzuan,  
Malaysia.  
Tel No.: 605-6723152 Fax No.: 605-6726920  
E-Mail : [sonhong@pc.jaring.my](mailto:sonhong@pc.jaring.my)

## 3.0 Indications for Use Statement

### INDICATIONS FOR USE

Applicant : APL Products Sdn. Bhd.

510(k) Number (if know)\* : K990901

Device Name : POWDER FREE, LATEX EXAMINATION GLOVES

*contains 50mg  
or less of Total  
water extract  
protein per glove*

Indications For Use :

This glove is a disposable device intended for medical purpose that is worn the examiner's hand to prevent contamination between patient and examiner.

PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED

Concurrence of CDRH Office of Device Evaluation (ODE)

Prescription Use \_\_\_\_\_  
Per 21 CFR 801.109

OR Over-The-Counter X  
(Optional Format 1-2-96)

\* For a new submission, do NOT fill in the 510(k) number blank.

Chin S. Lim  
(Division Sign-Off)

Division of Dental, Infection Control,  
and General Hospital Devices

510(k) Number K990901