

JUL 14 1999

K991622



May 4, 1999

26 MM CAST CoCr HEAD AND POLYETHYLENE ACETABULAR SHELL LINER

Summary of Safety and Effectiveness Information Upon Which The Substantial Equivalence Determination is Based [510(k) Summary]

The 26 mm CoCr Head and Hooded Liner are manufactured from biocompatible materials: Co-Cr-Mo alloy and ultra-high molecular-weight polyethylene (UHMWPE). These materials are in current use in numerous hip systems and their use has been established through many years of successful clinical application.

Fatigue testing of the stem and 26 mm head was satisfied under previously released 510(k) submissions. Likewise, the liner testing was satisfied under previous 510(k) submissions since only the I.D. has been changed.

A smaller CoCr head with appropriate liner was manufactured to increase polyethylene minimal thickness in the smaller diameter acetabular cups. These components will supplement 28 mm CoCr heads and liners already released in the ProForm and Provident Hip Systems.





Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JUL 14 1999

Mr. Donald A. Stevens
President
StelKast Company
800 Vinial St., Suite B-210
Pittsburgh, Pennsylvania 15212

Re: K991622
Trade Name: 26 mm CoCr Head and Polyethylene Liner
Regulatory Class: II
Product Code: JDI/LPH
Dated: May 4, 1999
Received: May 11, 1999

Dear Mr. Stevens:

We have reviewed your Section 510(k) notification of intent to market the device referenced above, and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device subject to the general control provisions of the Act. The general control provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General Regulation (21 CFR Part 820), and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA, finding of substantial equivalence of your device to a legally marketed predicate device, results in a classification for your device and thus, permits your device to proceed to the market.

Page 2 – Mr. Donald A. Stevens

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification (21 CFR 807.97)." Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or at (301) 443-6597, or at its Internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,

A handwritten signature in black ink, appearing to read "Celia M. Witten", with a stylized flourish at the end.

Celia M. Witten, Ph.D., M.D.
Director
Division of General and
Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(K) Number (if known): K991622 ✓


Device Name: 26 mm Cast CoCr Head and Polyethylene Acetabular Shell Liner

Indications For Use:

1. Joint impairment from arthritis (rheumatoid, osteo and post traumatic).
2. Revision of failed femoral head replacements.
3. When alternative reconstructive techniques are not viable.
4. When arthrodesis is contraindicated.
5. Avascular necrosis or fracture of the femoral head.
6. Congenital defects that will allow adequate function of the system.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)
Division of General Restorative Devices
510(k) Number K991622

Prescription Use ye
(Per 21 CFR 801.109)

OR

Over-The-Counter Use NO