



NOV 30 2005

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Ms. Tammie Ewing
Executive Assistant
Exelint International Company
International Headquarters
Medical Products Division
P.O. Box 3194
Culver City, California 90231-3194

Re: K992290

Trade/Device Name: Exel Injection Plug W/Cap
Regulation Number: 880.5440
Regulation Name: Intravascular Administration Set
Regulatory Class: II
Product Code: FPA
Dated: January 24, 2000
Received: February 1, 2000

Dear Ms. Ewing:

This letter corrects our substantially equivalent letter of February 23, 2000.

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent [(for the indications for use stated in the enclosure)] to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to continue marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4618. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at their toll free number (800) 638-2041 or at (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>.

Sincerely yours,



Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

K992290

510(k) Number (if known): K992290

Device Name: EXEL INJECTION PLUG w/CAP

Indications For Use:

THIS DEVICE IS USED AS AN ACCESSORY FOR WHICH CAN BE CONNECTED TO A FEMALE LUER CONNECTOR, ie; WINGED INFUSION SET OR AN I.V. SET, FOR INFUSION OF MEDICATION TO A PATIENT. IT IS STERILE , DISPOSABLE & "ONE-DIRECTIONAL FLUID FLOW DEVICE".

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Description Use (Per 21 CFR 801.109)

OR

Over-The-Counter Use

Roberta Cisneros
(Division Sign-Off)
Division of Dental, Infection Control,
and General Hospital Devices
510(k) Number K992290

(Optional Format 1-2-96)