



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

JAN 20 2000

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Mr. Stanley Thai
Managing Director
Supermax Glove Manufacturing SDN. BHD.
Lot 42, Putra Industrial Park
Bukit Rahman Putra
47000 Sungai Buloh
Selangor Darul Ehsan, Malaysia

Re: K993864
Trade Name: Green Peppermint Flavored Powder Free Latex
Examination Gloves with Protein Content Labeling Claim
(50 micrograms or less)
Regulatory Class: I
Product Code: LYY
Dated: November 11, 1999
Received: November 15, 1999

Dear Mr. Thai:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in


1

the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

2

510 (k) NUMBER (IF KNOWN) : K993864

DEVICE NAME GREEN PEPPERMINT FLAVORED POWDER FREE LATEX EXAMINATION
WITH PROTEIN CONTENT LABELING CLAIM (50 MICROGRAMS OR LESS)

INDICATIONS FOR USE :

A powder free patient examination glove is a disposable device made of latex material that may bear a trace amount of glove powder and is intended to be worn on the hand or fingers for medical purposes to provide a barrier against potential infectious materials and other contaminants.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH Office of Device Evaluation (ODE)

Prescription Use _____
(per 21 CFR 801.109)

OR

Over-The-Counter- Use _____
(Optional Format 1-2-96)



(Division Sign-Off)
Division of Dental Infection Control,
and General Hospital Devices
510(k) Number

K993864