



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Room -WO66-G609  
Silver Spring, MD 20993-0002

Foshan Care Medical Technology Company, Limited  
C/O Mr. S David Piper, PE  
President Chief Executive Officer  
Piper Medical  
4807 El Camino Avenue, Suite C  
Carmichael, California 95608

MAR 14 2011

Re: K101552

Trade/Device Name: Medical Nebulizer Compressor, Model KYWH2001

Regulation Number: 21 CFR 868.5630

Regulation Name: Nebulizer

Regulatory Class: II

Product Code: CAF

Dated: February 18, 2011

Received: March 8, 2011

Dear Mr. Piper:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,



Anthony D. Watson, B.S., M.S., M.B.A.  
Director  
Division of Anesthesiology, General Hospital,  
Infection Control and Dental Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

# Indications for Use

**510(k) Number (if known):** K101552

**Device Name:** Foshan Care Medical Nebulizer Compressor, Model KYWH2001

**Indications For Use:**

The Foshan Care Medical Nebulizer Compressor, Model KYWH2001, includes an AC powered air compressor that provides a source of compressed air. The compressor is used in conjunction with the Hsiner Disposable Nebulizer, Model Number HS-31100, to convert certain inhalable drugs into an aerosol form for inhalation by a patient. The Foshan Care Medical Nebulizer Compressor, Model KYWH2001 is intended to aerosolize physician- prescribed solutions for inhalation that are approved for nebulization. The Foshan Care Medical Nebulizer Compressor, Model KYWH2001 is intended for adult and pediatric patients consistent with the indications for the aerosol medication. The Foshan Care Medical Nebulizer Compressor, Model KYWH2001, is not intended for life support nor does it provide any patient monitoring capabilities.

Prescription Use  AND/OR Over-The-Counter Use \_\_\_\_\_

(Part 21 CFR 801 Subpart D)

(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

---

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)

Division of Anesthesiology, General Hospital  
infection Control, Dental Devices

Page 1 of 1

510(k) Number: K 101552