



Radox Laboratories Limited  
c/o Pauline Armstrong  
QA/RA Manager  
55 Diamond Road, Crumlin  
County Antrim, BT29 4QY, United Kingdom

10903 New Hampshire Avenue  
Silver Spring, MD 20993

JAN 23 2012

Re: k110534  
Trade/Device Name: Radox Liquid Cardiac Control Levels 1, 2, and 3  
Regulation Number: 21 CFR 862.1660  
Regulation Name: Quality Control Material (Assayed and Unassayed)  
Regulatory Class: Class I, reserved  
Product Code: JJY  
Dated: January 5, 2012  
Received: January 9, 2012

Dear Ms. Armstrong:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of In Vitro Diagnostic Device Evaluation and Safety at (301) 796-5450. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding postmarket surveillance, please contact CDRH's Office of Surveillance and Biometric's (OSB's) Division of Postmarket Surveillance at (301) 796-5760. For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance...

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-5680 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>

Sincerely yours,



Courtney H. Lias, Ph.D.  
Director  
Division of Chemistry and Toxicology Devices  
Office of *In Vitro* Diagnostic Device  
Evaluation and Safety  
Center for Devices and Radiological Health

Enclosure

## Indications for Use

510(k) Number (if known): K110534

Device Name: Radox Liquid Cardiac Controls Level 1, Level 2 and Level 3

Indication For Use:

The Radox Liquid Cardiac Controls Level 1, Level 2 and Level 3 are liquid controls containing BNP, CK MB Mass, Digoxin, D-Dimer, Homocysteine, hsCRP, Myoglobin, NT-ProBNP, Troponin I and Troponin T. They have been developed for use in the quality control of BNP, CK MB Mass, Digoxin, D-Dimer, Homocysteine, hsCRP, Myoglobin, NT-ProBNP, Troponin I and Troponin T assays on various clinical chemistry and immunoassay systems. This in vitro diagnostic device is intended for prescription use only

Prescription Use    
 (21 CFR Part 801 Subpart D)

And/Or

Over the Counter Use    
 (21 CFR Part 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE; CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostic Devices (OIVD)



Division Sign-Off  
Office of In Vitro Diagnostic Device Evaluation and Safety

510(k) K110534