



Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Center - WO66-G609  
Silver Spring, MD 20993-0002

The Binding Site Group, Ltd.  
c/o Dr. Jill Constantine, Regulatory Affairs Scientist  
8 Calthorpe Road  
Edgbaston, Birmingham  
West Midlands  
UK B15 1QT

February 13, 2013

Re: k120236

Trade/Device Name: Human Transferrin kit for use on the SPAPlus™  
Regulation Number: 21 CFR §866.5880  
Regulation Name: Transferrin Immunological Test System  
Regulatory Class: Class II  
Product Code: DDG  
Dated: February 11, 2013  
Received: February 11, 2013

Dear Dr. Constantine:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the [Federal Register](#).

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical

device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,

**Maria M. Chan -S**

Maria M. Chan, Ph.D.  
Director  
Division of Immunology and Hematology Devices  
Office of *In Vitro* Diagnostics and Radiological Health  
Center for Devices and Radiological Health

Enclosure

# Indications for Use

510(k) Number (if known): k120236

Device Name: Human Transferrin Kit for use on SPA<sub>PLUS</sub>

## Indications For Use:

The Binding Site Human Transferrin Kit is intended for the quantitative determination of human transferrin using the Binding Site SPA<sub>PLUS</sub> turbidimetric analyzer in human serum. The measurement of transferrin levels aids in the diagnosis of malnutrition, acute inflammation, infection and iron deficiency anemia. This test should be used in conjunction with other laboratory and clinical findings

Prescription Use

AND/OR

Over-The-Counter Use

(Part 21 CFR 801 Subpart D)

(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

---

Concurrence of CDRH; Office of In Vitro Diagnostics and Radiological Health (OIR)

Donna Rowe  
Division Sign-Off

Page 1 of 1

Office of In Vitro Diagnostics and Radiological Health

510(k) k120236