



Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Center – WO66-G609  
Silver Spring, MD 20993-0002

January 8, 2015

Cefla s.c.  
C/O Mr. Claude Berthoin  
President  
Thema USA  
110 East Granada Boulevard, Suite 207  
Ormond Beach, FL 32176

Re: K133412  
Trade/Device Name: S200 and S300  
Regulation Number: 21 CFR 872.6640  
Regulation Name: Dental Operative Unit and Accessories  
Regulatory Class: I  
Product Code: EIA  
Dated: December 8, 2014  
Received: December 9, 2014

Dear Mr. Berthoin:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,

A handwritten signature in black ink that reads "Susan Runno DDS, MA". The signature is written in a cursive style. There is a faint, semi-transparent watermark of the FDA logo behind the signature.

Erin I. Keith, M.S.  
Director  
Division of Anesthesiology, General Hospital,  
Respiratory, Infection Control and Dental Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

## INDICATION FOR USE

**Applicant:** CEFLA s.c. – CEFLA DENTAL GROUP

**510(k) Number (if known):** K133412

**Device Name:** S200

**Indication For Use:**

The dental device is composed by two distinguished and physically connected equipments, that are:

- dental chair
- dental unit (hydro-group)

The dental chair is an equipment whose function is to support and position the patient during the dental operations. The dental unit is an equipment connected to the dental chair whose function is to lodge, support and functionally supply the professional instruments used by the dentist and it is combined with accessories.

Prescription Use  X   
(21 CFR Part 801 Subpart D)

And/Or

Over the Counter Use  \_\_\_\_   
(21 CFR Part 801 Subpart C)

**(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED).**

---

Concurrence of CDRH, Office of Device Evaluation (ODE).

---

Division Sign-Off  
Office of Device Evaluation

510(k) \_\_\_\_\_

**Applicant:** CEFLA s.c. – CEFLA DENTAL GROUP

**510(k) Number (if known):** K133412

**Device Name:** S300

**Indication For Use:**

The dental device is composed by two distinguished and physically connected equipments, that are:

- dental chair
- dental unit (hydro-group)

The dental chair is an equipment whose function is to support and position the patient during the dental operations. The dental unit is an equipment connected to the dental chair whose function is to lodge, support and functionally supply the professional instruments used by the dentist and it is combined with accessories.

Prescription Use  X   
(21 CFR Part 801 Subpart D)

And/Or

Over the Counter Use  \_\_\_\_   
(21 CFR Part 801 Subpart C)

**(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED).**

---

Concurrence of CDRH, Office of Device Evaluation (ODE).

---

Division Sign-Off  
Office of Device Evaluation

510(k) \_\_\_\_\_