



Food and Drug Administration
10903 New Hampshire Avenue
Document Control Center – WO66-G609
Silver Spring, MD 20993-0002

SonoScape Company Limited
% Toki Wu
Yizhe Building, Yuquan Road
Nanshan, Shenzhen, 518051
P.R.CHINA

April 28, 2015

Re: K150045
Trade/Device Name: S30/S40 Digital Color Doppler Ultrasound System
Regulation Number: 21 CFR 892.1550
Regulation Name: Ultrasonic pulsed doppler imaging system
Regulatory Class: II
Product Code: IYN, IYO, ITX
Dated: March 3, 2015
Received: March 30, 2015

Dear Toki Wu:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638 2041 or (301) 796-7100 or at its Internet address

<http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>. Also, please note the regulation entitled, “Misbranding by reference to premarket notification” (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to

<http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH’s Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address

<http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,

A handwritten signature in black ink that reads "Robert A. Ochs". The signature is written in a cursive style. Behind the signature, there is a faint, semi-transparent watermark of the FDA logo.

Robert Ochs, Ph.D.
Acting Director
Division of Radiological Health
Office of In Vitro Diagnostics
and Radiological Health
Center for Devices and Radiological Health

Enclosure

Indications for Use

510(k) Number (if known)

K150045

Device Name

S30/S40 Digital Color Doppler Ultrasound System

Indications for Use (Describe)

The SonoScape S30/S40 system is a general-purpose ultrasonic imaging instrument intended for use by a qualified physician for evaluation of Fetal, Abdominal, Pediatric, Small Organ (breast, testes, thyroid), Cephalic (neonatal and adult), Transrectal, Trans-vaginal, Peripheral Vascular, Cerebral Vascular, Musculo-skeletal (Conventional and Superficial), Cardiac (neonatal and adult), Trans-esoph.(Cardiac), Laparoscopic, OB/Gyn and Urology.

Type of Use (Select one or both, as applicable)

Prescription Use (Part 21 CFR 801 Subpart D)

Over-The-Counter Use (21 CFR 801 Subpart C)

CONTINUE ON A SEPARATE PAGE IF NEEDED.

This section applies only to requirements of the Paperwork Reduction Act of 1995.

DO NOT SEND YOUR COMPLETED FORM TO THE PRA STAFF EMAIL ADDRESS BELOW.

The burden time for this collection of information is estimated to average 79 hours per response, including the time to review instructions, search existing data sources, gather and maintain the data needed and complete and review the collection of information. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, to:

Department of Health and Human Services
Food and Drug Administration
Office of Chief Information Officer
Paperwork Reduction Act (PRA) Staff
PRASStaff@fda.hhs.gov

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB number."

Diagnostic Ultrasound Indications for Use Form

System: SonoScape S30/S40
 Diagnostic Ultrasound Pulsed Echo System
 Diagnostic Ultrasound Pulsed Doppler Imaging System

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	Note 1	Notes 2,4,5
	Abdominal	P	P	P		P	P	Note 1	Notes 2,4,5
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic	N	N	N		N	N	Note 1	Notes 2,4
	Pediatric	P	P	P		P	P	Note 1	Notes 2,4
	Small Organ (specify)	P	P	P		P	P	Note 1	Notes 2,4,6,7
	Neonatal Cephalic	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Adult Cephalic	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Trans-rectal	P	P	P		P	P	Note 1	Notes 2,4
	Trans-vaginal	P	P	P		P	P	Note 1	Notes 2,4
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	Note 1	Notes 2,4
	Musculo-skeletal (Superficial)	P	P	P		P	P	Note 1	Notes 2,4
	Intravascular								
Other (Ob/GYN)	P	P	P		P	P	Note 1	Notes 2,4,5	
Other (Urology)	P	P	P		P	P	Note 1	Notes 2,4	
Cardiac	Cardiac Adult	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Cardiac Pediatric	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intra-cardiac								
	Other (specify)								
Peripheral Vessel	Peripheral vessel	P	P	P	N	P	P	Note 1	Notes 2,4
	Cerebral vascular			N					

N = new indication; P = previously cleared by FDA; E = added under this appendix
 Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD
 Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents
 Note 3: TDI Note 4: 3D Note 5: 4D
 Note 6: Small Organ: breast, thyroid, testes
 Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: C322 Curved Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	Note 1	Notes 2,4
	Abdominal	P	P	P		P	P	Note 1	Notes 2,4
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)		P	P	P		P	P	Note 1	Notes 2,4
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
	Other (specify)								
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: C353 Curved Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	Note 1	Notes 2,4
	Abdominal	P	P	P		P	P	Note 1	Notes 2,4
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)		P	P	P		P	P	Note 1	Notes 2,4
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: C542 Curved Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	Note 1	Notes 2,4
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric	P	P	P		P	P	Note 1	Notes 2,4
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: VC6-2 Curved Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	Note 1	Notes 2,4,5
	Abdominal	P	P	P		P	P	Note 1	Notes 2,4,5
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)		P	P	P		P	P	Note 1	Notes 2,4,5
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
	Other (specify)								
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: C613 Micro-curved Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	N	N	N		N	N	Note 1	Notes 2,4
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric	N	N	N		N	N	Note 1	Notes 2,4
	Small Organ (specify)								
	Neonatal Cephalic	N	N	N	N	N	N	Note 1	Notes 2,3,4
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric	N	N	N	N	N	N	Note 1	Notes 2,3,4
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: 2P1 Phase Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	Note 1	Notes 2,4
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Adult Cephalic	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Cardiac Pediatric	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix
 Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD
 Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents
 Note 3: TDI Note 4: 3D Note 5: 4D
 Note 6: Small Organ: breast, thyroid, testes
 Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: 2P2 Phase Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	Note 1	Notes 2,4
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Adult Cephalic	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Cardiac Pediatric	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: 3P1 Phase Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	Note 1	Notes 2,4
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Adult Cephalic	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Cardiac Pediatric	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: 5P1 Phase Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation								
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal									
	Abdominal									
	Intra-operative Specify									
	Intra-operative Neuro									
	Laparoscopic									
	Pediatric		P	P	P		P	P	Note 1	Notes 2,4
	Small Organ (specify)									
	Neonatal Cephalic		P	P	P	P	P	P	Note 1	Notes 2,3,4
	Adult Cephalic									
	Trans-rectal									
	Trans-vaginal									
	Trans-urethral									
	Trans-esoph.(non-Card)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
	Intravascular									
Other (Ob/GYN)										
Other (Urology)										
Cardiac	Cardiac Adult									
	Cardiac Pediatric		P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intravascular(Cardiac)									
	Trans-esoph.(Cardiac)									
	Intra-cardiac									
Other (specify)										
Peripheral Vessel	Peripheral vessel									
	Cerebral vascular									

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: 5P2 Phase Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric	P	P	P		P	P	Note 1	Notes 2,4
	Small Organ (specify)								
	Neonatal Cephalic	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: 8P1 Phase Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation								
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal									
	Abdominal									
	Intra-operative Specify									
	Intra-operative Neuro									
	Laparoscopic									
	Pediatric		P	P	P		P	P	Note 1	Notes 2,4
	Small Organ (specify)									
	Neonatal Cephalic		P	P	P	P	P	P	Note 1	Notes 2,3,4
	Adult Cephalic									
	Trans-rectal									
	Trans-vaginal									
	Trans-urethral									
	Trans-esoph.(non-Card)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
	Intravascular									
Other (Ob/GYN)										
Other (Urology)										
Cardiac	Cardiac Adult									
	Cardiac Pediatric		P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intravascular(Cardiac)									
	Trans-esoph.(Cardiac)									
	Intra-cardiac									
Other (specify)										
Peripheral Vessel	Peripheral vessel									
	Cerebral vascular									

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: L741 Linear Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)	P	P	P		P	P	Note 1	Notes 2,4,6,7
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	Note 1	Notes 2,4
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel	P	P	P		P	P	Note 1	Notes 2,4
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: L742 Linear Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)	P	P	P		P	P	Note 1	Notes 2,4,6
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	Note 1	Notes 2,4
	Musculo-skeletal (Superficial)	P	P	P		P	P	Note 1	Notes 2,4
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel	P	P	P		P	P	Note 1	Notes 2,4
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: L743 Linear Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)	P	P	P		P	P	Note 1	Notes 2,4,6
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	Note 1	Notes 2,4
	Musculo-skeletal (Superficial)	P	P	P		P	P	Note 1	Notes 2,4
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel	P	P	P		P	P	Note 1	Notes 2,4
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: L752 Linear Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)	P	P	P		P	P	Note 1	Notes 2,4,6,7
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	Note 1	Notes 2,4
	Musculo-skeletal (Superficial)	P	P	P		P	P	Note 1	Notes 2,4
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
	Other (specify)								
Peripheral Vessel	Peripheral vessel	P	P	P		P	P	Note 1	Notes 2,4
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: 10L1 Linear Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)	P	P	P		P	P	Note 1	Notes 2,4,6
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	Note 1	Notes 2,4
	Musculo-skeletal (Superficial)	P	P	P		P	P	Note 1	Notes 2,4
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel	P	P	P		P	P	Note 1	Notes 2,4
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: EC9-5 Micro-curved Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation								
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal									
	Abdominal									
	Intra-operative Specify									
	Intra-operative Neuro									
	Laparoscopic									
	Pediatric									
	Small Organ (specify)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal		P	P	P		P	P	Note 1	Notes 2,4
	Trans-vaginal		P	P	P		P	P	Note 1	Notes 2,4
	Trans-urethral									
	Trans-esoph.(non-Card)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
Intravascular										
Other (Ob/GYN)										
Other (Urology)		P	P	P		P	P	Note 1	Notes 2,4	
Cardiac	Cardiac Adult									
	Cardiac Pediatric									
	Intravascular(Cardiac)									
	Trans-esoph.(Cardiac)									
	Intra-cardiac									
Other (specify)										
Peripheral Vessel	Peripheral vessel									
	Cerebral vascular									

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: BCC9-5 Micro-curved Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation								
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal									
	Abdominal									
	Intra-operative Specify									
	Intra-operative Neuro									
	Laparoscopic									
	Pediatric									
	Small Organ (specify)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal		P	P	P		P	P	Note 1	Notes 2,4
	Trans-vaginal		P	P	P		P	P	Note 1	Notes 2,4
	Trans-urethral									
	Trans-esoph.(non-Card)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
Intravascular										
Other (Ob/GYN)										
Other (Urology)		P	P	P		P	P	Note 1	Notes 2,4	
Cardiac	Cardiac Adult									
	Cardiac Pediatric									
	Intravascular(Cardiac)									
	Trans-esoph.(Cardiac)									
	Intra-cardiac									
Other (specify)										
Peripheral Vessel	Peripheral vessel									
	Cerebral vascular									

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: BCL10-5 Biplane Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation								
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal									
	Abdominal									
	Intra-operative Specify									
	Intra-operative Neuro									
	Laparoscopic									
	Pediatric									
	Small Organ (specify)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal		P	P	P		P	P	Note 1	Notes 2,4
	Trans-vaginal		P	P	P		P	P	Note 1	Notes 2,4
	Trans-urethral									
	Trans-esoph.(non-Card)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
Intravascular										
Other (Ob/GYN)										
Other (Urology)		P	P	P		P	P	Note 1	Notes 2,4	
Cardiac	Cardiac Adult									
	Cardiac Pediatric									
	Intravascular(Cardiac)									
	Trans-esoph.(Cardiac)									
	Intra-cardiac									
Other (specify)										
Peripheral Vessel	Peripheral vessel									
	Cerebral vascular									

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: MPTEE Phased Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: MPTEE mini Phased Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)	P	P	P	P	P	P	Note 1	Notes 2,3,4
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: CWD2.0

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult				N				
	Cardiac Pediatric				N				
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
	Other (specify)								
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: CWD5.0

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric				N				
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel				N				
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: PWD2.0

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic								
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic			N					
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular			N					

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

Diagnostic Ultrasound Indications for Use Form

Transducer: LAP7 Linear Array

Diagnostic Ultrasound Transducer

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (TRACK 1 ONLY)	Specific (TRACKS 1 & 3)	B	M	PWD	CWD	Color Doppler	Power (Amplitude) Doppler	Other* Combined	Other* Specify
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative Specify								
	Intra-operative Neuro								
	Laparoscopic	N	N	N		N	N	Note 1	Notes 2,4
	Pediatric								
	Small Organ (specify)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph.(non-Card)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Other (Ob/GYN)									
Other (Urology)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular(Cardiac)								
	Trans-esoph.(Cardiac)								
	Intra-cardiac								
Other (specify)									
Peripheral Vessel	Peripheral vessel								
	Cerebral vascular								

N = new indication; P = previously cleared by FDA; E = added under this appendix

Note 1: Other Combined includes: B/M; B/PWD; B/THI; M/Color M; B/Color Doppler; B/Color Doppler/PWD; B/Power Doppler/PWD

Note 2: Tissue Harmonic Imaging. The feature does not use contrast agents

Note 3: TDI

Note 4: 3D

Note 5: 4D

Note 6: Small Organ: breast, thyroid, testes

Note 7: Elastography

510(k) Summary

1. Submitter [21 CFR807.92 (a) (1)]

Submitter: SonoScape Company Limited
 Address: Yizhe Building, Yuquan Road, Nanshan, Shenzhen
 518051, P.R.China
 Contact Person: Toki Wu
 Tel: +86 755 26722890
 Fax: +86 755 26722850
 Email: wusq@sonoscape.net
 Date Prepared January 9, 2015

2. Device [21 CFR807.92 (a) (2)]

Trade Name: S30/S40 Digital Color Doppler Ultrasound System
 Common Name: Diagnostic Ultrasound System and Transducers

Classification Regulatory:

	<u>FR Number</u>	<u>Product Code</u>
Ultrasonic Pulsed Doppler Imaging System	892.1550	90-IYN
Ultrasonic Pulsed Echo Imaging System	892.1560	90-IYO
Diagnostic Ultrasound Transducer	892.1570	90-ITX

Classification Panel: Radiology

Device Class: II

3. Predicate Device(s) [21 CFR 807.92(a) (3)]

The identified predicate devices within this submission are as follows:

SonoScape S30 Digital Color Doppler Ultrasound System	K132527
SonoScape S40 Digital Color Doppler Ultrasound System	K131213
SonoScape S9 Portable Digital Color Doppler Ultrasound System	K142710

4. Device Description [21 CFR 807.92(a) (4)]

This SonoScape S30/S40 Digital Color Doppler Ultrasound System is an integrated preprogrammed color ultrasound imaging system, capable of producing high detail resolution intended for clinical diagnostic imaging applications.

The basic principle is that system transmits ultrasonic energy into patient body and implements post processing of received echoes to generate onscreen display of anatomic structures and fluid flow within the body.

This system is a Track 3 device that employs a wide array of probes that include linear array, convex array and phased array with a frequency range of 2.0 MHz to 15.0 MHz. This system consists of a mobile console with touch screen and keyboard control panel, power supply module, color LCD monitor and optional probes.

This system is a mobile, general purpose, software controlled, color diagnostic ultrasound system. Its basic function is to acquire ultrasound data and to display the image in B-Mode (including Tissue Harmonic Image), M-Mode, TDI, Color-Flow Doppler, Pulsed Wave Doppler, Continued Wave Doppler and Power Doppler, or the combination of these modes, Elastography, 3D/4D.

The subject of this submission is the addition of new indications, new probes and special function to original SonoScape S30 and the addition of S40 model.

New indications	Cerebral Vascular and Laparoscopic.
New probes	Add C345, C613, 2P2, 3P1, 5P2, 8P1, 6V1A, CWD2.0, CWD5.0, PWD2.0 and LAP7 probes.
Special function	Elastography.
Added Model	S40

5. Intended Use [21 CFR 807.92(a) (5)]

The SonoScape S30/S40 system is a general-purpose ultrasonic imaging instrument intended for use by a qualified physician for evaluation of Fetal, Abdominal, Pediatric, Small Organ (breast, testes, thyroid), Cephalic (neonatal and adult), Transrectal, Trans-vaginal, Peripheral Vascular, Cerebral Vascular, Musculo-skeletal (Conventional and Superficial), Cardiac (neonatal and adult), Trans-esoph.(Cardiac), Laparoscopic, OB/Gyn and Urology.

6. Comparison with the Predicate Devices [21 CFR 807.92(a) (6)]

S30/S40 Digital Color Doppler Ultrasound System is comparable with and substantially equivalent to the predicate devices:

SonoScape S30 Digital Color Doppler Ultrasound System	K132527
SonoScape S40 Digital Color Doppler Ultrasound System	K131213
SonoScape S9 Portable Digital Color Doppler Ultrasound System	K142710

Intended Use Comparison:

Compared with SonoScape S9 (K142710), the Subject Device S30/S40 has the same intended uses.

Technical Characteristics Comparison:

The basic and main technical features of the Subject Device S30/S40 are similar to SonoScape S9 (K142710) and the same as the Predicated Device original SonoScape S30 (K132527) and S40 (K131213) separately, including Design, Operation Controls, Display Modes, Measurement Items, Cine Loop and Operating and Storage Condition. For Operation Modes, Elastography is a special Operation Mode for the Subject Device S30/S40, but already employed by many marketed devices and same as the Predicate Device SonoScape S9 (K142710).

The detailed technical features comparison and analysis can be found in **Substantial Equivalence Comparison** and the detailed technical features can be found in **General Device Descriptions** of the submission.

Probes Comparison:

Subject device S30/S40 has the similar probes as the predicated device SonoScape S9 (K142710) and original SonoScape S30 (K132527).

Table 1 Probes Comparison

Subject device SonoScape S30/S40	Predicate Device SonoScape S9	Remark
C322 Micro-curved Array C344 Curved Array C345 Curved Array C353 Curved Array C542 Curved Array	C322 Micro-curved Array C344 Curved Array C353 Curved Array C542 Curved Array	SE Analysis1
VC6-2 Curved Array	VC6-2 Curved Array	Same
C613 Micro-curved Array	C613 Micro-curved Array	Same
2P2 Phased Array 3P1 Phased Array 5P2 Phased Array 8P1 Phased Array	2P2 Phased Array 3P1 Phased Array 5P2 Phased Array 8P1 Phased Array	Same
L741 Linear Array L742 Linear Array L743 Linear Array L752 Linear Array 10L1 Linear Array	L741 Linear Array L742 Linear Array L743 Linear Array L752 Linear Array 10L1 Linear Array	Same
6V1 Micro-curved Array 6V1A Micro-curved Array	6V1 Micro-curved Array	SE Analysis1

6V3 Micro-curved Array EC9-5 Micro-curved Array BCC9-5 Micro-curved Array BCL10-5 Biplane (Micro-curved + Linear Array)	6V3 Micro-curved Array EC9-5 Micro-curved Array BCC9-5 Micro-curved Array BCL10-5 Biplane (Micro-curved + Linear Array)	Same
MPTEE Phased Array (Multi-plane) MPTEE mini Phased Array (Multi-plane)	MPTEE Phased Array (Multi-plane) MPTEE mini Phased Array (Multi-plane)	Same
CWD2.0, 2.0 MHz CWD5.0, 5.0 MHz PWD2.0, 2.0 MHz	CWD2.0, 2.0 MHz CWD5.0, 5.0 MHz PWD2.0, 2.0 MHz	Same
LAP7, Linear Array	LAP7, Linear Array	Same
Subject device SonoScape S30/S40	Predicate Device Original SonoScape S30	Remark
2P1 Phased Array 5P1 Phased Array	2P1 Phased Array 5P1 Phased Array	Same

SE Analysis 1:

Compared with the predicate device SonoScape S9 and original SonoScape S30, there are only two new probes (C345 and 6V1A) for the subject device, but no new intended use. And the frequency and performance of C345 and 6V1A probes is the same as C344 and 6V1 probes respectively for predicate device.

Moreover, compared with predicated devices, the subject device (S30/S40) complies with the same regulation and safety standards and has the consistent acoustic output levels. Therefore they can be considered Substantially Equivalent in safety and effectiveness, and no new risk is raised, so the SE is not affected.

7. Non-Clinical Tests [21 CFR 807.92(b) (1)]

The S30/S40 Digital Color Doppler Ultrasound System has been evaluated for electrical, mechanical, thermal and electromagnetic compatibility safety, biocompatibility and acoustic output.

Laboratory tests (including strain Elastography function) were conducted to verify that the S30/S40 system met all design specifications and the S30/S40 system conformed to applicable medical device standards. The S30/S40 system has been designed and manufactured to meet the following standards: IEC 60601-1, IEC 60601-1-2, IEC 60601-2-37, ISO 10993-5, ISO10993-10, UD2, and UD3.

8. Clinical Test [21 CFR 807.92(b) (2)]

No clinical testing was required.

9. Substantially Equivalent Conclusions [21 CFR 807.92(b) (3)]

In accordance with the 21 CFR Part 807 and based on the information provided in this premarket notification, SonoScape Company Limited concludes that S30/S40 Digital Color Doppler Ultrasound System is substantially equivalent to the predicate devices with regard to safety and effectiveness.