



Food and Drug Administration
10903 New Hampshire Avenue
Document Control Center – WO66-G609
Silver Spring, MD 20993-0002

July 14, 2015

K2M, Incorporated
% Ms. Nancy Giezen
Manager, Regulatory Affairs
751 Miller Drive South East
Leesburg, Virginia 20175

Re: K150983

Trade/Device Name: Pyrenees Cervical Plate System
Regulation Number: 21 CFR 888.3060
Regulation Name: Spinal intervertebral body fixation orthosis
Regulatory Class: Class II
Product Code: KWQ
Dated: June 16, 2015
Received: June 17, 2015

Dear Ms. Giezen:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set

forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Division of Industry and Consumer Education at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address

<http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to

<http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Industry and Consumer Education at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address

<http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,

Mark N. Melkerson -S

Mark N. Melkerson
Director
Division of Orthopedic Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications for Use

510(k) Number (if known)

K150983

Device Name

Pyrenees Cervical Plate System

Indications for Use (Describe)

K2M Cervical Plate Systems are indicated for use in anterior screw fixation to the cervical spine (C2-C7) for the following indications: degenerative disc disease (DDD) (defined as neck pain of discogenic origin with degeneration of the disc confirmed by history and radiographic studies), spondylolisthesis, trauma (including fractures), spinal stenosis and tumors (primary and metastatic), failed previous fusions (pseudarthrosis) and deformity (defined as scoliosis, kyphosis or lordosis).

Type of Use (Select one or both, as applicable)

☒ Prescription Use (Part 21 CFR 801 Subpart D)

☐ Over-The-Counter Use (21 CFR 801 Subpart C)

CONTINUE ON A SEPARATE PAGE IF NEEDED.

This section applies only to requirements of the Paperwork Reduction Act of 1995.

DO NOT SEND YOUR COMPLETED FORM TO THE PRA STAFF EMAIL ADDRESS BELOW.

The burden time for this collection of information is estimated to average 79 hours per response, including the time to review instructions, search existing data sources, gather and maintain the data needed and complete and review the collection of information. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, to:

Department of Health and Human Services
Food and Drug Administration
Office of Chief Information Officer
Paperwork Reduction Act (PRA) Staff
PRASStaff@fda.hhs.gov

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB number."

510(k) SUMMARY
Pyrenees Cervical Plate System

Submitter

K2M, Inc.
751 Miller Drive SE
Leesburg, VA 20175

Contact Person: Nancy Giezen
Telephone: 703-777-3155
Date Prepared: 06/16/2015

Classification

Trade Name: Pyrenees Cervical Plate System
Common Name: Spinal Fixation System
Regulatory Class: Class II

Classification Name(s):

Spinal Intervertebral Body Fixation Orthosis (21 CFR 888.3060, Product Code KWQ)

Predicate Device(s)

Primary Predicate:

K2M Pyrenees Cervical Plate System (K063544)

Additional Predicates:

DePuy Uniplate (K042544)

Synthes CSLP (K971883, K000536)

EBI Cyprus (K060379)

DePuy Peak (K971730)

Device Description

The Pyrenees Cervical Plate System consists of plates (1-5 level) and screws (self-tapping and self-starting) made of titanium alloy per ASTM F1472 and F136 and CP titanium per ASTM F67. The plates range in length from 18-110mm and the screws from 10-22mm. The Pyrenees Cervical Plates are offered in both constrained and translational designs. The subject 510(k) adds plates and screws to the system. The Pyrenees system components are provided non-sterile.

Function: The system functions as a spinal fixation device to provide support and stabilization of the cervical vertebrae.

Intended Use

K2M Cervical Plate Systems are indicated for use in anterior screw fixation to the cervical spine (C2-C7) for the following indications: degenerative disc disease (DDD) (defined as neck pain of discogenic origin with degeneration of the disc confirmed by history and radiographic studies), spondylolisthesis, trauma (including fractures), spinal stenosis and tumors (primary and metastatic), failed previous fusions (pseudarthrosis) and deformity (defined as scoliosis, kyphosis or lordosis).

Technological Comparison to Predicate(s)

The Pyrenees Cervical Plate System was compared to predicate systems and the design features, materials and sizes were found to be substantially the same as these systems.

Non-clinical Performance Evaluation

The Pyrenees plates were mechanically tested and compared to predicate devices. The plates performed equally to or better than these systems in static compression, static torsion, and dynamic compression in accordance with ASTM F1717.

Conclusion

There are no significant differences between the Pyrenees Cervical Plate System and other systems currently being marketed which would adversely affect the use of the product. It is substantially equivalent to these other devices in design, function, material and intended use.