



Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Center - WO66-G609  
Silver Spring, MD 20993-0002

Voco Gmbh  
T Gerkensmeier  
Regulatory Affairs  
Anton-flettner-str. 1-3  
Cuxhaven, 27472 DE

July 29, 2016

Re: K153493  
Trade/Device Name: Clip Flow  
Regulation Number: 21 CFR 872.3690  
Regulation Name: Tooth Shade Resin Material  
Regulatory Class: Class II  
Product Code: EBF  
Dated: December 1, 2015  
Received: December 4, 2015

Dear T Gerkensmeier:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Division of Industry and Consumer Education at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address

<http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Industry and Consumer Education at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address

<http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,

A handwritten signature in black ink that reads "Susan Runno, DDS, MA". The signature is written in a cursive style. A faint, semi-transparent "FDA" watermark is visible behind the signature.

Erin Keith  
Director  
Division of Anesthesiology,  
General Hospital, Respiratory, Infection  
Control, and Dental Devices  
Office of Device Evaluation  
Center for Devices and Radiological Health

Enclosure

## Indications for Use Statement

510(k) Number: \_\_\_\_\_

Device Name: Clip Flow

Indications for Use:

**Clip Flow** is intended for use as:

- [A] Temporary inlay and onlay treatments of the cavity
- [B] Sealing of openings for implant screws
- [C] Relining material for temporary crowns and bridges
- [D] Block-out material for retentive areas in the dental arch, e.g. before taking impressions
- [E] Covering of the gingival margin
- [F] Fixing of resin matrix during filling placement
- [G] Temporary filling of cavities

**Prescription Use**   X                        OR                      **Over-The-Counter Use** \_\_\_\_\_

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

\_\_\_\_\_  
**Concurrence of CDRH, Office of Device Evaluation (ODE)**