



Shenzhen Mindray Bio-medical Electronics Co., LTD.
% Yang Zhaohui
Engineer of Technical Regulation
Mindray Building, Keji 12th Road South
Hi-tech Industrial Park, Nanshan
ShenZhen, GangDong 518057
P.R. CHINA

January 8, 2018

Re: K173471

Trade/Device Name: DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85
Diagnostic Ultrasound System

Regulation Number: 21 CFR 892.1550

Regulation Name: Ultrasonic pulsed doppler imaging system

Regulatory Class: II

Product Code: IYN, IYO, ITX

Dated: November 1, 2017

Received: November 8, 2017

Dear Yang Zhaohui:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820);

and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

For comprehensive regulatory information about medical devices and radiation-emitting products, including information about labeling regulations, please see Device Advice (<https://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/>) and CDRH Learn (<http://www.fda.gov/Training/CDRHLearn>). Additionally, you may contact the Division of Industry and Consumer Education (DICE) to ask a question about a specific regulatory topic. See the DICE website (<http://www.fda.gov/DICE>) for more information or contact DICE by email (DICE@fda.hhs.gov) or phone (1-800-638-2041 or 301-796-7100).

Sincerely,

A handwritten signature in blue ink that reads "Michael D. O'Hara". The signature is written in a cursive style. A large, faint "FDA" watermark is visible in the background behind the signature.

For

Robert Ochs, Ph.D.
Director
Division of Radiological Health
Office of In Vitro Diagnostics
and Radiological Health
Center for Devices and Radiological Health

Enclosure

Indications for Use

510(k) Number (if known)

K173471

Device Name

DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System

Indications for Use (Describe)

The DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System is applicable for adults, pregnant women, pediatric patients and neonates. It is intended for use in fetal, abdominal, pediatric, small organ (breast, thyroid, testes), neonatal cephalic, adult cephalic, trans-rectal, trans-vaginal, musculo-skeletal (conventional, superficial), cardiac adult, cardiac pediatric, peripheral vessel, urology and transesophageal (Cardiac) exams.

Type of Use (Select one or both, as applicable)

☒ Prescription Use (Part 21 CFR 801 Subpart D)

☐ Over-The-Counter Use (21 CFR 801 Subpart C)

CONTINUE ON A SEPARATE PAGE IF NEEDED.

This section applies only to requirements of the Paperwork Reduction Act of 1995.

DO NOT SEND YOUR COMPLETED FORM TO THE PRA STAFF EMAIL ADDRESS BELOW.

The burden time for this collection of information is estimated to average 79 hours per response, including the time to review instructions, search existing data sources, gather and maintain the data needed and complete and review the collection of information. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, to:

Department of Health and Human Services
Food and Drug Administration
Office of Chief Information Officer
Paperwork Reduction Act (PRA) Staff
PRAStaff@fda.hhs.gov

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB number."

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	/								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 3, 4,6,7
	Abdominal	P	P	P	P	P	P	P	Note 1, 2, 3, 4, 6, 7, 10, 11, 12
	Intra-operative (Specify*)	P	P	P		P	P	P	Note1,2,4
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P	P	P	P	P	Note 1, 2, 3,4,6,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,7,8
	Neonatal Cephalic	P	P	P	P	P	P	P	Note 1,2, 4,6,7
	Adult Cephalic	P	P	P	P	P	P	P	Note 1, 2,4, 6,7
	Trans-rectal	P	P	P		P	P	P	Note 1, 2, 3,4,6,7,8
	Trans-vaginal	P	P	P		P	P	P	Note 1, 2, 3,4,6,7,8
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P	P	P	P	P	Note 1, 2, 4,6,7
	Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1,2, 4,7
Intravascular									
Cardiac	Cardiac Adult	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7,9
	Cardiac Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)	P	P	P	P	P	P	P	Note 1, 5,6
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Other (Specify***)	P	P	P		P	P	P	Note 1, 2, 4,6,7
N=new indication; P=previously cleared by FDA; E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	C5-1E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4, 6, 7, 10, 11, 12
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Musculo-skeletal (Superficial)								
	Intravascular								
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K171233); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	L14-5WE								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1,2, 4,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1,2, 4,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,7,8
	Neonatal Cephalic	P	P	P		P	P	P	Note 1,2, 4,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1,2, 4,7
	Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1,2, 4,7
	Intravascular								
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1,2, 4,7
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K171233); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	L9-3E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,7,8
	Neonatal Cephalic	P	P	P		P	P	P	Note 1, 2, 4,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1, 2, 4,7
	Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1, 2, 4,7
	Intravascular								
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,7
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K171233); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System									
Transducer:	V11-3HE									
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:									
Clinical Application		Mode of Operation								
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7	
	Abdominal									
	Intra-operative (Specify*)									
	Intra-operative (Neuro)									
	Laparoscopic									
	Pediatric									
	Small Organ (Specify**)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal	P	P	P		P	P	P	Note 1, 2, 4,6,7,8	
	Trans-vaginal	P	P	P		P	P	P	Note 1, 2, 4,6,7,8	
	Trans-urethral									
	Trans-esoph. (non-Card.)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
Intravascular										
Cardiac	Cardiac Adult									
	Cardiac Pediatric									
	Intravascular (Cardiac)									
	Trans-esoph. (Cardiac)									
	Intra-cardiac									
Peripheral vessel	Peripheral vessel									
	Other (Specify***)	P	P	P		P	P	P	Note 1, 2, 4,6,7	
N=new indication; P=previously cleared by FDA(K171233); E=added under Appendix E										
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.										
*Intraoperative includes abdominal, thoracic, and vascular										
**Small organ-breast, thyroid, testes.										
***Other use includes Urology.										
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.										
Note 2: Smart3D										
Note 3:4D(Real-time 3D)										
Note 4: iScape										
Note 5: TDI										
Note 6: Color M										
Note 7: Biopsy Guidance										
Note 8: Elastography										
Note 9: Contrast imaging(contrast agent for LVO)										
Note 10: Contrast imaging (Contrast agent for Liver)										
Note 11: STE										
Note 12: STQ										
Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)										

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	D8-2E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 3, 4, 6,7
	Abdominal	P	P	P		P	P	P	Note 1, 3, 4, 6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric								
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Cardiac	Intravascular							
Cardiac Adult									
Cardiac Pediatric									
Intravascular (Cardiac)									
Trans-esoph. (Cardiac)									
Peripheral vessel	Intra-cardiac								
	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K171233); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System									
Transducer:	D7-2E									
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:									
Clinical Application		Mode of Operation								
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 3, 4, 6	
	Abdominal	P	P	P		P	P	P	Note 1, 3, 4, 6	
	Intra-operative (Specify*)									
	Intra-operative (Neuro)									
	Laparoscopic									
	Pediatric									
	Small Organ (Specify**)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal									
	Trans-vaginal									
	Trans-urethral									
	Trans-esoph. (non-Card.)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
	Cardiac	Intravascular								
Cardiac Adult										
Cardiac Pediatric										
Intravascular (Cardiac)										
Trans-esoph. (Cardiac)										
Peripheral vessel	Intra-cardiac									
	Peripheral vessel									
	Other (Specify***)									
N=new indication; P=previously cleared by FDA(K163690); E=added under Appendix E										
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.										
*Intraoperative includes abdominal, thoracic, and vascular										
**Small organ-breast, thyroid, testes.										
***Other use includes Urology.										
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.										
Note 2: Smart3D										
Note 3:4D(Real-time 3D)										
Note 4: iScape										
Note 5: TDI										
Note 6: Color M										
Note 7: Biopsy Guidance										
Note 8: Elastography										
Note 9: Contrast imaging(contrast agent for LVO)										
Note 10: Contrast imaging (Contrast agent for Liver)										
Note 11: STE										
Note 12: STQ										
Concurrence of CDRH, Office of Device Evaluation(ODE)										

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System									
Transducer:	C7-3E									
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:									
Clinical Application		Mode of Operation								
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7	
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4,6,7,10	
	Intra-operative (Specify*)									
	Intra-operative (Neuro)									
	Laparoscopic									
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,6,7	
	Small Organ (Specify**)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal									
	Trans-vaginal									
	Trans-urethral									
	Trans-esoph. (non-Card.)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
	Cardiac	Intravascular								
Cardiac Adult										
Cardiac Pediatric										
Intravascular (Cardiac)										
Trans-esoph. (Cardiac)										
Peripheral vessel	Intra-cardiac									
	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,6,7	
	Other (Specify***)									
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E										
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.										
*Intraoperative includes abdominal, thoracic, and vascular										
**Small organ-breast, thyroid, testes.										
***Other use includes Urology.										
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.										
Note 2: Smart3D										
Note 3:4D(Real-time 3D)										
Note 4: iScape										
Note 5: TDI										
Note 6: Color M										
Note 7: Biopsy Guidance										
Note 8: Elastography										
Note 9: Contrast imaging(contrast agent for LVO)										
Note 10: Contrast imaging (Contrast agent for Liver)										
Note 11: STE										
Note 12: STQ										
Concurrence of CDRH, Office of Device Evaluation(ODE)										

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	L12-3E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,7,8
	Neonatal Cephalic	P	P	P		P	P	P	Note 1, 2, 4,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1, 2, 4,7
	Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1, 2, 4,7
	Intravascular								
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,7
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System									
Transducer:	DE11-3E									
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:									
Clinical Application		Mode of Operation								
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 3,4,6,7	
	Abdominal									
	Intra-operative (Specify*)									
	Intra-operative (Neuro)									
	Laparoscopic									
	Pediatric									
	Small Organ (Specify**)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal	P	P	P		P	P	P	Note 1, 3,4,6,7,8	
	Trans-vaginal	P	P	P		P	P	P	Note 1, 3,4,6,7,8	
	Trans-urethral									
	Trans-esoph. (non-Card.)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
Intravascular										
Cardiac	Cardiac Adult									
	Cardiac Pediatric									
	Intravascular (Cardiac)									
	Trans-esoph. (Cardiac)									
	Intra-cardiac									
Peripheral vessel	Peripheral vessel									
	Other (Specify***)									
N=new indication; P=previously cleared by FDA(K171233); E=added under Appendix E										
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.										
*Intraoperative includes abdominal, thoracic, and vascular										
**Small organ-breast, thyroid, testes.										
***Other use includes Urology.										
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.										
Note 2: Smart3D										
Note 3:4D(Real-time 3D)										
Note 4: iScape										
Note 5: TDI										
Note 6: Color M										
Note 7: Biopsy Guidance										
Note 8: Elastography										
Note 9: Contrast imaging(contrast agent for LVO)										
Note 10: Contrast imaging (Contrast agent for Liver)										
Note 11: STE										
Note 12: STQ										
Concurrence of CDRH, Office of Device Evaluation(ODE)										

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	SP5-1E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P	P	P	P	P	Note 1, 2,4, 6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P	P	P	P	P	Note 1, 2,4, 6,7
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic	P	P	P	P	P	P	P	Note 1, 2,4, 6,7
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7,9
	Cardiac Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	SC5-1E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4,6,7,10,11,12
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	D6-2NE								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note1,3, 4,6
	Abdominal	P	P	P		P	P	P	Note1,3, 4,6
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note1,3, 4,6
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K163690); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	C6-2GE								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1,2,4,6,7
	Abdominal	P	P	P		P	P	P	Note 1,2,4,6,7,10
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1,2,4,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Cardiac	Intravascular							
Cardiac Adult									
Cardiac Pediatric									
Intravascular (Cardiac)									
Trans-esoph. (Cardiac)									
Peripheral vessel	Intra-cardiac								
	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K171233); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	C11-3E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Cardiac	Intravascular							
Cardiac Adult		P	P	P		P	P	P	Note 1, 2, 4,6,7
Cardiac Pediatric		P	P	P		P	P	P	Note 1, 2, 4,6,7
Intravascular (Cardiac)									
Trans-esoph. (Cardiac)									
Peripheral vessel	Intra-cardiac								
	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	L14-6NE								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1,2, 4,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1,2, 4,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,7,8
	Neonatal Cephalic	P	P	P		P	P	P	Note 1,2, 4,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1,2, 4,7
	Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1,2, 4,7
	Intravascular								
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1,2, 4,7
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System									
Transducer:	L14-6WE									
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:									
Clinical Application		Mode of Operation								
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal									
	Abdominal	P	P	P		P	P	P	Note 1,2, 4,7	
	Intra-operative (Specify*)									
	Intra-operative (Neuro)									
	Laparoscopic									
	Pediatric	P	P	P		P	P	P	Note 1,2, 4,7	
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,7,8	
	Neonatal Cephalic	P	P	P		P	P	P	Note 1,2, 4,7	
	Adult Cephalic									
	Trans-rectal									
	Trans-vaginal									
	Trans-urethral									
	Trans-esoph. (non-Card.)									
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1,2, 4,7	
	Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1,2, 4,7	
	Intravascular									
	Cardiac	Cardiac Adult								
Cardiac Pediatric										
Intravascular (Cardiac)										
Trans-esoph. (Cardiac)										
Intra-cardiac										
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1,2, 4,7	
	Other (Specify***)									
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E										
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.										
*Intraoperative includes abdominal, thoracic, and vascular										
**Small organ-breast, thyroid, testes.										
***Other use includes Urology.										
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.										
Note 2: Smart3D										
Note 3:4D(Real-time 3D)										
Note 4: iScape										
Note 5: TDI										
Note 6: Color M										
Note 7: Biopsy Guidance										
Note 8: Elastography										
Note 9: Contrast imaging(contrast agent for LVO)										
Note 10: Contrast imaging (Contrast agent for Liver)										
Note 11: STE										
Note 12: STQ										
Concurrence of CDRH, Office of Device Evaluation(ODE)										

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System									
Transducer:	V11-3E									
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:									
Clinical Application		Mode of Operation								
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7	
	Abdominal									
	Intra-operative (Specify*)									
	Intra-operative (Neuro)									
	Laparoscopic									
	Pediatric									
	Small Organ (Specify**)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal	P	P	P		P	P	P	Note 1, 2, 4,6,7,8	
	Trans-vaginal	P	P	P		P	P	P	Note 1, 2, 4,6,7,8	
	Trans-urethral									
	Trans-esoph. (non-Card.)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
Intravascular										
Cardiac	Cardiac Adult									
	Cardiac Pediatric									
	Intravascular (Cardiac)									
	Trans-esoph. (Cardiac)									
	Intra-cardiac									
Peripheral vessel	Peripheral vessel									
	Other (Specify***)	P	P	P		P	P	P	Note 1, 2, 4,6,7	
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E										
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.										
*Intraoperative includes abdominal, thoracic, and vascular										
**Small organ-breast, thyroid, testes.										
***Other use includes Urology.										
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.										
Note 2: Smart3D										
Note 3:4D(Real-time 3D)										
Note 4: iScape										
Note 5: TDI										
Note 6: Color M										
Note 7: Biopsy Guidance										
Note 8: Elastography										
Note 9: Contrast imaging(contrast agent for LVO)										
Note 10: Contrast imaging (Contrast agent for Liver)										
Note 11: STE										
Note 12: STQ										
Concurrence of CDRH, Office of Device Evaluation(ODE)										

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System									
Transducer:	V11-3BE									
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:									
Clinical Application		Mode of Operation								
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7	
	Abdominal									
	Intra-operative (Specify*)									
	Intra-operative (Neuro)									
	Laparoscopic									
	Pediatric									
	Small Organ (Specify**)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal	P	P	P		P	P	P	Note 1, 2, 4,6,7,8	
	Trans-vaginal	P	P	P		P	P	P	Note 1, 2, 4,6,7,8	
	Trans-urethral									
	Trans-esoph. (non-Card.)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
Intravascular										
Cardiac	Cardiac Adult									
	Cardiac Pediatric									
	Intravascular (Cardiac)									
	Trans-esoph. (Cardiac)									
	Intra-cardiac									
Peripheral vessel	Peripheral vessel									
	Other (Specify***)	P	P	P		P	P	P	Note 1, 2, 4,6,7	
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E										
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.										
*Intraoperative includes abdominal, thoracic, and vascular										
**Small organ-breast, thyroid, testes.										
***Other use includes Urology.										
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.										
Note 2: Smart3D										
Note 3:4D(Real-time 3D)										
Note 4: iScape										
Note 5: TDI										
Note 6: Color M										
Note 7: Biopsy Guidance										
Note 8: Elastography										
Note 9: Contrast imaging(contrast agent for LVO)										
Note 10: Contrast imaging (Contrast agent for Liver)										
Note 11: STE										
Note 12: STQ										
Concurrence of CDRH, Office of Device Evaluation(ODE)										

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System									
Transducer:	DE10-3E									
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:									
Clinical Application		Mode of Operation								
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)	
Ophthalmic	Ophthalmic									
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 3,4,6,7	
	Abdominal									
	Intra-operative (Specify*)									
	Intra-operative (Neuro)									
	Laparoscopic									
	Pediatric									
	Small Organ (Specify**)									
	Neonatal Cephalic									
	Adult Cephalic									
	Trans-rectal	P	P	P		P	P	P	Note 1, 3,4,6,7,8	
	Trans-vaginal	P	P	P		P	P	P	Note 1, 3,4,6,7,8	
	Trans-urethral									
	Trans-esoph. (non-Card.)									
	Musculo-skeletal (Conventional)									
	Musculo-skeletal (Superficial)									
Intravascular										
Cardiac	Cardiac Adult									
	Cardiac Pediatric									
	Intravascular (Cardiac)									
	Trans-esoph. (Cardiac)									
	Intra-cardiac									
Peripheral vessel	Peripheral vessel									
	Other (Specify***)									
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E										
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.										
*Intraoperative includes abdominal, thoracic, and vascular										
**Small organ-breast, thyroid, testes.										
***Other use includes Urology.										
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.										
Note 2: Smart3D										
Note 3:4D(Real-time 3D)										
Note 4: iScape										
Note 5: TDI										
Note 6: Color M										
Note 7: Biopsy Guidance										
Note 8: Elastography										
Note 9: Contrast imaging(contrast agent for LVO)										
Note 10: Contrast imaging (Contrast agent for Liver)										
Note 11: STE										
Note 12: STQ										
Concurrence of CDRH, Office of Device Evaluation(ODE)										

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	P4-2NE								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P	P	P	P	P	Note 1, 2,4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic	P	P	P	P	P	P	P	Note 1, 2,4,6,7
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7,9
	Cardiac Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	P7-3E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P	P	P	P	P	Note 1, 2,4,6
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,6
	Small Organ (Specify**)								
	Neonatal Cephalic	P	P	P	P	P	P	P	Note 1, 2,4,6
	Adult Cephalic	P	P	P	P	P	P	P	Note 1, 2,4,6
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P	P	P	P	P	Note 1, 2,4,6
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult	P	P	P	P	P	P	P	Note 1, 2,4,5,6
	Cardiac Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,5,6
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	P10-4E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P	P	P	P	P	Note 1, 2,4,6
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,6
	Small Organ (Specify**)								
	Neonatal Cephalic	P	P	P	P	P	P	P	Note 1, 2,4,6
	Adult Cephalic	P	P	P	P	P	P	P	Note 1, 2,4,6
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult	P	P	P	P	P	P	P	Note 1, 2,4,5,6
	Cardiac Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,5,6
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	CB10-4E								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric								
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal	P	P	P	P	P	P	P	Note 1, 2, 4,6,7
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)	P	P	P	P	P	P	P	Note 1, 2, 4,6,7
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	L16-4HE								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note1,2,4
	Intra-operative (Specify*)	P	P	P		P	P	P	Note1,2,4
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note1,2,4
	Small Organ (Specify**)	P	P	P		P	P	P	Note1,2,4
	Neonatal Cephalic	P	P	P		P	P	P	Note1,2,4
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note1,2,4
	Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note1,2,4
	Intravascular								
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note1,2,4
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	P7-3TE								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric								
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Intravascular								
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)	P	P	P	P	P	P	P	Note 1, 5,6
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	CW2s								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric				P				
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic				P				
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Cardiac	Intravascular							
Cardiac Adult					P				
Cardiac Pediatric					P				
Intravascular (Cardiac)									
Trans-esoph. (Cardiac)									
Peripheral vessel	Intra-cardiac								
	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

System:	DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System								
Transducer:	CW5s								
Intended Use:	Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:								
Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric				P				
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic				P				
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
	Cardiac	Intravascular							
Cardiac Adult					P				
Cardiac Pediatric					P				
Intravascular (Cardiac)									
Trans-esoph. (Cardiac)									
Peripheral vessel	Intra-cardiac								
	Peripheral vessel								
	Other (Specify***)								
N=new indication; P=previously cleared by FDA(K170277); E=added under Appendix E									
Additional comments: Combined modes--B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B.									
*Intraoperative includes abdominal, thoracic, and vascular									
**Small organ-breast, thyroid, testes.									
***Other use includes Urology.									
Note 1: Tissue Harmonic Imaging. The feature does not use contrast agents.									
Note 2: Smart3D									
Note 3:4D(Real-time 3D)									
Note 4: iScape									
Note 5: TDI									
Note 6: Color M									
Note 7: Biopsy Guidance									
Note 8: Elastography									
Note 9: Contrast imaging(contrast agent for LVO)									
Note 10: Contrast imaging (Contrast agent for Liver)									
Note 11: STE									
Note 12: STQ									
Concurrence of CDRH, Office of Device Evaluation(ODE)									

510(K) SUMMARY

This summary of 510(k) safety and effectiveness information is being submitted in accordance with the requirements of SMDA 1990 and 21 CFR §807.92.

1. Submitter:

Shenzhen Mindray Bio-medical Electronics Co., LTD

Mindray Building, Keji 12th Road South, Hi-tech Industrial Park, Nanshan, Shenzhen, 518057, P. R. China

Tel: +86 755 8188 5640

Fax: +86 755 2658 2680

Contact Person:

Yang ZhaoHui

Shenzhen Mindray Bio-medical Electronics Co., LTD

Mindray Building, Keji 12th Road South, Hi-tech Industrial Park, Nanshan, Shenzhen, 518057, P. R. China

Date Prepared: November 1, 2017

2. Device Name: DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System

Classification

Regulatory Class: II

Review Category: Tier II

21 CFR 892.1550 Ultrasonic Pulsed Doppler Imaging System (IYN)

21 CFR 892.1560 Ultrasonic Pulsed Echo Imaging System (IYO)

21 CFR 892.1570 Diagnostic Ultrasound Transducer (ITX)

3. Device Description:

DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System is a general purpose, mobile, software controlled, ultrasound diagnostic system. Its function is to acquire and display ultrasound images in B-mode, M-mode, PW-mode, CW mode, Color-mode, Color m-Mode, Power/Dirpower mode, TDI mode, 3D/4D mode, Elastography or the combined mode (i.e. B/M-mode). This system is a Track 3 device that employs an array of probes that include linear array, convex array and phased array.

4. Intended Use:

The DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System is applicable for adults, pregnant women, pediatric patients and neonates. It is intended for use in fetal, abdominal, pediatric, small organ (breast, thyroid, testes), neonatal cephalic, adult cephalic, trans-rectal, trans-vaginal, musculo-skeletal (conventional, superficial), cardiac adult, cardiac pediatric, peripheral vessel, urology and transesophageal (Cardiac) exams.

6. Comparison with Predicate Devices:

DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System is comparable with and substantially equivalent to these predicate devices:

Predicate Device	Manufacturer	Model	510(k) Control Number
1. Primary predicate device	Mindray	DC-8	K170277
2. Reference device	Mindray	Resona 7	K171233
3. Reference device	Mindray	DC-70	K163690
4. Reference device	Mindray	M9	K171034

DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System employs the same technology as the predicate devices. All systems transmit ultrasonic energy into patients, then perform post processing of received echoes to generate onscreen display of anatomic structures and fluid flow within the body. All systems allow for specialized measurements of structures and flow, and calculations. The subject device also has the same intended uses and basic operating modes as the predicate devices.

- Subject device DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 has the same intended

uses as the predicated device DC-8(K170277)

- The materials of probes and Needle-guided brackets of DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 are the same to the probe of predicate device.
- The acoustic power levels of DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 are below the limits of FDA, which is the same as the predicated device DC-8(K170277).
- DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 is designed in compliance with the FDA recognized electrical and physical safety standards, which are the same as the predicated device DC-8(K170277).

7. Non-clinical Tests:

DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System has been evaluated for acoustic output, biocompatibility, cleaning and disinfection effectiveness as well as thermal, electrical and mechanical safety, and has been found to conform with applicable medical safety standards.

Non-clinical tests relied on in this premarket notification submission for a determination of substantial equivalence include testing showing compliance with the following standards:

- AAMI / ANSI ES60601-1:2005/(R)2012 and A1:2012, c1:2009/(r)2012 and a2:2010/(r)2012 (consolidated text) medical electrical equipment - part 1: general requirements for basic safety and essential performance (iec 60601-1:2005, mod).
- IEC 60601-1-2 Edition 3: 2007-03, medical electrical equipment - part 1-2: general requirements for basic safety and essential performance - collateral standard: electromagnetic compatibility - requirements and tests.
- IEC 60601-2-37 Edition 2.0 2007, medical electrical equipment - part 2-37: particular requirements for the basic safety and essential performance of ultrasonic medical diagnostic and monitoring equipment.
- AAMI / ANSI / IEC 62304:2006, medical device software - software life cycle processes.
- ISO 14971 Second edition 2007-03-01, medical devices - application of risk management to medical devices.

- NEMA UD 2-2004 (R2009), acoustic output measurement standard for diagnostic ultrasound equipment revision 3.
- AAMI / ANSI / ISO 10993-1:2009/(R)2013, biological evaluation of medical devices - part 1: evaluation and testing within a risk management process.

8. Clinical Tests:

Not Applicable.

Conclusion:

Intended uses and other key features are consistent with traditional clinical practices, FDA guidelines and established methods of patient examination. The design, development and quality process of the manufacturer confirms with 21 CFR 820, ISO 9001 and ISO 13485 quality systems. The device conforms to applicable medical device safety standards. Therefore, the DC-80/DC-80 PRO/DC-80 EXP/DC-80S/DC-85 Diagnostic Ultrasound System is substantially equivalent with respect to safety and effectiveness to devices currently cleared for market.