



Samsung Medison Co., Ltd.  
Ms. Ji Yea Lee  
Regulatory Affairs Specialist  
42, Teheran-ro 108-gil  
Seoul, 06176  
SOUTH KOREA

February 20, 2018

Re: K173513

Trade/Device Name: WS80A Diagnostic Ultrasound System  
Regulation Number: 21 CFR 892.1550  
Regulation Name: Ultrasonic Pulsed Doppler Imaging System  
Regulatory Class: Class II  
Product Code: IYN, IYO, ITX  
Dated: November 22, 2017  
Received: November 24, 2017

Dear Ji Yea Lee:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

For comprehensive regulatory information about medical devices and radiation-emitting products, including information about labeling regulations, please see Device Advice (<https://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/>) and CDRH Learn (<http://www.fda.gov/Training/CDRHLearn>). Additionally, you may contact the Division of Industry and Consumer Education (DICE) to ask a question about a specific regulatory topic. See the DICE website (<http://www.fda.gov/DICE>) for more information or contact DICE by email ([DICE@fda.hhs.gov](mailto:DICE@fda.hhs.gov)) or phone (1-800-638-2041 or 301-796-7100).

Sincerely,

 For

Robert A. Ochs, Ph.D.

Director

Division of Radiological Health

Office of In Vitro Diagnostics

and Radiological Health

Center for Devices and Radiological Health

Enclosure

## Indications for Use

510(k) Number (if known)

K173513

Device Name

WS80A Diagnostic Ultrasound System

Indications for Use (Describe)

The WS80A Diagnostic Ultrasound System and transducers are intended for diagnostic ultrasound imaging and fluid analysis of the human body.

The clinical applications include: Fetal/Obstetrics, Abdominal, Gynecology, Intra-operative, Pediatric, Small Organ, Neonatal Cephalic, Adult Cephalic, Trans-rectal, Trans-vaginal, Muscular-Skeletal (Conventional, Superficial), Urology, Cardiac Adult, Cardiac Pediatric and Peripheral vessel.

Type of Use (Select one or both, as applicable)

Prescription Use (Part 21 CFR 801 Subpart D)

Over-The-Counter Use (21 CFR 801 Subpart C)

### CONTINUE ON A SEPARATE PAGE IF NEEDED.

This section applies only to requirements of the Paperwork Reduction Act of 1995.

**\*DO NOT SEND YOUR COMPLETED FORM TO THE PRA STAFF EMAIL ADDRESS BELOW.\***

The burden time for this collection of information is estimated to average 79 hours per response, including the time to review instructions, search existing data sources, gather and maintain the data needed and complete and review the collection of information. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden to:

Department of Health and Human Services  
Food and Drug Administration  
Office of Chief Information Officer  
Paperwork Reduction Act (PRA) Staff  
PRASStaff@fda.hhs.gov

*"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB number."*

## DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT

510(k) No.:

Device Name: WS80A Diagnostic Ultrasound System

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Notes 2, 3,4, 5, 6, 7, 8, 9, 11, 12
	Abdominal (See Note 10)	P	P	P	P	P	Note 1	Notes 2, 4, 5, 6, 7, 8, 9,10, 11, 12
	Intra-operative (See Note 6)	P	P	P		P	Note 1	Note 7, 9, 11
	Intra-operative (Neuro.)	P	P	P		P	Note 1	Note 7, 9, 11
	Laparoscopic							
	Pediatric	P	P	P	P	P	Note 1	Notes 2, 4, 6, 7, 8, 9, 11
	Small Organ (See Note 5)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11, 12
	Neonatal Cephalic	P	P	P	P	P	Note 1	Notes 7
	Adult Cephalic	P	P	P	P	P	Note 1	Notes 7
	Trans-rectal	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11, 12
	Trans-vaginal	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11, 12
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Musculo-skel. (Superfic.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
Intra-luminal								
Other (spec.) (See Note 13)	P	P	P		P	Note 1	Notes 2, 7,8, 9, 11, 12	
Cardiac	Cardiac Adult	P	P	P	P	P	Note 1	Notes 4, 7
	Cardiac Pediatric	P	P	P	P	P	Note 1	Notes 4, 7
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

## DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT

510(k) No.:

Device Name: SC1-6 for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Notes 2, 4, 7, 8, 9, 11
	Abdominal (See Note 10)	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
Intra-luminal								
Other (spec.) (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

- Color Doppler includes Power (Amplitude) Doppler
- Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E
- Note 2: Includes imaging for guidance of biopsy
- Note 3: Includes infertility monitoring of follicle development
- Note 4: Color M-mode
- Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients
- Note 6: Abdominal organs and peripheral vessel
- Note 7: Tissue Harmonic Imaging (THI)
- Note 8: 3D imaging
- Note 9: MultiVision (Spatial Compound Imaging)
- Note 10: Includes Renal, Gynecology/Pelvis
- Note 11: Panoramic imaging
- Note 12: ElastoScan
- Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
 Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: C2-6 for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Notes 2, 4, 7, 8, 9, 11

Fetal Imaging & Other	Abdominal (See Note 10)	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
	Intra-luminal							
Other (spec.) (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, , B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

## DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT

510(k) No.:

Device Name: E3-12A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Notes 2, 8, 7, 9
	Abdominal (See Note 10)	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 12
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 12
	Trans-vaginal	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 12
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
Intra-luminal								
Other (spec.) (See Note 13)	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 12	
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)

Prescription Use (Per 21 CFR 801.109)

## DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT

510(k) No.:

Device Name: VR5-9 for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Note 2, 7, 8, 9
	Abdominal (See Note 10)	P	P	P		P	Note 1	Note 2, 7, 8, 9, 12
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal	P	P	P		P	Note 1	Note 2, 7, 8, 9, 12
	Trans-vaginal	P	P	P		P	Note 1	Note 2, 7, 8, 9, 12
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
Intra-luminal								
Other (spec.) (See Note 13)	P	P	P		P	Note 1	Note 2, 7, 8, 9, 12	
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: L3-12A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11



Fetal Imaging & Other	Abdominal (See Note 10)	P	P	P		P	Note 1	Notes 2, 4, 6, 7, 9, 11
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric	P	P	P		P	Note 1	Notes 2, 4, 6, 7, 9, 11
	Small Organ (See Note 5)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11, 12
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11
	Musculo-skel. (Superfic.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11
	Intra-luminal							
Other (spec.) (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11
	Other (spec.)							

N= new indication; P= previously cleared by FDA153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, , B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: L5-13 for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)							
	Abdominal (See Note 10)							
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							

	Small Organ (See Note 5)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11, 12
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11
	Musculo-skel. (Superfic.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11
	Intra-luminal							
	Other (spec.) (See Note 13)							
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)

Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: V4-8 for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

General (Track I only)	Clinical Application	Mode of Operation (*includes simultaneous B-mode)						
		B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Note 2, 4, 7, 8, 9, 11
	Abdominal (See Note 10)	P	P	P		P	Note 1	Note 2, 7, 8, 9, 11
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							

	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
	Intra-luminal							
	Other (spec.) (See Note 13)							
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)

Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: V5-9 for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)							
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)	
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Note 2, 7, 8, 9, 11	
	Abdominal (See Note 10)	P	P	P		P	Note 1	Note 2, 7, 8, 9, 11	
	Intra-operative (See Note 6)								
	Intra-operative (Neuro.)								
	Laparoscopic								
	Pediatric								
	Small Organ (See Note 5)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal		P	P	P		P	Note 1	Note 2, 7, 8, 9, 11
	Trans-vaginal		P	P	P		P	Note 1	Note 2, 7, 8, 9, 11
	Trans-urethral								
	Trans-esoph. (non-Cardiac)								
	Musculo-skel. (Convent.)								
	Musculo-skel. (Superfic.)								
Intra-luminal									

	Other (spec.) (See Note 13)	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: CA1-7A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

General (Track I only)	Clinical Application Specific (Tracks I & III)	Mode of Operation (*includes simultaneous B-mode)						
		B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Notes 2, 4, 7, 8, 9, 11
	Abdominal (See Note 10)	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11, 13
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11
	Musculo-skel. (Superfic.)	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11
	Intra-luminal							
Other (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							

Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

- Color Doppler includes Power (Amplitude) Doppler
- Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E
- Note 2: Includes imaging for guidance of biopsy
- Note 3: Includes infertility monitoring of follicle development
- Note 4: Color M-mode
- Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients
- Note 6: Abdominal organs and peripheral vessel
- Note 7: Tissue Harmonic Imaging (THI)
- Note 8: 3D imaging
- Note 9: MultiVision (Spatial Compound Imaging)
- Note 10: Includes Renal, Gynecology/Pelvis
- Note 11: Panoramic imaging
- Note 12: ElastoScan
- Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
 Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: CA2-8A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

General (Track I only)	Clinical Application Specific (Tracks I & III)	Mode of Operation (*includes simultaneous B-mode)						
		B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Notes 2, 4, 7, 8, 9, 11
	Abdominal (See Note 10)	P	P	P		P	Note 1	Notes 2, 4, 7, 8, 9, 11
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
	Intra-luminal							
Other (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

- Color Doppler includes Power (Amplitude) Doppler
- Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, ,

B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
 Prescription Use (Per 21 CFR 801.109)

### DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT

510(k) No.:

Device Name: CF4-9 for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

General (Track I only)	Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
	Specific (Tracks I & III)		B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)								
	Abdominal (See Note 10)	P	P	P			P	Note 1	Notes 8, 9, 11
	Intra-operative (See Note 6)								
	Intra-operative (Neuro.)								
	Laparoscopic								
	Pediatric	P	P	P			P	Note 1	Notes 8, 9, 11
	Small Organ (See Note 5)								
	Neonatal Cephalic	P	P	P			P	Note 1	Notes 8, 9, 11
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Cardiac)								
	Musculo-skel. (Convent.)								
	Musculo-skel. (Superfic.)								
	Intra-luminal								
Other (See Note 13)									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Trans-esophageal (Cardiac)								
	Other (spec.)								
Peripheral Vessel	Peripheral vessel	P	P	P			P	Note 1	Notes 8, 9, 11
	Other (spec.)								

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, , B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging  
 Note 9: MultiVision (Spatial Compound Imaging)  
 Note 10: Includes Renal, Gynecology/Pelvis  
 Note 11: Panoramic imaging  
 Note 12: ElastoScan  
 Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
 Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: LA3-16A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

General (Track I only)	Clinical Application Specific (Tracks I & III)	Mode of Operation (*includes simultaneous B-mode)						
		B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal (See Note 3)							
	Abdominal (See Note 10)							
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11, 12
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11
	Musculo-skel. (Superfic.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11
Intra-luminal								
Other (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel	P	P	P		P	Note 1	Note 2, 5, 6, 7, 9, 11
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler  
 Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, , B+C+CW, B+PD+CW, B+E  
 Note 2: Includes imaging for guidance of biopsy  
 Note 3: Includes infertility monitoring of follicle development  
 Note 4: Color M-mode  
 Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients  
 Note 6: Abdominal organs and peripheral vessel  
 Note 7: Tissue Harmonic Imaging (THI)  
 Note 8: 3D imaging  
 Note 9: MultiVision (Spatial Compound Imaging)  
 Note 10: Includes Renal, Gynecology/Pelvis  
 Note 11: Panoramic imaging  
 Note 12: ElastoScan  
 Note 13: Includes Urology/Prostate

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: PE2-4 for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)							
	Abdominal (See Note 10)	P	P	P	P	P	Note 1	Note 7
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic	P	P	P	P	P	Note 1	Note 7
	Adult Cephalic	P	P	P	P	P	Note 1	Note 7
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
Intra-luminal								
Other (See Note 13)								
Cardiac	Cardiac Adult	P	P	P	P	P	Note 1	Note 4, 7
	Cardiac Pediatric	P	P	P	P	P	Note 1	Note 4, 7
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:



Device Name: CV1-8A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Note 2, 4, 7, 8, 9, 11
	Abdominal (See Note 10)	P	P	P		P	Note 1	Note 2, 7, 8, 11
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
Intra-luminal								
Other (spec.) (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: LV3-14A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)

Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)							
	Abdominal (See Note 10)							
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Musculo-skel. (Superfic.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
Intra-luminal								
Other (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)

Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: CA2-9A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Notes 2, 4, 7, 8, 9, 11
	Abdominal (See Note 10)	P	P	P		P	Note 1	Notes 2, 4, 7, 8, 9, 11
	Intra-operative (See Note 6)							

Fetal Imaging & Other	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
	Intra-luminal							
	Other (See Note 13)							
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: CA3-10A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

General (Track I only)	Clinical Application Specific (Tracks I & III)	Mode of Operation (*includes simultaneous B-mode)						
		B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Notes 2, 3, 7, 8, 9, 11
	Abdominal (See Note 10)	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11
	Small Organ (See Note 5)							

	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
	Intra-luminal							
	Other (See Note 13)							
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel	P	P	P		P	Note 1	Notes 2, 7, 8, 9, 11
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: EA2-11B for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

General (Track I only)	Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
	Specific (Tracks I & III)		B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)	P	P	P			P	Note 1	Note 2, 7, 8, 9
	Abdominal (See Note 10)	P	P	P			P	Note 1	Note 2, 7, 8, 9, 12
	Intra-operative (See Note 6)								
	Intra-operative (Neuro.)								
	Laparoscopic								
	Pediatric								
	Small Organ (See Note 5)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal	P	P	P			P	Note 1	Note 2, 7, 8, 9, 12
	Trans-vaginal	P	P	P			P	Note 1	Note 2, 7, 8, 9, 12

	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
	Intra-luminal							
	Other (See Note 13)	P	P	P		P	Note 1	Note 2, 7, 8, 9, 12
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: LA2-9A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)							
	Abdominal (See Note 10)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
Musculo-skel. (Superfic.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11	

	Intra-luminal							
	Other (See Note 13)							
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)

Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: LA3-16AI for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)							
	Abdominal (See Note 10)							
	Intra-operative (See Note 6)	P	P	P		P	Note 1	Note 7, 9, 11
	Intra-operative (Neuro.)	P	P	P		P	Note 1	Note 7, 9, 11
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)	P	P	P		P	Note 1	Note 7, 9, 11
	Musculo-skel. (Superfic.)	P	P	P		P	Note 1	Note 7, 9, 11
	Intra-luminal							
Other (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							

	Trans-esophageal (Cardiac)						
	Other (spec.)						
Peripheral Vessel	Peripheral vessel	P	P	P		P	Note 1
	Other (spec.)						Note 7, 9, 11

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, , B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

---

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

## DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT

510(k) No.:

Device Name: LA4-18B for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)							
	Abdominal (See Note 10)							
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Musculo-skel. (Superfic.)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
Intra-luminal								
Other (See Note 13)								
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)

Prescription Use (Per 21 CFR 801.109)

## DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT

510(k) No.:

Device Name: PA3-8B for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:



Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)							
	Abdominal (See Note 10)	P	P	P	P	P	Note 1	Note 7
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric	P	P	P	P	P	Note 1	Note 7
	Small Organ (See Note 5)							
	Neonatal Cephalic	P	P	P	P	P	Note 1	Note 7
	Adult Cephalic	P	P	P	P	P	Note 1	Note 7
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
Intra-luminal								
Other (See Note 13)								
Cardiac	Cardiac Adult	P	P	P	P	P	Note 1	Note 4, 7
	Cardiac Pediatric	P	P	P	P	P	Note 1	Note 4, 7
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: PM1-6A for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
	Fetal/Obstetrics (See Note 3)							

Fetal Imaging & Other	Abdominal (See Note 10)	P	P	P	P	P	Note 1	Note 7
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic	P	P	P	P	P	Note 1	Note 7
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
	Intra-luminal							
Other (See Note 13)								
Cardiac	Cardiac Adult	P	P	P	P	P	Note 1	Note 4, 7
	Cardiac Pediatric	P	P	P	P	P	Note 1	Note 4, 7
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K153529; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: EV3-10B for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging	Fetal/Obstetrics (See Note 3)	P	P	P		P	Note 1	Note 2, 7, 8, 9, 11, 12
	Abdominal (See Note 10)	P	P	P		P	Note 1	Note 2, 7, 8, 9, 11, 12
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							

& Other	Pediatric							
	Small Organ (See Note 5)							
	Neonatal Cephalic							
	Adult Cephalic							
	Trans-rectal	P	P	P		P	Note 1	Note 2, 7, 8, 9, 11, 12
	Trans-vaginal	P	P	P		P	Note 1	Note 2, 7, 8, 9, 11, 12
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							
	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
	Intra-luminal							
	Other (See Note 13)	P	P	P		P	Note 1	Note 2, 7, 8, 9, 11, 12
Cardiac	Cardiac Adult							
	Cardiac Pediatric							
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)

Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: LM4-15B for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation (*includes simultaneous B-mode)						
General (Track I only)	Specific (Tracks I & III)	B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)							
	Abdominal (See Note 10)							
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric							
	Small Organ (See Note 5)	P	P	P		P	Note 1	Note 2, 5, 6, 7, 8, 9, 11, 12
	Neonatal Cephalic							
Adult Cephalic								

	Trans-rectal						
	Trans-vaginal						
	Trans-urethral						
	Trans-esoph. (non-Cardiac)						
	Musculo-skel. (Convent.)	P	P	P	P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Musculo-skel. (Superfic.)	P	P	P	P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Intra-luminal						
	Other (See Note 13)						
Cardiac	Cardiac Adult						
	Cardiac Pediatric						
	Trans-esophageal (Cardiac)						
	Other (spec.)						
Peripheral Vessel	Peripheral vessel	P	P	P	P	Note 1	Note 2, 5, 6, 7, 8, 9, 11
	Other (spec.)						

N= new indication; P= previously cleared by FDA K162094; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

**DIAGNOSTIC ULTRASOUND INDICATIONS FOR USE STATEMENT**

510(k) No.:

Device Name: PA4-12B for use with WS80A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

General (Track I only)	Clinical Application Specific (Tracks I & III)	Mode of Operation (*includes simultaneous B-mode)						
		B	M	PWD	CWD	Color Doppler*	Combined* (Spec.)	Other (Spec.)
Ophthalmic	Ophthalmic							
Fetal Imaging & Other	Fetal/Obstetrics (See Note 3)							
	Abdominal (See Note 10)	P	P	P		P	Note 1	
	Intra-operative (See Note 6)							
	Intra-operative (Neuro.)							
	Laparoscopic							
	Pediatric	P	P	P		P	Note 1	
	Small Organ (See Note 5)							
	Neonatal Cephalic	P	P	P		P	Note 1	
	Adult Cephalic							
	Trans-rectal							
	Trans-vaginal							
	Trans-urethral							
	Trans-esoph. (non-Cardiac)							

	Musculo-skel. (Convent.)							
	Musculo-skel. (Superfic.)							
	Intra-luminal							
	Other (See Note 13)							
Cardiac	Cardiac Adult							
	Cardiac Pediatric	P	P	P	P	P	Note 1	Note 4, 7
	Trans-esophageal (Cardiac)							
	Other (spec.)							
Peripheral Vessel	Peripheral vessel							
	Other (spec.)							

N= new indication; P= previously cleared by FDA K162094; E= added under Appendix E

**Additional Comments:**

Color Doppler includes Power (Amplitude) Doppler

Note 1: B+M, B+PW, B+C, B+PD, B+DPD, B+PPI, B+TD, B+CW, B+C+PW, B+PD+PW, B+DPD+PW, B+PPI+PW, B+TD+PW, B+C+M, Dual/Quad, , B+C+CW, B+PD+CW, B+E

Note 2: Includes imaging for guidance of biopsy

Note 3: Includes infertility monitoring of follicle development

Note 4: Color M-mode

Note 5: For example: thyroid, parathyroid, breast, scrotum and penis in adult, pediatric and neonatal patients

Note 6: Abdominal organs and peripheral vessel

Note 7: Tissue Harmonic Imaging (THI)

Note 8: 3D imaging

Note 9: MultiVision (Spatial Compound Imaging)

Note 10: Includes Renal, Gynecology/Pelvis

Note 11: Panoramic imaging

Note 12: ElastoScan

Note 13: Includes Urology/Prostate

---

Concurrence of Center for Devices and Radiological Health (CDRH)  
Prescription Use (Per 21 CFR 801.109)

# SAMSUNG MEDISON Co., Ltd.

510(k) Premarket Notification – Traditional



## Section 5. 510(K) Summary

In accordance with 21 CFR 807.92 the following summary of information is provided:

1. Date Prepared – November 10, 2017
2. Manufacturer  
SAMSUNG MEDISON CO., LTD.  
42, Teheran-ro 108-gil, Gangnam-gu, Seoul, Korea
3. Primary Contact Person  
Ji Yea Lee  
Regulatory Affairs Specialist  
Phone: +82.2.2194.1594  
Fax: +82.2.556.3974  
Email: [jiyea722.lee@samsungmedison.com](mailto:jiyea722.lee@samsungmedison.com)
4. Secondary Contact Person  
Ninad Gujar  
Director of Regulatory & Quality  
Phone: +1.978.564.8503  
Email: [ngujar@neurologica.com](mailto:ngujar@neurologica.com)
5. Proposed Device
  - Common/Usual Name: Diagnostic Ultrasound System and Accessories
  - Proprietary Name: WS80A Diagnostic Ultrasound System
  - Common Name: Diagnostic Ultrasound System
  - Classification Names: system, imaging, pulsed doppler, ultrasonic
  - Product Code: IYN, IYO, ITX
  - Regulation: 892.1550
6. Predicate Device
  - WS80A Diagnostic Ultrasound System (K171070)
  - RS80A Diagnostic Ultrasound System (K171048)
  - Noblus™ Ultrasound Diagnostic System (K142368)
7. Device Description  
The WS80A is a general purpose, mobile, software controlled, diagnostic ultrasound system. Its function is to acquire ultrasound data and to display the data as B mode, M mode, Color Doppler imaging, Power Doppler imaging (including Directional Power Doppler mode; S-Flow), PW Spectral Doppler mode, CW Spectral Doppler mode, Harmonic imaging, Tissue Doppler imaging, Tissue Doppler Wave, 3D imaging mode (real time 4D imaging mode), Elastoscan Mode or as a combination of these modes. The WS80A also gives the operator the ability to measure anatomical structures and offers analysis packages that provide information that is used to make a diagnosis by competent health care professionals. The WS80A has real time acoustic output display with two basic indices, a mechanical index and a thermal index, which are both automatically displayed.



8. Intended Uses

The WS80A Diagnostic Ultrasound System and transducers are intended for diagnostic ultrasound imaging and fluid analysis of the human body.

The clinical applications include: Fetal/Obstetrics, Abdominal, Gynecology, Intra-operative, Pediatric, Small Organ, Neonatal Cephalic, Adult Cephalic, Trans-rectal, Trans-vaginal, Muscular-Skeletal (Conventional, Superficial), Urology, Cardiac Adult, Cardiac Pediatric and Peripheral vessel.

9. Technology

The WS80A employs the same fundamental scientific technology as its predicate device(s).

10. Determination of Substantial Equivalence

Comparison to Predicates: The WS80A is substantially equivalent to the predicate devices with regard to intended use, imaging capabilities, technological characteristics and safety and effectiveness.

- The systems are all intended for diagnostic ultrasound imaging and fluid flow analysis.
- The WS80A and predicates WS80A systems have the same clinical intended use.
- The WS80A and predicates WS80A systems have the same imaging modes with the exception of E-Cervix which is substantially equivalent to Hitachi Noblus (K142368).
- The WS80A and predicates WS80A systems have the same imaging modes with the exception of E-Strain, S-Detect for Breast, and S-Detect for Thyroid which are substantially equivalent to Samsung Medison RS80A (K171048).
- The WS80A and predicate WS80A system transducers are identical.
- The systems are manufactured with materials which have been evaluated and found to be safe for the intended use of the device.
- The systems have acoustic power levels which are below the applicable FDA limits.
- The WS80A and predicate WS80A systems have the same capability in terms of performing measurements, capturing digital images, reviewing and reporting studies.
- The WS80A and predicate systems have been designed in compliance with approved electrical and physical safety standards.

11. Non-Clinical Testing

No new hazards were identified with the subject device. The subject device and its transducers have been evaluated for acoustic output, biocompatibility, cleaning & disinfection effectiveness, electromagnetic compatibility, as well as electrical and mechanical safety, and have been found to conform to applicable medical device safety standards.

12. Clinical Testing

The subject of this premarket submission, WS80A, did not require clinical studies to support substantial equivalence.

13. Conclusion

Intended uses and other key features are consistent with traditional clinical practices and FDA guidelines. The design, development and quality process of the manufacturer confirms with 21 CFR 820 and ISO 13485. The device is designed to conform to applicable medical device safety standards and compliance. Therefore, SAMSUNG MEDISON CO., LTD. considers the WS80A to be as safe, as effective, and performance is substantially equivalent to the predicate devices.