



June 22, 2018

Hollister Incorporated
Michelle Schiltz-Taing
Regulatory Affairs Manager
2000 Hollister Drive
Libertyville, IL 60048

Re: K180824
Trade/Device Name: Vapro 2 Intermittent Catheter
Regulation Number: 21 CFR§ 876.5130
Regulation Name: Urological Catheter and Accessories
Regulatory Class: II
Product Code: GBM
Dated: June 8, 2018
Received: June 11, 2018

Dear Michelle Schiltz-Taing:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies.

You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm>.

For comprehensive regulatory information about medical devices and radiation-emitting products, including information about labeling regulations, please see Device Advice (<https://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/>) and CDRH Learn (<http://www.fda.gov/Training/CDRHLearn>). Additionally, you may contact the Division of Industry and Consumer Education (DICE) to ask a question about a specific regulatory topic. See the DICE website (<http://www.fda.gov/DICE>) for more information or contact DICE by email (DICE@fda.hhs.gov) or phone (1-800-638-2041 or 301-796-7100).

Sincerely,

Timothy Martin -S

2018.06.22 08:48:43 -04'00'

for

Benjamin R. Fisher, Ph.D.

Director

Division of Reproductive, Gastro-Renal,
and Urological Devices

Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

Indications for Use

510(k) Number (if known)

K180824

Device Name

Vapro 2 Intermittent Catheter

Indications for Use (Describe)

This intermittent catheter is a flexible tubular device that is inserted through the urethra by male, female and pediatric patients who need to drain urine from the bladder.

Type of Use (Select one or both, as applicable)

Prescription Use (Part 21 CFR 801 Subpart D)

Over-The-Counter Use (21 CFR 801 Subpart C)

CONTINUE ON A SEPARATE PAGE IF NEEDED.



510(k) Summary

Applicant: Hollister Incorporated
2000 Hollister Drive
Libertyville, IL 60048

Contact Person: Michelle Schiltz-Taing
Hollister Incorporated
2000 Hollister Drive
Libertyville, IL 60018
(t) 847-680-2122

Date Prepared: 05 June 2018
Trade Name: VaPro 2™ Intermittent Catheter
Common Name: Catheter, Urethral
Product Code/Class: GBM/Class II
Classification Name: Urological catheter and accessories
CFR: 21 CFR 876.5130

Predicate Device:

VaPro 2 Intermittent Catheter is substantially equivalent to its original design:
VaPro Intermittent Catheter, K141642 by Hollister Incorporated

Reference Device:

VaPro Pocket, K143594 by Hollister Incorporated for VaPro 2 Pocket.

Indications for Use:

This intermittent catheter is a flexible tubular device that is inserted through the urethra by male, female and pediatric patients who need to drain urine from the bladder.

Description of Applicant Device:

The VaPro 2 Intermittent Catheter is a hydrophilic coated, single use catheter to be used as a means of managing urinary incontinence by draining urine from the bladder. VaPro 2 has the following features:

- Hydrophilic-coated PVC catheter (phthalate free)
- Two smooth catheter eyelets
- Protective sleeve

- Protective introducer tip as a way to shield the sterile catheter from bacteria in the distal urethra during insertion
- Color-coded funnel
- Available with a Firmer Style Catheter (Standard packaging only with packaging differentiated as F-Style)

The packaging contains a sealed water compartment chamber from which the water migrates to the catheter compartment and hydrates (lubricates) the catheter. The outer packaging, (Standard and Pocket), was designed to facilitate access for those with limited dexterity. The Pocket version was designed to be discreet and easy to store.

Technological Characteristics:

The table below summarizes the technological characteristics of VaPro 2 Intermittent Catheter as compared to the predicate device VaPro.

	VaPro Intermittent Catheter (K141642)	VaPro 2
Indication for Use	This intermittent catheter is a flexible tubular device that is inserted through the urethra by male, female and pediatric patients who need to drain urine from the bladder.	
Condition of Use	Single Use	
Pre-lubricated	Yes-by water vapor hydration	
Ready to use	Yes	
End Design	Funnel	
Sterile	Yes - Gamma Irradiation	
No touch design	Yes - contains sleeve	
Hydrophilic Coating	PVP Based (polyvinylpyrrolidone) Coating	
Protective Introducer Tip	Yes	
Protective Cap	Yes	
Catheter Material	PVC (phthalate free)	

Brief Description of Non-Clinical Testing:

The physical performance properties of VaPro 2 met all applicable requirements of EN 1618, EN 1616 and EN 13868.

Biocompatibility testing met the requirements of ISO 10993-1, 10993-5, 10993-11 and 10993-12.

Sterilization met all requirements of ISO 11137-1, ISO 11137-2, AAMI/ANSI/ISO 11737-1 and AAMI/ANSI/ISO 11737-2.

Conclusion:

It is concluded that the information supplied in this submission has demonstrated that VaPro 2 Intermittent Catheter is equivalent to the legally marketed device VaPro Intermittent Catheter.