

APR 22 2002

K 020499

21.0 510(K) SUMMARY

Bond-3 Adhesive and Dentin Conditioning Adhesive System (Bond-1) K936222 are both used for the adhesion of tooth to various polymeric filling materials (composites) and used with other conditioners or combination of conditioners for bonding composite to metal including amalgam, gold, semi precious, and non precious alloys, porcelain and glass and luting of same to Dentin and Enamel. Bond-3 Adhesive and Dentin Conditioning Adhesive System (Bond-1) K936222 contain the same materials. However, Bond-3 Adhesive Contains additional Methacryl-POSS for added improvements. Safety and effectiveness have not been affected.

21.0



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

APR 22 2002

Ms. Annmarie Tenero
Jeneric/Pentron, Incorporated
53 North Plains Industrial Road
Wallingford, Connecticut 06492

Re: K020499
Trade/Device Name: Bond-3 Adhesive
Regulation Number: 872.3200
Regulation Name: Resin Tooth Bonding Agent
Regulatory Class: II
Product Codes: KLE and EMA
Dated: February 13, 2002
Received: February 14, 2002

Dear Ms. Tenero:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies.

You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 21 CFR Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control,
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

5.0 INDICATION FOR USE STATEMENT

510(k) NUMBER (IF KNOWN): K020499

DEVICE NAME: Bond-3 Adhesive

INDICATION FOR USE:

Bond-3 Adhesive is used for the adhesion of tooth (dentin and enamel) to various polymeric filling materials (composites) and used with other conditioners or combination of conditioners for bonding composite to metal including amalgam, gold, semi precious, and non precious alloys, porcelain and glass and luting of same to Dentin and Enamel.

Susan Pinner

(Division Sign-Off)
Division of Dental, Infection Control,
and General Hospital Devices
510(k) Number K020499

(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED.)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use
(Per 21 CFR 801.109)

OR

Over -The-Counter-Use _____
(Optional Format 1-2-96) 5.0