



SEP - 8 2003

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Marquette Medical, Incorporated
C/O Mr. E.J. Smith
Smith & Associates
P.O. Box 4341
Crofton, Maryland 21114

Re: K021471

Trade/Device Name: Marquette Huber Trap Safety Infusion Set Huber Needle
Regulation Number: 880.5440, 880.5965
Regulation Name: Intravascular Administration Set Subcutaneous, Implanted
Intravascular Infusion Port and Catheter
Regulatory Class: II
Product Code: FPA, LJT
Dated: July 25, 2003
Received: July 28, 2003

Dear Mr. Smith:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Page 2 – Mr. Smith

Please be advised that FDA's issuance of a substantial equivalence **determination** does not mean that FDA has made a determination that your device complies with **other** requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4618. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

A handwritten signature in black ink, appearing to read "Susan Runner" with a stylized flourish at the end.

Susan Runner, DDS, MA

Interim Director

Division of Anesthesiology, General Hospital

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

510(k) Number:

Device Name:

Classification Panel:

Indications for Use:

The Marquette Medical Safety Huber Infusion Set is a safety IV administration set used to access surgically implanted vascular ports. The Medical Safety Huber Needle is used to administer fluids or drugs and blood sampling. The Marquette Medical Safety Huber Infusion Set facilitates safe removal of the needle by encapsulating the needle within a telescoping plastic cone to help prevent needle-stick injuries when using the device for vascular port access.

Patricia Cucarite

(Division Sign-Off)

Division of Anesthesiology, General Hospital,
Infection Control, Dental Devices

510(k) Number: K021471

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use: ✓

Over-the-Counter Use: