



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

NOV 8 2002

Ms. Brenda Lee
Manager of RA/QA
PrimeLine Medical Products, Incorporated
10707-100th Avenue, Suite 300
Edmonton, Alberta T5J 3M1
CANADA

Re: K022868

Trade/Device Name: primaGARD Surgical Equipment Covers
Regulation Number: 878.4370
Regulation Name: Surgical Drape and Drape Accessories
Regulatory Class: II
Product Code: KXX
Dated: August 29, 2002
Received: August 29, 2002

Dear Ms. Lee:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 21 CFR Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4618. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



for

Timothy A. Ulatowski

Director

Division of Anesthesiology, General Hospital,

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health


Enclosure

Statement of Indications for Use

510(k) Number: K022868

Device Name: PrimeLine Medical Products Inc. primaGARD Surgical Equipment Covers

The primaGARD Surgical Equipment Covers are Non-sterile surgical equipment covers, identified in 21 CFR, part 878.4370. The drapes are made of natural and/or synthetic material and used as a protective equipment covering. The primary purpose of this drape is to isolate equipment from contaminating the sterile field during surgery. This is to maintain the sterile technique in an operating room.



Brenda Lee



Date

K022868

Premarket Notification (510K Number)



(Division Sign-Off)
Division of Anesthesiology, General Hospital,
Infection Control, Dental Devices

510(k) Number: K022868