



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JAN 28 2003

Astralite Corporation
c/o Dorian Swartz, President
7701 Woodley Avenue
Van Nuys, CA 91406

Re: K023004
Trade/Device Name: LFRE Indirect Laryngoscope
Regulation Number: 21 CFR 874.4760
Regulation Name: Nasopharyngoscope (flexible or rigid) and accessories
Regulatory Class: Class II
Product Code: EOB
Dated: December 7, 2002
Received: December 10, 2002

Dear Mr. Swartz:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4613. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



A. Ralph Rosenthal, M.D.
Director
Division of Ophthalmic and Ear,
Nose and Throat Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

INDICATIONS FOR USE STATEMENT

LFRE Indirect Laryngoscope
K023004

INDICATIONS FOR USE:

The LFRE Indirect Laryngoscope may be used for examinations of the larynx and nasopharynx

1. while conducting normal, routine physical examinations.
2. while inspecting for causes of abnormal conditions (e.g., hoarseness, pain) presented by the patient.
3. while inspecting for causes of abnormal conditions indicated by referring facilities.

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription for use ✓
(Per 21 CFR 801.109)

 Kerens H. Baker
(Division Sign-Off)
Division of Ophthalmic Ear,
Nose and Throat Devices

510(k) Number K023004