



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JAN 07 2003

Mr. Ruby Lin
Manager
Canopus Medical Supply Company Limited
10th Floor, No.201,
Fu Hsing North Road,
Taipei 105,
TAIWAN, R.O.C.

Re: K023728

Trade/Device Name: Disposable Powder Free Vinyl Synthetic Examination
Gloves with Aloe Vera, Green Color
Regulation Number: 880.6250
Regulation Name: Patient Examination Gloves
Regulatory Class: I
Product Code: LYZ
Dated: October 1, 2002
Received: November 6, 2002

Dear Mr. Lin:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4618. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Timothy A. Ulatowski
Director

Division of Anesthesiology, General Hospital,
Infection Control and Dental Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

the entire 510(k) submission must support and agree with the
Indications for Use statement.

INDICATIONS FOR USE

Applicant: CANOPUS MEDICAL SUPPLY CO., LTD

510(k) Number (if known): K023728

Device Name: DISPOSABLE POWDER FREE VINYL
SYNTHETIC EXAM GLOVES WITH ALOE VERA,
GREEN COLOR

Indications For Use:

**A PATIENT EXAMINATION GLOVE IS A DISPOSABLE
DEVICE INTENDED FOR MEDICAL PURPOSE THAT IS
WORN ON THE EXAMINER'S HAND OR FINGERS TO
PREVENT CONTAMINATION BETWEEN PATIENT AND
EXAMINER.**

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE) _____

Prescription Use _____
(Per 21 CFR 801.109)

OR

Over-The-Counter Use _____

Chin S. Lim
(Division Sign-Off)
Division of Anesthesiology, General Hospital,
Infection Control, Dental Devices

(Optional Format 1-2-96)

510(k) Number: K023728