



October 2, 2013

Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Center - WO66-G609  
Silver Spring, MD 20993-0002

Alcon Research, Ltd.  
% Barbara S. Fant, Pharm D.  
Clinical Research Consultants, Inc.  
3308 Jefferson Avenue; Upper Level  
Cincinnati, Ohio 45220

Re: P020050/S12  
ALLEGRETTO WAVE<sup>®</sup> Eye-Q Excimer Laser System  
Filed: April 3, 2013  
Amended Dates: May 2, May 9, July 31, and August 15, 2013

Dear Dr. Fant:

The Center for Devices and Radiological Health (CDRH) of the Food and Drug Administration (FDA) completed its evaluation of your premarket approval application (PMA) panel track supplement and issued an approval order on September 27, 2013. We inadvertently made the following errors:

- We incorrectly identified your device trade name. The device trade name should have read as the ALLEGRETTO WAVE<sup>®</sup> Eye-Q Excimer Laser System.
- We incorrectly listed the dates on which your application was filed and amended. The corrected dates appear above.

We hope that these errors have not inconvenienced you. If you have any questions concerning this approval order, please contact Mr. Nam To at (301)-796-6620.

Sincerely yours,

**Kesia Y. Alexander -S**

for Malvina B. Eydelman, M.D.  
Director  
Division of Ophthalmic and Ear,  
Nose, and Throat Devices  
Office of Device Evaluation  
Center for Devices and Radiological Health



September 27, 2013

Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Center – WO66-G609  
Silver Spring, MD 20993-0002

Alcon Research, Ltd.  
% Barbara S. Fant, Pharm D.  
Clinical Research Consultants, Inc.  
3308 Jefferson Avenue, Upper Level  
Cincinnati, OH 45220

Re: P020050/S012  
ALLEGRETTO WAVE<sup>®</sup> Eye-Q 400Hz Excimer Laser System  
Filed: May 2, 2013  
Amended: May 2, May 9, July 29 and August 14, 2013  
Procude: LZS

Dear Dr. Fant:

The Center for Devices and Radiological Health (CDRH) of the Food and Drug Administration (FDA) has completed its review of your premarket approval application (PMA) supplement for the ALLEGRETTO WAVE<sup>®</sup> Eye-Q 400Hz Excimer Laser System. This device is indicated for the following:

*The WaveLight ALLEGRETTO WAVE<sup>®</sup> Eye-Q Excimer Laser System used in conjunction with the WaveLight ALLEGRO Topolyzer (topographer) and T-CAT treatment planning software is indicated for performing topography-guided laser assisted in situ keratomileusis (Topo-guided (T-CAT) LASIK):*

- *for the reduction or elimination of up to -9.00 diopters (D) of spherical equivalent myopia or myopia with astigmatism, with up to -8.00 D of spherical component and up to -3.00D of astigmatic component at the spectacle plane;*
- *in patients who are 18 years of age or older; and*
- *in patients with documentation of a stable manifest refraction defined as 0.50D or less of preoperative spherical equivalent shift over one year prior to surgery."*

We are pleased to inform you that the PMA supplement is approved. You may begin commercial distribution of the device as modified in accordance with the conditions of approval described below.

The sale and distribution of this device are restricted to prescription use in accordance with 21 CFR 801.109 and under section 515(d)(1)(B)(ii) of the Federal Food, Drug, and Cosmetic Act (the act). The device is further restricted under section 515(d)(1)(B)(ii) of the act insofar as the labeling must specify the specific training or experience practitioners need in order to use the device. FDA has determined that these restrictions on sale and distribution are necessary to provide reasonable assurance of the safety and effectiveness of the device.

Your device is therefore a restricted device subject to the requirements in sections 502(q) and (r) of the act, in addition to the many other FDA requirements governing the manufacture, distribution, and marketing of devices.

Continued approval of this PMA is contingent upon the submission of periodic reports, required under 21 CFR 814.84, at intervals of one year (unless otherwise specified) from the date of approval of the original PMA. Two copies of this report, identified as "Annual Report" (please use this title even if the specified interval is more frequent than one year) and bearing the applicable PMA reference number, should be submitted to the address below. The Annual Report should indicate the beginning and ending date of the period covered by the report and should include the information required by 21 CFR 814.84.

In addition to the above, and in order to provide continued reasonable assurance of the safety and effectiveness of the device, the Annual Report must include, separately for each model number (if applicable), the number of devices sold and distributed during the reporting period, including those distributed to distributors. The distribution data will serve as a denominator and provide necessary context for FDA to ascertain the frequency and prevalence of adverse events, as FDA evaluates the continued safety and effectiveness of the device.

Before making any change affecting the safety or effectiveness of the device, you must submit a PMA supplement or an alternate submission (30-day notice) in accordance with 21 CFR 814.39. All PMA supplements and alternate submissions (30-day notice) must comply with the applicable requirements in 21 CFR 814.39. For more information, please refer to the FDA guidance document entitled, "Modifications to Devices Subject to Premarket Approval (PMA) - The PMA Supplement Decision-Making Process" ([www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/GuidanceDocuments/ucm089274.htm](http://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/GuidanceDocuments/ucm089274.htm)).

You are reminded that many FDA requirements govern the manufacture, distribution, and marketing of devices. For example, in accordance with the Medical Device Reporting (MDR) regulation, 21 CFR 803.50 and 21 CFR 803.52, you are required to report adverse events for this device. Manufacturers of medical devices, including in vitro diagnostic devices, are required to report to FDA no later than 30 calendar days after the day they receive or otherwise becomes aware of information, from any source, that reasonably suggests that one of their marketed devices:

1. May have caused or contributed to a death or serious injury; or
2. Has malfunctioned and such device or similar device marketed by the manufacturer would be likely to cause or contribute to a death or serious injury if the malfunction were to recur.

Additional information on MDR, including how, when, and where to report, is available at [www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm](http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm).

In accordance with the recall requirements specified in 21 CFR 806.10, you are required to submit a written report to FDA of any correction or removal of this device initiated by you to: (1) reduce a risk to health posed by the device; or (2) remedy a violation of the act caused by the device which may present a risk to health, with certain exceptions specified in 21 CFR 806.10(a)(2). Additional information on recalls is available at [www.fda.gov/Safety/Recalls/IndustryGuidance/default.htm](http://www.fda.gov/Safety/Recalls/IndustryGuidance/default.htm).

CDRH does not evaluate information related to contract liability warranties. We remind you; however, that device labeling must be truthful and not misleading. CDRH will notify the public of its decision to approve your PMA by making available, among other information, a summary of the safety and effectiveness data upon which the approval is based. The information can be found on the FDA CDRH Internet Homepage located at [www.fda.gov/MedicalDevices/ProductsandMedicalProcedures/DeviceApprovalsandClearances/PMAApprovals/default.htm](http://www.fda.gov/MedicalDevices/ProductsandMedicalProcedures/DeviceApprovalsandClearances/PMAApprovals/default.htm). Written requests for this information can also be made to the Food and Drug Administration, Dockets Management Branch, (HFA-305), 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852. The written request should include the PMA number or docket number. Within 30 days from the date that this information is placed on the Internet, any interested person may seek review of this decision by submitting a petition for review under section 515(g) of the act and requesting either a hearing or review by an independent advisory committee. FDA may, for good cause, extend this 30-day filing period.

Failure to comply with any post-approval requirement constitutes a ground for withdrawal of approval of a PMA. The introduction or delivery for introduction into interstate commerce of a device that is not in compliance with its conditions of approval is a violation of law.

You are reminded that, as soon as possible and before commercial distribution of your device, you must submit an amendment to this PMA submission with copies of all approved labeling in final printed form. Final printed labeling that is identical to the labeling approved in draft form will not routinely be reviewed by FDA staff when accompanied by a cover letter stating that the final printed labeling is identical to the labeling approved in draft form. If the final printed labeling is not identical, any changes from the final draft labeling should be highlighted and explained in the amendment.

All required documents should be submitted in six copies, unless otherwise specified, to the address below and should reference the above PMA number to facilitate processing.

U.S. Food and Drug Administration  
Center for Devices and Radiological Health  
PMA Document Mail Center – WO66-G609  
10903 New Hampshire Avenue  
Silver Spring, MD 20993-0002

Page 4 – Barbara S. Fant, Pharm.D.

If you have any questions concerning this approval order, please contact Mr. Nam To at (301)796-6620.

Sincerely yours,

**Kesia Y. Alexander -S**

for Malvina B. Eydelman, M.D.

Director

Division of Ophthalmic and

Ear, Nose and Throat Devices

Office of Device Evaluation

Center for Devices and Radiological Health