



AUG 26 2003

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Ms. Elizabeth Deng  
EST International Corporation  
7668 Belpine Place  
Rancho Cucamonga, California 91730

Re: K032236

Trade/Device Name: Disposable Powdered Vinyl Synthetic Exam Gloves White Color  
Regulation Number: 880.6250  
Regulation Name: Patient Examination Glove  
Regulatory Class: I  
Product Code: LYZ  
Dated: July 1, 2003  
Received: July 21, 2003

Dear Ms. Deng:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4618. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Susan Runner, DDS, MA  
Interim Director  
Division of Anesthesiology, General Hospital  
Infection Control and Dental Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

**3.0 Indications for Use Statement:** Include the following or equivalent Indications for Use page. The information, data and labeling claims in the entire 510(k) submission must support and agree with the Indications for Use statement.

**INDICATIONS FOR USE**


Applicant: **EST INTERNATIONAL CORPORATION**

510(k) Number (if known): K032236

Device Name: **DISPOSABLE POWDERED VINYL SYNTHETIC EXAM GLOVES, WHITE COLOR**

Indications For Use:

**A PATIENT EXAMINATION GLOVE IS A DISPOSABLE DEVICE INTENDED FOR MEDICAL PURPOSE THAT IS WORN ON THE EXAMINER'S HAND OR FINGERS TO PREVENT CONTAMINATION BETWEEN PATIENT AND EXAMINER.**

  
\_\_\_\_\_  
(Division Sign-Off)  
Division of Anesthesiology, General Hospital,  
Infection Control, Dental Devices  
510(k) Number: K032236

\* For a new submission, do **NOT** fill in the 510(k) number.